



		Description
	33311B	Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain, 1/4-18
	27876B	Seal, Oil
5	32783	Intake Valve (Std.) (Incl. 9)
5	32784	Intake Valve (1/32" OS) (Incl. 9)
6	27878A	Exhaust Valve (Std.)
6	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
7	27882	Cap, Upper valve spring
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	31856A	Crankshaft (Incl. 12 & 13)
	29783	Pin, Crankshaft gear Used in early production. This gear is
		serviceable ONLY when itis pinned to the crankshaft.
13	27884	Gear, Crankshaft Used in early production. This gear is
		serviceable ONLY when itis pinned to the crankshaft.
	33312B	Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34531	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532	Piston, Pin & Ring Set (.010" OS)
14	34533	Piston, Pin & Ring Set (.020" OS)
15	34854	Ring Set (Std.) (2-5/8" Bore)
15	34855	Ring Set (.010" OS)
15	34856	Ring Set (.020" OS)
16	27888	Ring, Piston pin retaining
17	31380C	Rod Assy., Connecting (Incl. 18)
	650662C	Screw, Connecting rod (Late productio n)
	30682	Bolt, Connecting rod (Early productio n)
	26073	Connecting rod bolt washer (Early pro duction)
	28264	Connecting rod nut (Used on early pro duction)
	33985	Camshaft (Extended)
	34034	Lifter, Valve
	31720A	Cylinder Cover (Incl. 24, 24A, 27 & 1 05)
	28926	Seal, Oil
	28427	Seal, Oil
	30684	
		* Gasket, Cylinder cover
	31546	Bushing, Crankshaft
	650488	Screw, 1/4-20 x 1-1/4"
	650493	Screw, 1/4-20 x 1-3/4"
	650489	Screw, 1/4-20 x 5/8"
	30939A	Cover, Cylinder head
	28938C	* Gasket, Cylinder head
	30938A	Head, Cylinder (Incl. 3 of 36)
	33636	Resistor Spark Plug
	26073	Washer, Flat (Use as required)
	650570	Washer, Flat (Use as required)
	650691	Washer, Flat (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
37	650128	Screw, 10-24 x 1/2" (Use as required)
	650597	Screw, 10-24 x 5/8" (Use as required)
	27896A	* Gasket, Breather cover
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Valve spring
TI	_	, .

	D (N)	<u> </u>	
	Part Number	Qty	Description
	32447		Tube, Breather
	27915A		* Gasket, Intake
	30195A		Flange, Carburetor (Incl. 79 & 80)
	30196		Screw, 5/16-18 x 3/4"
49	29918		Lockwasher
50	650548		Screw, 8-32 x 5/16"
51	30319		Rivet, Split (Used on early productio n)
52	32326A		Lever, Governor (New lever does not need 1 of Ref
			#49,51,53,54,132,133)
50	00000		•
	30322		Lock Nut, 8-32 (Use as required)
	29916		Clamp, Governor lever (Use as require d)
	31710		Link, Throttle
	29216		Locknut, 10-32
	29752		Nut & Lockwasher, 1/4-28
	650572		Screw, 1/4-28 x 1-1/8"
	29826		Screw, 10-32 x 3/4"
62	29642		Ring, Retaining
63	30699B		Rod Assy., Governor (This one piece gov. rod is no longer
			used. It is replaced by 30699C assy., Ref.#63A)
00.4	00000		
	30699C		Rod Assy., Governor (Incl. 64 & 65)
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	31297		Dipstick (Incl. 68)
	29673		* Gasket, Dipstick
	29747B		Screw, 5/16-24 x 21/32"
70	32158E		Blower Hsg. (For elec.starter)(Incl.1 89,190)
71	33876		Gasket, Stator
73	29536		Baffle, Blower housing
74	650561		Screw, 1/4-20 x 5/8"
75	31688A		* Gasket, Carburetor
81A	650152		Screw, 8-32 x 3/8"
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		* Gasket, Air cleaner
	31708		Bracket, Air cleaner
	31715		Body, Air cleaner
	730127		Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
03	150121		(Use as required)
			(Ose as required)
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
00	22024		Compression Chrise / Load with CEOCOO corow) // loa co
98	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
98	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	650688		Screw, 10-32 x 1 (Use as required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
102	30884		Key, Flywheel
103	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 106)
	30588A		Spool, Governor
106			opool, oovernor

	Part Number 29193	Qty	Description Ring, Retaining
	650665		Screw, 1/4-15 x 3/4"
	650561		Screw, 1/4-20 x 5/8"
114	34156A		Fuel Tank (Incl. 115 & 120)
115	410144B		Fuel Cap (White Plastic)(Standard)(As req.)
115	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
	00002		as required)
			as required)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
			as required)
			. ,
119	29774		Fuel Line (Braided 8.25") (Use as req uired)
119	30705		Fuel Line (Braided 16") (Use as requi red)
119	30962		Fuel Line (Braided 32") (Use as required)
	26460		Clamp, Fuel line (Use as required)
	32401		Muffler
	27930A		* Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
127	26073		Washer, Flat
128	650694A		Screw, 5/16-18 x 2"
132	650548		Screw, 8-32 x 5/16" (Early production)
	650139		Screw, 8-32 x 1/2" (Early production)
	650542		Screw, 5/16-18 x 3/4"
			•
	29538		Base, Engine mounting
	650128		Screw, 10-24 x 1/2"
	30622A		Extension, Blower housing
	27275		Clip, Wire (Use as required)
	29443		Clip, Fuel line (Use as required)
224	31386		Spring, Extension
	31711B		Control Bracket (Incl. 98, 99 & 226)
	610973		Terminal Assy.
	28942		Screw, 10-32 x 3/8"
	27793		
			Clip, Conduit
	34235		Ground Wire
	29716		Screw, 1/4-28 x 7/16"
	32125		Cup, Starter
265	590417		Screen, Starter cup
266	650815		Washer, Belleville
267	8116		Nut, Hex
298	34346		Decal, Instruction
	550223		Decal, Name
	33310		Decal, 5 HP Mini-Bike (Use as require d)
	31517		Decal, H.P. (5 H.P.) (Use as required)
	32173		Decal, H.P. (6 H.P.) (Use as required)
	30547A		Contact Assy., Breaker
	30548B		Condenser
301	631021		Inlet Needle, Seat & Clip Assy.
303	631828		Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
			page 144 for breakdown)
004	0400004		,
304	610689A		Magneto NOTE: The complete magneto is not available as
			an assembly. The magneto number is shown for reference
			purposes only. Order component parts individually, as
			shown in parts list. (Refer to Division 5, Section B, page 24
			for breakdown)
0	500,400		,
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
310	33235A		* Gasket Set (Incl. items marked *)
310	0020011		Sacrot Set (IIIO). Items Haired



Ref #	Part Number	Qty	Description
35	26073		Washer, Flat (Use as required)
35	650570		Washer, Flat (Use as required)
35	650691		Washer, Flat (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
38	27896A		* Gasket, Breather cover
43	32447		Tube, Breather
81	30196		Screw, 5/16-18 x 3/4" (Use as require d)
81	28820		Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
82	27272A		* Gasket, Air cleaner
84A	31700		Element, Air cleaner
86A	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
			298B) (Use as req.)
111C	34167		Bracket, Lower fuel tank mtg.
112C	34168		Bracket, Upper fuel tank
113A	650665		Screw, 1/4-15 x 3/4"
121E	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
			mufflercan be used on any model)
124A	33171		Muffler Screen (Use as required)
124B	33185		Cover & Tube, Muffler (Use as require d)
124	650578		Screw, 8-18 x 3/8"
125	27930A		* Gasket, Exhaust
134	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
136	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
137	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
138	30196		Screw, 5/16-18 x 3/4" (Use as require d)
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
			730561 ass'y. only)
234	730561		Air Cleaner Kit
_			(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
070	650607		•
2/3	650687		Screw, 10-32 x 5/16" (Use as required)



Ref #	Part Number	Qty	Description
37	650128		Screw, 10-24 x 1/2" (Use as required)
37	650597		Screw, 10-24 x 5/8" (Use as required)
37A	27261		Washer, Flat (Use as required)
41	28425		Cover, Valve spring
44	32446		Grommet, Breather tube
56	31710		Link, Throttle
69	29747B		Screw, 5/16-24 x 21/32"
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
98	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
98	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
99	29500		Screw, 8-32 x 3/4" (Use as required)
99	650688		Screw, 10-32 x 1 (Use as required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
182	32683A		Gasket, Fuel pump cover (Use as requi red)
183	32955		Cover, Fuel pump pad (Use as required)
184	9556		Plug, Pipe 1/8-27 (Use as required)
185	30063		Screw, 1/4-20 x 1/2" (Use as required)
225	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
226	610973		Terminal Assy.
227	33177		Terminal (Use as required)
229	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	29716		Screw, 1/4-28 x 7/16"
	650815		Washer, Belleville
	8116		Nut, Hex
	33018		Harness Assy., Adapter (Use as requir ed)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)