


	Part Number	Qty	Description
	33311B		Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652		Pin, Dowel
3	27642		Plug, Oil drain, 1/4-18
4	27876B		Seal, Oil
5	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		
			Cap, Lower valve spring
	30799		Crankshaft (Incl. 12 & 13)
12	29783		Pin, Crankshaft gear Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is
10	27001		serviceable ONLY when itis pinned to the crankshaft.
			Serviceable ONET when its pirited to the craning rant.
14	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
14	34532		Piston, Pin & Ring Set (.010" OS)
14	34533		Piston, Pin & Ring Set (.020" OS)
14A	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	27888		
			Ring, Piston pin retaining
	31380C		Rod Assy., Connecting (Incl. 18)
	30682		Bolt, Connecting rod (Early production)
	650662C		Screw, Connecting rod (Late productio n)
	26073		Connecting rod bolt washer (Early pro duction)
	28264		Connecting rod nut (Used on early pro duction)
	33156		Camshaft
22	34034		Lifter, Valve
23	31303B		Cover, Cylinder (Incl. 24, 27 & 105)
24	28427		Seal, Oil
26	30684		* Gasket, Cylinder cover
	31546		Bushing, Crankshaft
	650488		Screw, 1/4-20 x 1-1/4"
	650493		Screw, 1/4-20 x 1-3/4"
	650489		Screw, 1/4-20 x 5/8"
	30939A		Cover, Cylinder head
	28938C		* Gasket, Cylinder head
	30938A		
	33636		Head, Cylinder (Incl. 3 of 36)
			Resistor Spark Plug
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
37	650597		Screw, 10-24 x 5/8" (Use as required)
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	27915A		* Gasket, Intake
	21010/1		Cachor, intano


Ref #	Part Number	Qty	Description
46	30195A		Flange, Carburetor (Incl. 79 & 80)
	30196		· · · · · · · · · · · · · · · · · · ·
			Screw, 5/16-18 x 3/4"
49	29918		Lockwasher
50	650548		Screw, 8-32 x 5/16"
	30319		Rivet, Split (Used on early productio n)
52	32326A		Lever, Governor (New lever does not need 1 of Ref
			#49,51,53,54,132,133)
53	30322		Lock Nut, 8-32 (Use as required)
54	29916		Clamp, Governor lever (Use as require d)
	30205		Bracket, Adjusting
	31710		Link, Throttle
58	29216		Locknut, 10-32
	29752		Nut & Lockwasher, 1/4-28
	650572		Screw, 1/4-28 x 1-1/8"
61	29826		Screw, 10-32 x 3/4"
62	29642		Ring, Retaining
	30699C		Rod Assy., Governor (Incl. 64 & 65)
63	30699B		Rod Assy., Governor (This one piece gov. rod is no longer
			used. It is replaced by 30699C assy., Ref.#63A)
			,
64	30700		Yoke, Governor
65	650494		Screw, 6-40 x 5/16"
	31297		·
			Dipstick (Incl. 68)
68	29673		* Gasket, Dipstick
69	29747B		Screw, 5/16-24 x 21/32"
	32158E		Blower Hsg. (For elec.starter)(Incl.1 89,190)
	33876		Gasket, Stator
73	29536		Baffle, Blower housing
74	650561		Screw, 1/4-20 x 5/8"
	31688A		
			* Gasket, Carburetor
81	30196		Screw, 5/16-18 x 3/4" (Use as require d)
81	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	650152		Screw, 8-32 x 3/8"
82	27272A		* Gasket, Air cleaner
83	31691		Bracket, Air cleaner
	30727		·
			Element, Air cleaner
	31715		Body, Air cleaner
89	730127		Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
			(Use as required)
			(eoc de requirea)
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
			required)
QQ	32924		Compression Spring (Used with 650688 screw) (Use as
30	3232 <del>4</del>		
			required)
00	24242		Compression Spring (Llead with 650540 corow) (Llead on
90	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
	05000		0 4000 4 (1)
99	650688		Screw, 10-32 x 1 (Use as required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	30884		Key, Flywheel
103	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	31845		Shaft, Mechanical governor
106	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 106)
108	30588A		Spool, Governor

-		Oty Description
	29193	Ring, Retaining
	34158	Bracket, Lower fuel tank
	34159	Plate, Upper fuel tank mtg.
	650561	Screw, 1/4-20 x 5/8"
	650665	Screw, 1/4-15 x 3/4"
114	34186A	Fuel Tank (Incl. 115 & 120)
	410144B	Fuel Cap (White Plastic)(Standard)(As req.)
115	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
		as required)
115	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
113	34Z10	as required)
		as required)
119	29774	Fuel Line (Braided 8.25") (Use as req uired)
119	30705	Fuel Line (Braided 16") (Use as requi red)
119	30962	Fuel Line (Braided 32") (Use as requi red)
120	26460	Clamp, Fuel line (Use as required)
121	32401	Muffler
125	27930A	* Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer, Flat
	650694A	Screw, 5/16-18 x 2"
	650548	Screw, 8-32 x 5/16" (Early production )
	650139	Screw, 8-32 x 1/2" (Early production)
	650542	Screw, 5/16-18 x 3/4"
	29538	Base, Engine mounting
	650128	Screw, 10-24 x 1/2"
	30622A	•
		Extension, Blower housing
	30747	Clip, Shorting
	650890	Lockwasher
	27275	Clip, Wire (Use as required)
	29443	Clip, Fuel line (Use as required)
	31386	Spring, Extension
	31711B	Control Bracket (Incl. 98, 99 & 226)
	610973	Terminal Assy.
	28942	Screw, 10-32 x 3/8"
	27793	Clip, Conduit
	29716	Screw, 1/4-28 x 7/16"
	32125	Cup, Starter
	590417	Screen, Starter cup
266	650815	Washer, Belleville
267	8116	Nut, Hex
298	34346	Decal, Instruction
298A	550223	Decal, Name
298A	33310	Decal, 5 HP Mini-Bike (Use as require d)
298A	31517	Decal, H.P. (5 H.P.) (Use as required )
298A	32173	Decal, H.P. (6 H.P.) (Use as required )
	31752	Decal, Air cleaner
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631828	Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
000	001020	page 144 for breakdown)
20.4	610690 \	,
304	610689A	Magneto NOTE: The complete magneto is not available as
		an assembly. The magneto number is shown for reference
		purposes only. Order component parts individually, as
		shown in parts list. (Refer to Division 5, Section B, page 24
		for breakdown)

Ref # Part Number	Qty Description
306 590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
310 33235A	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
35	26073		Washer, Flat (Use as required)
35	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		* Gasket, Air cleaner
	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
			298B) (Use as req.)
113A	650665		Screw, 1/4-15 x 3/4"
	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
			mufflercan be used on any model)
4044	22474		, ,
	33171		Muffler Screen (Use as required)
	33185		Cover & Tube, Muffler (Use as require d)
	650578 27930A		Screw, 8-18 x 3/8"  * Cooket Exhaust
	31288		* Gasket, Exhaust Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130		Muf.Adapter Kit(Incl.125,136,137)(As req.)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	30196		Screw, 5/16-18 x 3/4" (Use as required)
	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
255	34019		730561 ass'y. only)
			• • • • • • • • • • • • • • • • • • • •
234	730561		Air Cleaner Kit
			(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
273	650687		Screw, 10-32 x 5/16" (Use as required )
2.0			(200 do 1040mod)



Ref #	Part Number	Qty	Description
37	650128		Screw, 10-24 x 1/2" (Use as required)
37	650597		Screw, 10-24 x 5/8" (Use as required)
37A	27261		Washer, Flat (Use as required)
41	28425		Cover, Valve spring
43A	35350		Tube, Breather
56	31710		Link, Throttle
69	29747B		Screw, 5/16-24 x 21/32"
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
98	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
98	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
99	650688		Screw, 10-32 x 1 (Use as required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
99	29500		Screw, 8-32 x 3/4" (Use as required)
182	32683A		Gasket, Fuel pump cover (Use as requi red)
183	32955		Cover, Fuel pump pad (Use as required )
184	9556		Plug, Pipe 1/8-27 (Use as required)
185	30063		Screw, 1/4-20 x 1/2" (Use as required )
225	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
226	610973		Terminal Assy.
227	33177		Terminal (Use as required)
229	28942		Screw, 10-32 x 3/8"
230	27793		Clip, Conduit
262	29716		Screw, 1/4-28 x 7/16"
266	650815		Washer, Belleville
267	8116		Nut, Hex
305	33018		Harness Assy., Adapter (Use as requir ed)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)