



Ref # Part Number	Qty Description
1 33311B	Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
2 27652	Pin, Dowel
3 27642	Plug, Oil drain, 1/4-18
4 27876B	Seal, Oil
5 32783	Intake Valve (Std.) (Incl. 9)
5 32784	Intake Valve (1/32" OS) (Incl. 9)
6 27878A	Exhaust Valve (Std.)
6 27880A	Exhaust Valve (1/32" OS) (Incl. 9)
7 27882	Cap, Upper valve spring
8 27881	Spring, Valve
9 32581	Cap, Lower valve spring
11 31856A	Crankshaft (Incl. 12 & 13)
12 29783	Pin, Crankshaft gear Used in early production. This gear is
12 20100	serviceable ONLY when itis pinned to the crankshaft.
13 27884	Gear, Crankshaft Used in early production. This gear is
	serviceable ONLY when itis pinned to the crankshaft.
14 34531	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
14 34532	Piston, Pin & Ring Set (.010" OS)
14 34533	Piston, Pin & Ring Set (.020" OS)
14A 33312B	Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
14A 33313B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A 33314B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
15 34854	Ring Set (Std.) (2-5/8" Bore)
15 34855	Ring Set (.010" OS)
15 34856	Ring Set (.020" OS)
16 27888	Ring, Piston pin retaining
17 31380C	Rod Assy., Connecting (Incl. 18)
18A 30682	Bolt, Connecting rod (Early productio n)
18 650662C	Screw, Connecting rod (Late productio n)
19 26073	Connecting rod bolt washer (Early pro duction)
20 28264	Connecting rod nut (Used on early pro duction)
21 33156	Camshaft
22 34034	Lifter, Valve
23 31303B	Cover, Cylinder (Incl. 24, 27 & 105)
24 28427	Seal, Oil
26 30684	* Gasket, Cylinder cover
27 31546	Bushing, Crankshaft
28 650488	Screw, 1/4-20 x 1-1/4"
29 650493	Screw, 1/4-20 x 1-3/4"
30 650489	Screw, 1/4-20 x 5/8"
31 30939A	Cover, Cylinder head
32 28938C	* Gasket, Cylinder head
33 30938A	Head, Cylinder (Incl. 3 of 36)
34 33636	Resistor Spark Plug
35 26073	Washer, Flat (Use as required)
35 650570	Washer, Flat (Use as required)
35 650691	Washer, Flat (Use as required)
36 650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36 650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36 650694A	Screw, 5/16-18 x 2" (Use as required)
37 650128	Screw, 10-24 x 1/2" (Use as required)
37 650597	Screw, 10-24 x 5/8" (Use as required)
38 27896A	* Gasket, Breather cover
39 28423	Body, Breather
40 28424	Element, Breather
41 28425	Cover, Valve spring
45 27915A	* Gasket, Intake
	•

		N. B. 14
		Oty Description
	30195A	Flange, Carburetor (Incl. 79 & 80)
	30196	Screw, 5/16-18 x 3/4"
	29918	Lockwasher
	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used on early productio n)
52	32326A	Lever, Governor (New lever does not need 1 of Ref
		#49,51,53,54,132,133)
F2	20222	Look Net 0.22 /Llooper required
	30322	Lock Nut, 8-32 (Use as required)
	29916	Clamp, Governor lever (Use as require d)
	30205	Bracket, Adjusting
	32327	Link, Throttle
	29216	Locknut, 10-32
	29752	Nut & Lockwasher, 1/4-28
	650572	Screw, 1/4-28 x 1-1/8"
	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
63A	30699C	Rod Assy., Governor (Incl. 64 & 65)
63	30699B	Rod Assy., Governor (This one piece gov. rod is no longer
		used. It is replaced by 30699C assy., Ref.#63A)
64	20700	Valca Cavarnar
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	31297	Dipstick (Incl. 68)
	29673	* Gasket, Dipstick
	29747B	Screw, 5/16-24 x 21/32"
	32158E	Blower Hsg. (For elec.starter)(Incl.1 89,190)
	33876	Gasket, Stator
	29536	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
81A	650152	Screw, 8-32 x 3/8"
81	30196	Screw, 5/16-18 x 3/4" (Use as require d)
81	28820	Screw, 10-32 x 1/2" (Use as required)
81	650521	Screw, 10-32 x 1-1/8" (Use as require d)
82	27272A	* Gasket, Air cleaner
83	31691	Bracket, Air cleaner
	30727	Element, Air cleaner
	31715	Body, Air cleaner
	730127	Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
00		(Use as required)
		· ,
98	28569	Compression Spring (Used with 29500 screw)(Use as
		required)
98	32924	Compression Spring (Used with 650688 screw) (Use as
30	3232 <del>4</del>	required)
		required)
98	31342	Compression Spring (Used with 650549 screw) (Use as
		required)
22	CEOCOO	• ,
	650688	Screw, 10-32 x 1 (Use as required)
	650549	Screw, 5-40 x 7/16" (Use as required)
	29500	Screw, 8-32 x 3/4" (Use as required)
	30884	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
105	31845	Shaft, Mechanical governor
106	30590A	Washer, Flat
	30591	Gear Assy., Governor (Incl. 106)
	30588A	Spool, Governor
		• •

-	Part Number	Qty	Description
109	29193		Ring, Retaining
111D	34158		Bracket, Lower fuel tank
112	34159		Plate, Upper fuel tank mtg.
113	650561		Screw, 1/4-20 x 5/8"
	650665		Screw, 1/4-15 x 3/4"
	34186A		Fuel Tank (Incl. 115 & 120)
	410144B		Fuel Cap (White Plastic)(Standard)(As req.)
	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
1.10	55552		as required)
445	24240		
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
			as required)
119	29774		Fuel Line (Braided 8.25") (Use as req uired)
119	30705		Fuel Line (Braided 16") (Use as requi red)
119	30962		Fuel Line (Braided 32") (Use as requi red)
120	26460		Clamp, Fuel line (Use as required)
121	32401		Muffler
	34174		Deflector, Exhaust
	650665		Screw, 1/4-15 x 7/8"
	27930A		* Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
	26073		Washer, Flat
	650694A		Screw, 5/16-18 x 2"
	650548		Screw, 8-32 x 5/16" (Early production )
	650139		Screw, 8-32 x 1/2" (Early production)
	650542		Screw, 5/16-18 x 3/4"
	29538		Base, Engine mounting
147	650128		Screw, 10-24 x 1/2"
148	30622A		Extension, Blower housing
186	27275		Clip, Wire (Use as required)
186	29443		Clip, Fuel line (Use as required)
193	610118		Cover, Spark plug
	30831		Ground Wire (Incl. 223)
	29716		Screw, 1/4-28 x 7/16"
	32125		Cup, Starter
	590417		Screen, Starter cup
	650815		Washer, Belleville
	8116		Nut, Hex
			·
	550223		Decal, Name
	33310		Decal, 5 HP Mini-Bike (Use as require d)
	31517		Decal, H.P. (5 H.P.) (Use as required )
	32173		Decal, H.P. (6 H.P.) (Use as required )
	34346		Decal, Instruction
	30547A		Contact Assy., Breaker
300	30548B		Condenser
301	631021		Inlet Needle, Seat & Clip Assy.
303	631828		Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
			page 144 for breakdown)
304	610689A		Magneto NOTE: The complete magneto is not available as
001	01000071		an assembly. The magneto number is shown for reference
			purposes only. Order component parts individually, as
			shown in parts list. (Refer to Division 5, Section B, page 24
			for breakdown)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
300			breakdown)
			,
310	33235A		* Gasket Set (Incl. items marked *)



		y Description
35	26073	Washer, Flat (Use as required)
	650570	Washer, Flat (Use as required)
	650691	Washer, Flat (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	27896A	* Gasket, Breather cover
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	28820	Screw, 10-32 x 1/2" (Use as required)
	650521	Screw, 10-32 x 1-1/8" (Use as require d)
	27272A	* Gasket, Air cleaner
	34697	Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128	Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
		298B) (Use as req.)
113A	650665	Screw, 1/4-15 x 3/4"
117A	32961	Valve, Fuel shut-off
121E	391026	Muffler (Incl. 124, 124A & 124B) (This spark arrester
		mufflercan be used on any model)
124A	33171	Muffler Screen (Use as required)
124B	33185	Cover & Tube, Muffler (Use as require d)
124	650578	Screw, 8-18 x 3/8"
125	27930A	* Gasket, Exhaust
134	31288	Muf.Adapter Kit(Incl.125,136,137)(As req.)
135	730130	Muf.Adapter Kit(Incl.125 & 138)(As re quired)
136	6021A	Screw, 5/16-18 x 1-1/2" (Use as required)
137	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
138	30196	Screw, 5/16-18 x 3/4" (Use as require d)
233	34819	Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
		730561 ass'y. only)
234	730561	Air Cleaner Kit
		(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
		(Use only on engines with an externally ventedfully
		adjustable carburetor.)
070	050007	•
2/3	650687	Screw, 10-32 x 5/16" (Use as required )



Ref #	Part Number	Otv	Description
	27261	Qty	Washer, Flat (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	28425		Cover, Valve spring
	35350		Tube, Breather
	32327		Link, Throttle
	29747B		Screw, 5/16-24 x 21/32"
	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
98	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
98	31342		Compression Spring (Used with 650549 screw) (Use as required)
99	650688		Screw, 10-32 x 1 (Use as required)
	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	32683A		Gasket, Fuel pump cover (Use as required)
	32955		Cover, Fuel pump pad (Use as required)
	9556		Plug, Pipe 1/8-27 (Use as required)
	30063		Screw, 1/4-20 x 1/2" (Use as required )
225	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
227	33177		Terminal (Use as required)
240	30845A		Bolt, Governor adjusting
241	33450		Nut, Lock
242	32328		Bracket, Speed adjusting (Incl. 241)
243	30886A		Spring, Governor bolt
262	29716		Screw, 1/4-28 x 7/16"
266	650815		Washer, Belleville
267	8116		Nut, Hex
305	33018		Harness Assy., Adapter (Use as requir ed)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)