

Ref #	Part Number 34919A	Qty	Description Cylinder (Incl. 2,3 & 4) (2-5/8" Bore )
2	27652		Pin, Dowel
	27642		Pipe plug, 1/4-18
	32630		Seal, Oil
	29536		Blower Housing Baffle (Without electric starter knock out)
3	29000		
			(Use as required)
5	35256A		Blower Housing Baffle (With electric starter knockout) (As
			req.)(point ign.)
			174
	650561		Screw, 1/4-20 x 5/8"
	29538		Base, Engine mounting
	650542		Screw, 5/16-18 x 3/4"
	35188		Crankshaft
10	29783		Pin, Crankshaft gear (Used on early p rod.)
11	27884		Gear, Crankshaft (Used on early production) This gear is
			serviceable ONLY when it is pinned to the crankshaft.
40	0.4504		Pietes Pie 9 Piese Cet (Otal \ (0.5/01  Piece)
	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532		Piston, Pin & Ring Set (.010" OS)
	34533		Piston, Pin & Ring Set (.020" OS)
	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 14)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 14)
14	27888		Ring, Piston pin retaining
15	34854		Ring Set (Std.) (2-5/8" Bore)
15	34855		Ring Set (.010" OS)
15	34856		Ring Set (.020" OS)
16	31380C		Rod Assy., Connecting (Incl. 17)
	650662C		Bolt, Connecting rod (Incl. 2 pieces)
	34034		Lifter, Valve
	30622A		Extension, Blower housing
	650128		Screw, 10-24 x 1/2"
	650561		Screw, 1/4-20 x 5/8" (Use as required )
	30063		Screw, 1/4-20 x 1/2" (Use as required )
	30684		Gasket Cylinder Cover
	31303B		Cover, Cylinder (Incl. 26 & 34)
	31546		Bushing, Crankshaft
	28427		Seal, Oil
	650488		Screw, 1/4-20 x 1-1/4"
	650493		Screw, 1/4-20 x 1-1/4 Screw, 1/4-20 x 1-3/4"
	30699C		·
	30700		Rod Assy., Governor (Incl. 30 & 31) Yoke, Governor
	650494		
			Screw, 6-40 x 5/16"
	29642		Ring, Retaining
	31845		Shaft, Mechanical governor
	30588A		Spool, Governor
	35479		Washer, Flat
	29193		Ring, Retaining
	30591		Gear Assy., Governor
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	32783		Intake Valve (Std.)
	32784		Intake Valve (1/32" OS)
	27878A		Exhaust Valve (Std.)
	27880A		Exhaust Valve (1/32" OS)
43	27882		Cap, Upper valve spring
44	27881		Spring, valve
	32581		Cap, Lower valve spring
			· ·

Dof #	Dort Number	Description
		Description
	650814	Screw, 10-24 x 1"
	35187	Wire, Ground
	32589	Key, Flywheel
	28938C	Gasket, Cylinder head
	30938A	Head, Cylinder
	33636	Resistor Spark Plug (RJ-8C)
	610118	Cover, Spark plug (Use as required)
55	30939A	Cover Assy., Cylinder head
56	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
56	650694A	Screw, 5/16-18 x 2" (Use as required)
56	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
56A	650691	Washer, Flat (Use as required)
56B	650690	Washer, Belleville (Use as required)
57A	30322	Locknut, 8-32
57	29916	Clamp, Governor lever (Use as require d)
	33454	Lever Assy., Governor
	29918	Washer, Lock, No. 8 E.T.
	650548	Screw, 8-32 x 5/16"
	29216	Locknut, 10-32
	29826	Screw, 10-32 x 3/4"
	34661	Link, Governor
	34662	Link, Throttle
	35011	Control Bracket (Incl. 68, 69, 72 & 1 38)
	31342	
		Spring, Compression
	650549	Screw, 5-40 x 7/16"
	27793	Clip, Conduit
	28942	Screw, 10-32 x 3/8"
	610973	Terminal Assy. (Use as required)
	27896A	Gasket, Valve chamber cover
	28423	Breather Assy., Valve
	28424	Element, Breather
	28425	Cover, Valve spring box
	650128	Screw, 10-24 x 1/2"
	35350	Tube, Breather
	32446	Grommet, Breather tube
82	27915A	* Gasket, Intake pipe to cylinder
83	34712	Flange, Carburetor (Incl. 86A)
84	30196	Screw, 5/16-18 x 3/4"
85	31688A	* Gasket, Carburetor
86A	650517	Screw, 1/4-20 x 13/16"
87	27272A	* Air Cleaner Gasket (Use as required)
87	30767	Spacer, Cleaner (Use as required)
93	30675	Fitting, Breather
94A	34819	Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
		730561 assembly only)
0.4	34609	Elbow, Air cleaner
		·
	650163	Screw, 10-32 x 7/8"  Procket Fuel took
	34158 650665	Bracket, Fuel tank
	650665	Screw, 1/4-14 x 7/8"
	34159	Plate, Fuel tank mounting
104	34186A	Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
105	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)

	Part Number	Qty	Description
105	33032		Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as
			required)
105	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
105	35355		Fuel Cap (Red plastic) (Use as requir ed)
	29774		Fuel Line (Braided, 8 1/4") (Use as r equired)
	30962		Fuel Line (Braided, 32") (Use as required)
	26460		Clamp, Fuel line (Use as required)
	32158E		Blower Housing (For electric starter)
	29747B		Screw, 5/16-24 x 21/32"
	27930A		* Gasket, Exhaust flange
	32401		Muffler
111D	33714		Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A)
111E	34390		Deflector, Exhaust (Optional)
111C	391026		Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)
112	30196		Screw, 5/16-18 x 3/4"
113	26073		Washer, Flat
114	650694A		Screw, 5/16 - 18 x 2"
	32125		Cup, Starter
	650815		Washer, Belleville
	8116		Nut, Hex
	29716		Screw, 1/4-28 x 7/16"
	31691		Bracket, Air cleaner
	28820		Screw, 10-32 x 1/2"
	30727		Element, Air cleaner
	31715		Body, Air cleaner
	650152		Screw, 8-32 x 3/8"
	29443		Clip, Ground wire
	35540		Clip, Oil fill tube
	34663		Spring, Speed control
	650821 650578		Screw, 10-32 x 1/2" Screw, 8 18 x 3/8" (Llas as required)
	650578		Screw, 8-18 x 3/8" (Use as required)
	33185 33171		Cover & tube, Muffler (Use as require d) Screen, Muffler (Use as required)
			Cover & Tube, Muffler (Use as required)
	33700 33323		Screen, Muffler (Use as required)
	35555		Dipstick
	33590		"O" Ring
	34999		"O" Ring
	35554		Oil Fill Tube
	34174		Deflector, Exhaust
	650665		Screw, 1/4-15 x 7/8"
	730130		Muffler Adapter Kit (Incl.110,112)(As req.)
	730164		Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 &
			230)(As req.)
204	700164		Air Clanar Kit Mini bika (Inal 97 120 121 122 122 9 124)
201	730164		Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124)
			(Use as required)
201B	730561		Air Cleaner Kit
			(Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C)
			(Used only on engine with an externally vented fully
			adjustable carburetor)
200	611084		Flywheel
	650872		Stud, Solid State mounting
	34443A		Solid State Assy. (Incl. 54)
	34612		Decal, Air cleaner
250A	01012		Doodi, All Oldardi

Ref #	Part Number	Qty	Description
230	34607		Decal, Instruction
231	30547A		Breaker Assy (Used on Std. Point igni tion)
232A	631021		Inlet, Needle Seat & Clip Assy.
	611077		Alternator (Optional)
	650868		Screw, 8-18 x 1-1/8" (3 required)(Opt .)
	611078		Connector, A.C. Lighting (Optional)
	611079		Connector, D.C. Charging (Optional)
	590610		Tube, Centering (Optional)
	590613		Alternator Shaft (Optional)
250	632272		Carburetor (Incl. 85) (Refer to Division 5, Section A, Page 186 for breakdown)
252	590420A		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
254	33328D		Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A		Gasket Set (Incl. items marked*)