

1		Qty	Description Cylinder (Incl. 2, 3, 4 & 41)(2-5/8" Bore)
	27652		Pin, Dowel
3	27642		Pipe plug, 1/4-18
4	27876B		Seal, Oil
5	29536		Blower Housing Baffle (Without electric starter knock out)
			(Use as required)
5	35256A		Blower Housing Baffle (With electric starter knockout) (As
_			req.)(point ign.)
6	650561		Screw, 1/4-20 x 5/8"
	29538		Base, Engine mounting
	650542		Screw, 5/16-18 x 3/4"
	31856A		Crankshaft
	29783		
			Pin, Crankshaft gear (Used on early p rod.)
11	27884		Gear, Crankshaft (Used on early production) This gear is
			serviceable ONLY when it is pinned to the crankshaft.
	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532		Piston, Pin & Ring Set (.010" OS)
	34533		Piston, Pin & Ring Set (.020" OS)
	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 14)
13A	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 14)
14	27888		Ring, Piston pin retaining
15	34854		Ring Set (Std.) (2-5/8" Bore)
15	34855		Ring Set (.010" OS)
15	34856		Ring Set (.020" OS)
16	31380C		Rod Assy., Connecting (Incl. 17)
	650662C		Bolt, Connecting rod (Incl. 2 pieces)
	34034		Lifter, Valve
	30622A		Extension, Blower housing
	650128		Screw, 10-24 x 1/2"
	650561		Screw, 1/4-20 x 5/8" (Use as required)
	30063		Screw, 1/4-20 x 1/2" (Use as required)
	30684		Gasket Cylinder Cover
	31303B		Cover, Cylinder (Incl. 26 & 34)
	31546		Bushing, Crankshaft
	28427		Seal, Oil
	650488		Screw, 1/4-20 x 1-1/4"
	650493		Screw, 1/4-20 x 1-3/4"
	30699C		Rod Assy., Governor (Incl. 30 & 31)
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	29642		Ring, Retaining
	31845		Shaft, Mechanical governor
	30588A		Spool, Governor
	35479		Washer, Flat
	29193		Ring, Retaining
	30591		Gear Assy., Governor
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	32783		·
			Intake Valve (Std.)
	32784 37878 A		Intake Valve (1/32" OS) Exhaust Valve (Std.)
	27878A		Exhaust Valve (Std.)
	27880A		Exhaust Valve (1/32" OS)
	27882		Cap, Upper valve spring
	27881		Spring, valve
45	32581		Cap, Lower valve spring

	D the l	D. Lee
		Description Contact States
	33876	Gasket, Stator
	650489	Screw, 1/4-20 x 5/8"
	34240	Ground Wire
	30884	Key, Flywheel
	32678	Nipple, Oil drain, 1/4" x 3-1/2"
	30969	Cap, Oil drain
	28938C	Gasket, Cylinder head
52	30938A	Head, Cylinder
53	34251	Resistor Spark Plug (RJ-17LM)
54	610118	Cover, Spark plug (Use as required)
55	30939A	Cover Assy., Cylinder head
	650690	Washer, Belleville (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650691	Washer, Flat (Use as required)
	30322	Locknut, 8-32
	29916	Clamp, Governor lever (Use as require d)
	33454	Lever Assy., Governor
	29918	
		Washer, Lock, No. 8 E.T.
	650548	Screw, 8-32 x 5/16"
	29216	Locknut, 10-32
	29826	Screw, 10-32 x 3/4"
	34661	Link, Governor
	34662	Link, Throttle
	34664	Control Bracket (Incl. 68, 69, 72 & 1 38)
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	27793	Clip, Conduit
71	28942	Screw, 10-32 x 3/8"
72	610973	Terminal Assy. (Use as required)
74	27896A	Gasket, Valve chamber cover
75	28423	Breather Assy., Valve
76	28424	Element, Breather
77	28425	Cover, Valve spring box
78	650128	Screw, 10-24 x 1/2"
	35350	Tube Breather
	27915A	* Gasket, Intake pipe to cylinder
	34712	Flange, Carburetor (Incl. 86A)
	30196	Screw, 5/16-18 x 3/4"
	31688A	* Gasket, Carburetor
	650517	Screw, 1/4-20 x 13/16"
	27272A	* Air Cleaner Gasket (Use as required)
	30767	Spacer, Cleaner (Use as required)
	34819	Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
3 4 /\	3-1019	730561 assembly only)
101	2/150	• • •
	34158 650665	Bracket, Fuel tank
	650665	Screw, 1/4-14 x 7/8"
	34159	Plate, Fuel tank mounting
104	34186A	Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
105	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
	33032	Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as
100	-	required)
		104an 04)

		Oty Description
105	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
405	05055	•
	35355	Fuel Cap (Red plastic) (Use as requir ed)
	29774	Fuel Line (Braided, 8 1/4") (Use as r equired)
	30962	Fuel Line (Braided, 32") (Use as required)
	26460	Clamp, Fuel line (Use as required)
	32158E	Blower Housing (For electric starter)
	29747B	Screw, 5/16-24 x 21/32"
	27930A	* Gasket, Exhaust flange
	391026	Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)
	32401	Muffler
	33714	Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A)
	34390	Deflector, Exhaust (Optional)
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer, Flat
	650694A	Screw, 5/16 - 18 x 2"
	32125	Cup, Starter
	590417	Screen, Starter cup
	650815	Washer, Belleville
	8116	Nut, Hex
	29716	Screw, 1/4-28 x 7/16"
	35438	Knob, Speed control
	34663	Spring, Speed control
	650821	Screw, 10-32 x 1/2"
	33185	Cover & tube, Muffler (Use as require d)
143	650578	Screw, 8-18 x 3/8" (Use as required)
143A	33171	Screen, Muffler (Use as required)
	33700	Cover & Tube, Muffler (Use as require d)
144A	33323	Screen, Muffler (Use as required)
	34011A	Dipstick (Incl. 146)
	33590	"O" Ring
147	33893A	Oil Fill Tube
148A	570629A	Primer Assy.
149	32180C	Line, Primer
151	34672	Cover, Carburetor
153	650764	Nut, "U" Clip
154	650760	Screw, 8-32 x 3/8"
155	34126	Bracket, Grommet mounting
156	650257	Screw, 8-32 x 5/16"
157	650765	Screw, 10-32 x 1/2"
158	28820	Screw, 10-32 x 1/2"
159	32398	Bracket, Choke
160	650760	Screw, 8-32 x 3/8"
161	28545	Grommet, Plastic
162	34127	Guard, Starter
163	32576	Seal, Snow Guard
	33013	Cover, Starter bubble
	650760	Screw, 8-32 x 3/8"
	32961	Valve, Fuel shut off
	730561	Air Cleaner Kit
		(Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C)
		(Used only on engine with an externally vented fully
		adjustable carburetor)
	700400	•
	730130	Muffler Adapter Kit (Incl.110,112)(As req.)
201	730164	Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 &
		230)(As req.)

Ref#	Part Number Qt	Description
201	730164	Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124) (Use as required)
230	34416	Decal, Instruction
230	550223	Decal, Name
230F	34414	Decal, Warning
230E	34418	Decal, Choke
230B	34417	Decal, Primer
231	30547A	Breaker Assy (Used on Std. Point igni tion)
231A	30548B	Condenser
232A	631021	Inlet, Needle Seat & Clip Assy.
240	611077	Alternator (Optional)
	650868	Screw, 8-18 x 1-1/8" (3 required)(Opt .)
	611078	Connector, A.C. Lighting (Optional)
	611079	Connector, D.C. Charging (Optional)
	590610	Tube, Centering (Optional)
	590613	Alternator Shaft (Optional)
250	631927	Carburetor (Incl. 85) (Refer to Division 5, Section A, Page 140 for breakdown)
251	610964A	Magneto (w/ring gear for 120 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
252	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
254	33328D	Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A	Gasket Set (Incl. items marked*)
		,