



	D (N)	<u> </u>	D : 4
	Part Number	Qty	Description
	33311B		Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain, 1/4-18
	27876B		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
5	32784		Intake Valve (1/32" OS) (Incl. 9)
6	27878A		Exhaust Valve (Std.)
6	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
7	27882		Cap, Upper valve spring
8	27881		Spring, Valve
9	32581		Cap, Lower valve spring
	31827		Crankshaft (Incl. 12 & 13)
	29783		Pin, Crankshaft gear Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
14	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
14	34532		Piston, Pin & Ring Set (.010" OS)
14	34533		Piston, Pin & Ring Set (.020" OS)
	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	31380C		Rod Assy., Connecting (Incl. 18)
	30682		Bolt, Connecting rod (Early production)
	650662C		Screw, Connecting rod (Late production)
	26073		Connecting rod bolt washer (Early pro duction)
	28264		Connecting rod nut (Used on early pro duction)
	33156		Camshaft
	34034		Lifter, Valve
	31451A		Cylinder Cover (Incl.24, 105, 246, 24 7 & 248)
24	28460		Seal, Oil
	30684		* Gasket, Cylinder cover
28	650488		Screw, 1/4-20 x 1-1/4"
29	650493		Screw, 1/4-20 x 1-3/4"
30	650489		Screw, 1/4-20 x 5/8"
31	30939A		Cover, Cylinder head
32	28938C		* Gasket, Cylinder head
	31882		Head, Cylinder
	31889		Plug, Spark (Champion D-21 or equival ent)
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650128 650507		Screw, 10-24 x 1/2" (Use as required)
	650597 27206A		Screw, 10-24 x 5/8" (Use as required)
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	27915A		* Gasket, Intake
46	34712		Flange, Carburetor (Incl. 60)

Ref #	Part Number C	ty Description
48	30196	Screw, 5/16-18 x 3/4"
49	29918	Lockwasher
50	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used on early productio n)
	32326A	Lever, Governor (New lever does not need 1 of Ref
02	02020/ (#49,51,53,54,132,133)
		# +0,01,00,0+,102,100
	30322	Lock Nut, 8-32 (Use as required)
54	29916	Clamp, Governor lever (Use as require d)
55	30205	Bracket, Adjusting
56	34662	Link, Throttle
58	29216	Locknut, 10-32
60	650517	Screw, 1/4-20 x 13/16"
	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
	30699C	Rod Assy., Governor (Incl. 64 & 65)
	30699B	Rod Assy., Governor (This one piece gov. rod is no longer
05	30099D	, , , , , , , , , , , , , , , , , , , ,
		used. It is replaced by 30699C assy., Ref.#63A)
64	30700	Yoke, Governor
65	650494	Screw, 6-40 x 5/16"
66A	31297	Dipstick (Incl. 68)
68	29673	* Gasket, Dipstick
	29747B	Screw, 5/16-24 x 21/32"
	32158E	Blower Hsg. (For elec.starter)(Incl.1 89,190)
	33876	Gasket, Stator
	29536	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	650152	Screw, 8-32 x 3/8"
	30196	·
		Screw, 5/16-18 x 3/4" (Use as require d)
	28820	Screw, 10-32 x 1/2" (Use as required)
	650521	Screw, 10-32 x 1-1/8" (Use as require d)
	27272A	* Gasket, Air cleaner
	31691	Bracket, Air cleaner
	31715	Body, Air cleaner
89	730127	Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
		(Use as required)
98	28569	Compression Spring (Used with 29500 screw)(Use as
00	25555	required)
		• ,
98	32924	Compression Spring (Used with 650688 screw) (Use as
		required)
QQ.	31342	Compression Spring (Used with 650549 screw) (Use as
30	31342	required)
		required)
99	650549	Screw, 5-40 x 7/16" (Use as required)
99	29500	Screw, 8-32 x 3/4" (Use as required)
99	650688	Screw, 10-32 x 1 (Use as required)
102	30884	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	31845	Shaft, Mechanical governor
	30590A	Washer, Flat
	30591	Gear Assy., Governor (Incl. 106)
	30588A	Spool, Governor
	29193	Ring, Retaining
	30063	Screw, 1/4-20 x 1/2"
	410144B	Fuel Cap (White Plastic)(Standard)(As req.)
113	NO THE	· do. dap (***into i ladilo)(dialidata)(** to 164.)

Ref #	Part Number (Qty Description
	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required)
119 119 120 125 132 132 144 146 147 148 149A 150 186 186 193 224 225B 244 225B 244 225B 244 225B 244 225B 244 225B 244 225B 247 248 266 267 298 298A 298A 298A 298A 298A	29774 30705 30962 26460 27930A 650548 650139 650542 29538 650128 30622A 30747 650890 27275 29443 27276 31386 31726B 31793 31792 31855 650778 650580 650815 8116 34346 550223 33310 31517 32173 30547A 30548B	Fuel Line (Braided 8.25") (Use as required) Fuel Line (Braided 16") (Use as requi red) Fuel Line (Braided 32") (Use as requi red) Clamp, Fuel line (Use as required) * Gasket, Exhaust Screw, 8-32 x 5/16" (Early production) Screw, 8-32 x 1/2" (Early production) Screw, 5/16-18 x 3/4" Base, Engine mounting Screw, 10-24 x 1/2" Extension, Blower housing Clip, Shorting Lockwasher Clip, Wire (Use as required) Clip, Fuel line (Use as required) Cover, Spark Plug Spring, Extension Control Bracket (Incl. 98, 99, 226 & 284A) Bearing, Ball Washer, Thrust Retainer, Bearing Washer, Lock Nut, Lock Washer, Belleville Nut, Hex Decal, Instruction Decal, Name Decal, 5 HP Mini-Bike (Use as required) Decal, H.P. (5 H.P.) (Use as required) Decal, H.P. (6 H.P.) (Use as required) Contact Assy., Breaker Condenser
	631021 631950	Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A, page 144 for breakdown)
304	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
310	33235A	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qtv	Description
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		·
			* Gasket, Breather cover
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		* Gasket, Air cleaner
	31700		Element, Air cleaner
	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
			298B) (Use as req.)
111R	34823		Bracket, Lower fuel tank
	33050		Fuel Tank (Incl. 115)
	33053		Valve, Fuel strainer & shut-off
	29683		Valve, Fuel strainer & shut-off
			·
	31887		Fitting, Fuel line
	29633		Muffler Matfler (In al. 4044, 4044, 8, 404B) (This are only a greater)
121E	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
			mufflercan be used on any model)
124A	33171		Muffler Screen (Use as required)
124B	33185		Cover & Tube, Muffler (Use as require d)
124	650578		Screw, 8-18 x 3/8"
125	27930A		* Gasket, Exhaust
129	32862		Nut, Conduit (1/4" thick)
	30244		Nipple, Pipe (2.5")
	30209		Elbow, Exhaust (45 degree)
	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	29212		Screw, 1/4-28 x 7/16"
	650570		
			Washer, Flat
	31979 650451		Strap, Fuel tank
	650451 650456		Screw, 1/4-20 x 1"
	650456		Nut, 1/4-20
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
			730561 ass'y. only)
234	730561		Air Cleaner Kit
			(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
273	650687		Screw, 10-32 x 5/16" (Use as required)
284A	32410		Knob, Speed control



Ref #	Part Number (Oty Description
37A	27261	Washer, Flat (Use as required)
37	650128	Screw, 10-24 x 1/2" (Use as required)
37	650597	Screw, 10-24 x 5/8" (Use as required)
41	28425	Cover, Valve spring
43A	35350	Tube, Breather
56	34662	Link, Throttle
69	29747B	Screw, 5/16-24 x 21/32"
98	28569	Compression Spring (Used with 29500 screw)(Use as required)
98	32924	Compression Spring (Used with 650688 screw) (Use as required)
98	31342	Compression Spring (Used with 650549 screw) (Use as required)
99	650549	Screw, 5-40 x 7/16" (Use as required)
	29500	Screw, 8-32 x 3/4" (Use as required)
99	650688	Screw, 10-32 x 1 (Use as required)
182	32683A	Gasket, Fuel pump cover (Use as requi red)
183	32955	Cover, Fuel pump pad (Use as required)
184	9556	Plug, Pipe 1/8-27 (Use as required)
185	30063	Screw, 1/4-20 x 1/2" (Use as required)
225	730152	Control Bracket(Incl.91 thru 97)(As r eq.)
	33177	Terminal (Use as required)
	28301	Pulley, Rope starter
	590343	Rope Assy., Starter
	650815	Washer, Belleville
	8116	Nut, Hex
	33018_	Harness Assy., Adapter (Use as requir ed)
308	33328D	Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt
		starter motor kit may have been added to this engine. This
		can be added only if cylinder has drilled and tapped starter
		mounting bosses and a ring gear flywheel has been added
		(see #309). Refer to service number stamped on end cap of motor,
309	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)