

Dof #	Dort Number	A. Dogovintion
		y Description
	34919A	Cylinder (Incl. 2,3 & 4) (2-5/8" Bore )
2	27652	Pin, Dowel
3	27642	Pipe plug, 1/4-18
	32630	Seal, Oil
		·
5	29536	Blower Housing Baffle (Without electric starter knock out)
		(Use as required)
5	35256A	Blower Housing Baffle (With electric starter knockout) (As
9	30200A	, , ,
		req.)(point ign.)
5	35326	Blower Housing Baffle (With electric starter knockout)
9	30020	,
		(External ignition)
6	650561	Screw, 1/4-20 x 5/8"
	29538	Base, Engine mounting
	650542	Screw, 5/16-18 x 3/4"
	35193	Crankshaft
	29783	Pin, Crankshaft gear (Used on early p rod.)
11	27884	Gear, Crankshaft (Used on early production) This gear is
		serviceable ONLY when it is pinned to the crankshaft.
		·
	33312B	Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14)
13A	33313B	Piston & Pin Ass'y. (.010" OS) (Incl. 14)
13A	33314B	Piston & Pin Ass'y. (.020" OS) (Incl. 14)
	34531	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532	Piston, Pin & Ring Set (.010" OS)
	34533	Piston, Pin & Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
15	34854	Ring Set (Std.) (2-5/8" Bore)
15	34855	Ring Set (.010" OS)
	34856	Ring Set (.020" OS)
	31380C	Rod Assy., Connecting (Incl. 17)
		<b>3</b>
	650662C	Bolt, Connecting rod (Incl. 2 pieces)
	34034	Lifter, Valve
19	33931	Camshaft (Extended) (MCR)
20	30622A	Extension, Blower housing
21	650128	Screw, 10-24 x 1/2"
	650561	Screw, 1/4-20 x 5/8" (Use as required )
	30063	Screw, 1/4-20 x 1/2" (Use as required )
	30684	Gasket Cylinder Cover
	31720A	Cover, Cylinder (Incl. 26, 32 & 34)
	31546	Bushing, Crankshaft
26	28427	Seal, Oil
27	650488	Screw, 1/4-20 x 1-1/4"
28	650493	Screw, 1/4-20 x 1-3/4"
	30699C	Rod Assy., Governor (Incl. 30 & 31)
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	28926	Seal, Oil
33	29642	Ring, Retaining
34	31845	Shaft, Mechanical governor
	30588A	Spool, Governor
	35479	Washer, Flat
	29193	Ring, Retaining
	30591	Gear Assy., Governor
	31843A	Bracket, Governor gear
40	650836	Screw, 10-24 x 1/2"
	32783	Intake Valve (Std.)
	32784	Intake Valve (1/32" OS)
	27878A	Exhaust Valve (Std.)
42	210101	LAHAUSE VAIVE (OIG.)

		Qty	Description
	27880A		Exhaust Valve (1/32" OS)
	27882		Cap, Upper valve spring
	27881		Spring, valve
	32581		Cap, Lower valve spring
	650814		Screw, 10-24 x 1"
	35187		Wire, Ground
	32589		Key, Flywheel
	28938C		Gasket, Cylinder head
	35486		Head, Cylinder
	33636		Resistor Spark Plug (RJ-8C)
	610118		Cover, Spark plug (Use as required)
	35487		Cover, Cylinder head
	650690		Washer, Belleville (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	30322		Locknut, 8-32
	29916		Clamp, Governor lever (Use as require d)
	33454		Lever Assy., Governor
	29918		Washer, Lock, No. 8 E.T.
	650548		Screw, 8-32 x 5/16"
	29216		Locknut, 10-32
	29826		Screw, 10-32 x 3/4"
	34661		Link, Governor
	34662		Link, Throttle
	34664		Control Bracket (Incl. 68, 69, 72 & 1 38)
	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	610973		Terminal Assy. (Use as required)
74	27896A		Gasket, Valve chamber cover
	28423		Breather Assy., Valve
	28424		Element, Breather
77	28425		Cover, Valve spring box
78	650128		Screw, 10-24 x 1/2"
	35350		Tube, Breather
80	32446		Grommet, Breather tube
82	27915A		* Gasket, Intake pipe to cylinder
83	34712		Flange, Carburetor (Incl. 86A)
84	30196		Screw, 5/16-18 x 3/4"
85	31688A		* Gasket, Carburetor
86A	650517		Screw, 1/4-20 x 13/16"
87	27272A		* Air Cleaner Gasket (Use as required)
87	30767		Spacer, Cleaner (Use as required)
88	34783		Filter, Pre-air
89	34782		Filter, Air cleaner (Incl. 97)
90	34782		Pop Rivet (1/8" dia.) (Purchase local ly)
91	34699		Bracket, Air cleaner
92	34698A		Gasket, Air cleaner
	30675		Fitting, Breather
	34780		Elbow, Air cleaner
	34819		Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
			730561 assembly only)
25	CE04C2		• • • • • • • • • • • • • • • • • • • •
	650163 650836		Screw, 10-32 x 7/8" Stud 1/4 30 x 6 30, threaded both on do
96	650826		Stud, 1/4-20 x 6.20, threaded both en ds

	Part Number	Qty	Description
	650825		Nut & Lockwasher, 1/4-20
99	34781		Cover, Air cleaner
100	650513		Nut, Wing, 1/4-20
101	34158		Bracket, Fuel tank
	650665		Screw, 1/4-14 x 7/8"
	34159		Plate, Fuel tank mounting
	34186A		Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built
104	5+100A		with different size fuel inlet openings. Tanks with the 1-3/16"
			I.D. opening use fuel cap 33032 or 34210. Tanks with the
			1-1/2" I.D. opening use fuel cap 35355.
105	410144B		Fuel Cap (White Plastic)(Std.)(As req uired)
105	33032		Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as
			required)
40=	0.404.0		•
105	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
105	35355		Fuel Cap (Red plastic) (Use as requir ed)
	29774		Fuel Line (Braided, 8 1/4") (Use as required)
	30962		Fuel Line (Braided, 32") (Use as required)
	26460		
			Clamp, Fuel line (Use as required)
	32158E		Blower Housing (For electric starter)
	29747B		Screw, 5/16-24 x 21/32"
	27930A		* Gasket, Exhaust flange
	33714		Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A)
	34390		Deflector, Exhaust (Optional)
	391026		Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)
111	32401		Muffler
112	30196		Screw, 5/16-18 x 3/4"
113	26073		Washer, Flat
114	650694A		Screw, 5/16 - 18 x 2"
115	32125		Cup, Starter
116A	35354		Screen, Starter cup (Stationary)
	650815		Washer, Belleville
	8116		Nut, Hex
	29716		Screw, 1/4-28 x 7/16"
	27275		Clip, Hi tension wire
	29443		Clip, Ground wire
	34663		Spring, Speed control
	650821		Screw, 10-32 x 1/2"
	33185		Cover & tube, Muffler (Use as require d)
	650578		Screw, 8-18 x 3/8" (Use as required)
	33171		Screen, Muffler (Use as required)
	33323		Screen, Muffler (Use as required)
	33700		Cover & Tube, Muffler (Use as require d)
	34974		Dipstick (Incl. 146A)
	29673		* Gasket, Oil fill
	30063		Screw, 1/4-20 x 1/2"
201	730164		Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 &
			230)(As req.)
2∩1	730164		Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124)
201	700101		(Use as required)
			(USE AS TEMPLIEU)
201A	730130		Muffler Adapter Kit (Incl.110,112)(As req.)
	730561		Air Cleaner Kit
			(lncl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C)
			(Used only on engine with an externally vented fully
			adjustable carburetor)
			•

Ref #	Part Number	Qty Description
209	611087	Flywheel (3 Amp) (w/ring gear)
210	650872	Stud, Solid State mounting
211	34443A	Solid State Assy. (Incl. 54)
	650873	Screw, 1/4-20 x 3/4"
	35189	Spacer, Coil Assy.
	611113	Alt. Coil (3 Amp DC) (Incl. 215, 216 & 218)
	610921	Connector
	610922	Terminal Bird Andrews
	610935	Diode Assy.
	33177	Terminal
	34346	Decal, Instruction
230C	34704	Decal, Instruction
231	30547A	Breaker Assy (Used on Std. Point igni tion)
232A	631021	Inlet, Needle Seat & Clip Assy.
240	611077	Alternator (Optional)
	650868	Screw, 8-18 x 1-1/8" (3 required)(Opt .)
	611078	Connector, A.C. Lighting (Optional)
	611079	Connector, D.C. Charging (Optional)
	590610	Tube, Centering (Optional)
	590613	Alternator Shaft (Optional)
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
250	632257	Carburetor (Incl. 85) (Refer to Division 5, Section A, page 184
		for breakdown)
252	590420A	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
253	33606	Electric Starter Motor (12 volt) (Refer to Division 5, Section D, page 20 for breakdown)
254	33328D	Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A	Gasket Set (Incl. items marked*)