
H70-130000E Engine Parts List #1




		<u> </u>	
	Part Number	Qty	
	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain
	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A 27880A		Exhaust Valve (Std.) (Incl. 9)
	20810		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Pin, Valve spring retainer (Use as re quired)
	27881		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Spring, Valve Cap, Lower valve spring
	32581		Cap, Lower valve spring
	32590		Plate, Lock & Oil dipper (This plate may be replaced by
IUA	32390		34242 oil dipper but 650662C screw must be used.)
			34242 oli dipper bui 000020 screw musi be used.)
	34242		Dipper, Oil
	34889		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production)
13	27884		Gear, Crankshaft (Used in early production) This gear is
			servicable onlywhen it is pinned to the crankshaft.
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518		Piston, Pin & Ring Set (.010" OS)
14	34519		Piston, Pin & Ring Set (.020" OS)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
	34034		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24, 106 & 279)
	31546		Bushing, Crankshaft (Use as required)
	28427		Seal, Oil
	31297		Dipstick, Oil (Incl. 30)
	30684		* Gasket, Cylinder cover
	650488 29673		Screw, 1/4-20 x 1-1/4" * Gasket, Oil filler
	650489		Screw, 1/4-20 x 5/8"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	26073		Washer (Use as required)
			· · · ·

42 650691 42A 650690	Washer, Flat (Use as required)
10,050100	Washer, Belleville (Use as required)
43 650128	Screw, 10-24 x 1/2"
45 27915A	* Gasket, Intake
46 34712	Flange Carburetor
47 30196	Screw, 5/16-18 x 3/4"
48 29716	Screw, 1/4-28 x 7/16"
50 650548	Screw, 8-32 x 5/16"
52 33454	Lever Assy., Governor
56 34662	Link, Throttle
59 29216	Nut, Lock, 10-32
60 650152	Screw, 8-32 x 3/8"
61 29826	Screw, 10-32 x 3/4"
62 29642	Ring, Retaining
63 30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
	used. It is replaced by 30699C ass'y.,Ref. no. 63A)
63A 30699C	Rod Assy., Governor (Incl. 64 & 65)
64 30700	Yoke, Governor
65 650494	Screw, 6-40 x 5/16"
66 29918	Lockwasher, #8 E.T.
67 35350	Tube, Breather
69 29747B	Screw, 5/16-24 x 21/32"
70 32158E	Blower Housing (For elec.star.)(Incl. 134,135)
71 650815	Washer, Belleville
72 8116	Nut, Hex
73 29536	Blower Housing Baffle (without electric starter knock-out) (Use as required)
73 35256A	Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)
74 650561	Screw, 1/4-20 x 5/8"
75 31688A	* Gasket, Carburetor
80A 650517	Screw, 1/4-20 x 27/32"
82A 730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
0211100104	(Use as required)
83 27272A	* Gasket, Air cleaner
87 31691	Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
	early production only.
88 28820	Screw, 10-32 x 1/2"
89 30727	Element, Air cleaner
90 31715	Body, Air cleaner
98 31342	Spring, Compression
99 650549	Screw, 5-40 x 7/16"
100 29538	Base, Engine mounting
103 32401	Muffler
106 31845	Shaft, Mechanical governor
107 30591	Gear Assy., Governor (Incl. 109)
108 30588A	Spool, Governor
109 30590A	Washer, Flat
110 29193	Ring, Retaining
111C 34158	Bracket, Fuel tank
113 650561	Screw, 1/4-20 x 5/8"
114 34186A	Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built
	with different size fuel inlet openings. Tanks with the 1-3/16"
	I.D. opening use fuel cap 33032 or 34210. Tanks with the

	Part Number 410144B	Qty	Description Fuel Cap (White Plastic)(Std)(As required)
	33032		Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
116D 118 118 118 120 121 124 125 126 127 128 129 130 131 133 149 150 151 193 205 209 246 247 266 270 271 274 287 331A 331	35355 34159 29774 30705 30962 650128 30622A 650542 27930A 30196 26073 650694A 32589 31843A 650836 650493 30747 650890 650665 610118 650561 30939A 32125 35009 26460 31461 33876 610973 27275 34246 34346 550223 30547A		Fuel Cap (Use as required) Plate, Fuel tank mounting Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing Screw, 5/16-18 x 3/4" Gasket, Exhaust Screw, 5/16-18 x 3/4" Washer (Use as required) Screw, 5/16-18 x 3/4" Washer (Use as required) Screw, 5/16-18 x 2" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4" Clip, Shorting Lockwasher Screw, 1/4-15 x 7/8" Cover, Spark plug (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Cover, Cylinder head Cup, Starter Screen, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Gasket, Stator Terminal Assy. (As req. on late prod uction) Clip, Hi-tension wire (Use as required) Colip, Ground wire (Use as required) Clip, Ground wire (Use as required) Decal, Instruction Decal, Name Contact Assy., Breaker
333 334	30548B 631021 631453		Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown)
337	611038		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 39 for breakdown)
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A		Gasket Set (Incl. items marked*)



			Description
	650489		Screw, 1/4-20 x 5/8"
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650128		Screw, 10-24 x 1/2"
	29716		Screw, 1/4-28 x 7/16"
	34662		Link, Throttle
	650815		Washer, Belleville
	8116		Nut, Hex
	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	34663		Spring, Speed control
	650821		Screw, 10-32 x 1/2"
	34661		Link, Governor
	610118		Cover, Spark plug (Use as required)
	650764		Nut, "U" Type (Use as required)
	34664		Control Bracket (Incl. 98, 99, 180A & 274)
	610973		Terminal Ass'y. (As req. on late prod uction)
	550223		Decal, Name
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	i	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	I	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)



		Description
	27513	Lockwasher, 1/4" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	27896A	* Gasket, Breather cover
	26073	Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used in early productio n)
	33454	Lever Assy., Governor
	730130	Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	29216	Nut, Lock, 10-32
	29826	Screw, 10-32 x 3/4"
	29918	Lockwasher, #8 E.T.
82B	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
		91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
		an externally vented fully adjustable carburetor)
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
-		331B) (Use as required)
00 (
	27272A	* Gasket, Air cleaner
84D (54019	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
		in 730561 assembly only)
88 2	28820	Screw, 10-32 x 1/2"
90 3	31715	Body, Air cleaner
103E (391026	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	650561	Screw, 1/4-20 x 5/8"
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650548	Screw, 8-32 x 5/16" (Early production)
	34067	Wire Assy., Alternator adapter (4-1/4 ")
	34069	Wire Assy., Alternator adapter (6-3/4 ")
	30322	Nut & Lockwasher (Early Prod. Only)
	29916	Clamp, Governor lever (Early Prod. On ly)
	31288	Exh. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	5021A	Screw, 5/16-18 x 1-1/2" (Use as required)
226	26460	Clamp, Fuel line