



		Qty	Description
1	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
2	27652		Pin, Dowel
3	27642		Plug, Oil drain
4	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.) (Incl. 9)
	27880A		
			Exhaust Valve (1/32" OS) (Incl. 9)
	20810		Pin, Valve spring retainer (Use as re quired)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
10	34242		Dipper, Oil
10A	32590		Plate, Lock & Oil dipper (This plate may be replaced by
			34242 oil dipper but 650662C screw must be used.)
11	20507		Cronkohaft (Inal. 12.9. 12)
	32587		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production)
13	27884		Gear, Crankshaft (Used in early production) This gear is
			servicable onlywhen it is pinned to the crankshaft.
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (Old.) (2 3/4 Bole)
	34519		
			Piston, Pin & Ring Set (.020" OS)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
22	34034		Lifter, Valve
23	31303B		Cover, Cylinder (Incl. 24, 106 & 279)
24B	31546		Bushing, Crankshaft (Use as required)
	28427		Seal, Oil
	29668		Dipstick, Oil (Incl. 30)
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	29673		* Gasket, Oil filler
	650489		Screw, 1/4-20 x 5/8"
			·
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
37	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	650690		Washer, Belleville (Use as required)
74/1	300000		radio, bollovillo (odo do rogullou)

Ref # Part Number Qty Description 42 26073 Washer (Use as required) 42 650691 Washer, Flat (Use as required) 43 650128 Screw, 10-24 x 1/2" 45 27915A * Gasket, Intake 46 30195A Flange, Carburetor (Incl. 79 & 80) 47 30196 Screw, 5/16-18 x 3/4" 50 650548 Screw, 8-32 x 5/16" 52 32326A Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207) 55 30205 Bracket, Adjusting 56 30206 Link, Throttle 59 29216 Nut, Lock, 10-32 60 650152 Screw, 8-32 x 3/8" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining 63 30699B Governor Rod Assly. (This one-piece governor rodis no longe used. It is replaced by 30699C assly., Ref. no. 63A) 63A 30699C Rod Assy., Governor (Incl. 64 & 65) 64 30700 Yoke, Governor 65 650494 Screw, 6-40 x 5/16" 66 29918 Lockwasher, #8 E.T. 67 35350 Tube, Breather Screw, 5/16-24 x 21/32" 70 31754A Housing, Blower </th
Link, Throttle 59 29216 Nut, Lock, 10-32 Coc 650152 Screw, 8-32 x 3/8" Coc 29642 Ring, Retaining Covernor Rod Ass'y. (This one-piece governor rodis no longe used. It is replaced by 30699C ass'y.,Ref. no. 63A) 63A 30699C Rod Assy., Governor (Incl. 64 & 65) Yoke, Governor Coc 650494 Screw, 6-40 x 5/16" Coc 29918 Lockwasher, #8 E.T. Coc 35350 Tube, Breather Coc 29747B Screw, 5/16-24 x 21/32" To 31754A Housing, Blower To 650815 Washer, Belleville Nut, Hex
64 30700 Yoke, Governor 65 650494 Screw, 6-40 x 5/16" 66 29918 Lockwasher, #8 E.T. 67 35350 Tube, Breather 69 29747B Screw, 5/16-24 x 21/32" 70 31754A Housing, Blower 71 650815 Washer, Belleville 72 8116 Nut, Hex
73 29536 Blower Housing Baffle (without electric starter knock-out) (Use as required)
73 35256A Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)
74 650561 Screw, 1/4-20 x 5/8" 75 31688A * Gasket, Carburetor 79 29752 Nut & Lockwasher Assy., 1/4-28 80 650572 Screw, 1/4-28 x 1-1/8" 82A 730164 Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required)
83 27272A * Gasket, Air cleaner 87 31691 Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in early production only.
88 650399 Screw, 10-32 x 5/8" 89 30727 Element, Air cleaner 90 31715 Body, Air cleaner 97 31902 Ground Wire 98 32924 Spring, Compression 99 650688 Screw, 10-32 x 1" 100 31757 Base, Engine mounting 106 31845 Shaft, Mechanical governor 107 30591 Gear Assy., Governor (Incl. 109) 108 30588A Spool, Governor 109 30590A Washer, Flat 110 29193 Ring, Retaining 113 30063 Screw, 1/4-20 x 1/2" 114 31758 Fuel Tank (Incl. 115) 115 410144B Fuel Cap (White Plastic)(Std)(As requ ired)

Ref #	Part Number	Qty	Description
115	33032		Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
115	35355		Fuel Cap (Use as required)
117A	29683		Valve, Fuel shut-off
118	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
118	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
120	650128		Screw, 10-24 x 1/2" (Use as required)
121	30622A		Extension, Blower housing
124	650542		Screw, 5/16-18 x 3/4"
127	26073		Washer (Use as required)
128	650694A		Screw, 5/16-18 x 2" (Use as required)
129	32589		Key, Flywheel
130	31843A		Bracket, Governor gear
131	650836		Screw, 10-24 x 1/2"
133	650493		Screw, 1/4-20 x 1-3/4"
139	30972		Bracket, Choke control
	30747		Clip, Shorting
	610118		Cover, Spark plug (Use as required)
205	650561		Screw, 1/4-20 x 5/8" (Use as required)
	30939A		Cover, Cylinder head
	26460		Clamp, Fuel line
	31461		Bushing, Crankshaft (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	27275		Clip, Hi-tension wire (Use as require d)
	34246		Clip, Ground wire (Use as required)
	31752		Decal, Air cleaner
	34346		Decal, Instruction
	30547A		Contact Assy., Breaker
	30548B		Condenser
	631021		Inlet Needle, Seat & Clip Assy.
336	631453		Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown)
337	610689A		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
343	33239A		Gasket Set (Incl. items marked*)



Rof #	Part Number	Otv	Description
	650489	Qty	Screw, 1/4-20 x 5/8"
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650128		Screw, 10-24 x 1/2"
	30206		Link, Throttle
	650815		Washer, Belleville
	8116		Nut, Hex
	650399		Screw, 10-32 x 5/8" (Supplied by OEM)
	30312		Screw, 10-32 x 1/2"
	31879		Link, Governor lever-to-bellcrank
	30712		Lever, Bellcrank
	29530		Bushing, Bellcrank
	28562		Bushing, RPM adjusting lever
	33450		Nut, Lock
	30199A		Bracket, Speed control (Incl. 98 & 99)
	30202		Spring, Extension
	30201A		Lever, Speed control
	32924		Spring, Compression
	650688		Screw, 10-32 x 1"
	610118		Cover, Spark plug (Use as required)
	730152		Control Bracket (Incl. 92, 92A, 92B, 93, 93A, 94, 95, 95A &
			96)
263	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	650800		Screw, 10-24 x 5/8"
	650147		Washer, Flat
	28942		Screw, 10-32 x 3/8"
	31755		Bracket, Guard
	650583		Washer, Flat
	31880		Spacer, Screen
	31756		Screen, Air
	31753		Pulley, Rope starter
	32187		Decal, "Super Start"
	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter
			motor kit may have been added to this engine. It can be
			added only if cylinder hasdrilled and tapped starter mounting
			bosses and a ring gear flywheel (see#342). Refer to service
			number stamped on end cap of motor, or on decal, for
			identifica
3/12	30811A		Flywheel (Ring gear flywheel requiredon engines using
342	30011A		110-120 volt starter kits listed above)
			,
342	611042		Flywheel (Used on Type letters H and above) (Std. Point
			ignition) (Ring gear flywheel required on engines using
			110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines
3.2	-		using 110-120 volt starter kits listed above) (Use withSolid
			State ignition)
			~ /



27 36 36 36 38 42 42 50 51	Part Number 27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A	Qty	Description Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early productio n) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730561		Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
82	730127		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
84	27272A 31988 34819		* Gasket, Air cleaner Elbow, Air cleaner Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only)
88 90 101 103E 103B 104 113 118 118 118 128 132 148 148 202 203 204 265 266 289 290 291	650163 650399 31715 29574 391026 31506 28443 30063 29774 30705 30962 650694A 650548 34067 34069 31288 650697A 6021A 32846 26460 730512 31667 31668 31752		Screw, 10-32 x 7/8" Screw, 10-32 x 5/8" Body, Air cleaner Muffler Elbow Opt. Spark Arrest Muffler (Incl.196,1 97,199) Muffler Conduit Nut Screw, 1/4-20 x 1/2" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production) Wire Assy., Alternator adapter (4-1/4") Wire Assy., Alternator adapter (6-3/4") Exh. Adaptor Kit (Incl.125,203,204) (As req.) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 1-1/2" (Use as required) Bracket, Heat baffle Clamp, Fuel line Kit. Pre-cleaner (Incl 290 & 291) Spring, Pre-cleaner Decal, Air cleaner