



1 2 3 4 5 5 6 6 7A 7 8A 8 9A 9 10A	Part Number  32586C  27652  27642  32630  32783  32784  27878A  27880A  20810  27882  27881  32581  32581  32590	Qty	Description  Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)  Pin, Dowel  Plug, Oil drain  Seal, Oil  Intake Valve (Std.) (Incl. 9)  Intake Valve (1/32" OS) (Incl. 9)  Exhaust Valve (Std.) (Incl. 9)  Exhaust Valve (1/32" OS) (Incl. 9)  Pin, Valve spring retainer (Use as re quired)  Cap, Upper valve spring  Spring, Valve  Spring, Valve  Cap, Lower valve spring  Cap, Lower valve spring  Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.)  Dipper, Oil
12	32587 29783 27884		Crankshaft (Incl. 12 & 13) Crankshaft Gear Pin (Early production) Gear, Crankshaft (Used in early production) This gear is servicable onlywhen it is pinned to the crankshaft.
14A 14A 14 14 15 15 15 16 17 18 21 22 23 24 24B 25 26 28 30 31 32 33 34 35 36 36	32592B 32593B 32594B 34517 34518 34519 32595 32596 32597 27888 32591C 650662C 32115 34034 31303B 28427 31546 29668 30684 650488 29673 650489 32631A 30938A 27793 28942 650697A 650695A 650694A		servicable onlywhen it is pinned to the crankshaft.  Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16) Piston & Pin Ass'y. (.010" OS) (Incl. 16) Piston & Pin Ass'y. (.020" OS) (Incl. 16) Piston, Pin Ass'y. (.020" OS) (Incl. 16) Piston, Pin & Ring Set (Std.) (2-3/4" Bore) Piston, Pin & Ring Set (.010" OS) Piston, Pin & Ring Set (.020" OS) Ring Set (Std.) (2-3/4" Bore) Ring Set (.010" OS) Ring Set (.020" OS) Ring, Piston pin retaining Rod Assy., Connecting (Incl. 10 & 18) Screw, Connecting rod (2 each) Camshaft (MCR) Lifter, Valve Cover, Cylinder (Incl. 24, 106 & 279) Seal, Oil Bushing, Crankshaft (Use as required) Dipstick, Oil (Incl. 30)  * Gasket, Cylinder cover Screw, 1/4-20 x 1-1/4"  * Gasket, Oil filler Screw, 1/4-20 x 5/8"  * Gasket, Cylinder head Head, Cylinder Clip, Conduit (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required)
37 38 39 40 41	33636 34251 27896A 28423 28424 28425 26073		Resistor Spark Plug (RJ-8C) Resistor Spark Plug * Gasket, Breather cover Body, Breather Element, Breather Cover, Valve spring Washer (Use as required)

art Number 50691 50690 50128 7915A 0195A 0196 0716 50548	Qty_	Description  Washer, Flat (Use as required)  Washer, Belleville (Use as required)  Screw, 10-24 x 1/2"  * Gasket, Intake  Flange, Carburetor (Incl. 79 & 80)  Screw, 5/16-18 x 3/4"  Screw, 1/4-28 x 7/16"  Screw, 8-32 x 5/16"  Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
0205 0206 0216 50152 0826 0642 0699C		Bracket, Adjusting Link, Throttle Nut, Lock, 10-32 Screw, 8-32 x 3/8" Screw, 10-32 x 3/4" Ring, Retaining Rod Assy., Governor (Incl. 64 & 65) Governor Rod Ass'y. (This one-piece governor rodis no longer used. It is replaced by 30699C ass'y.,Ref. no. 63A)
0700 50494 9918 5350 9747B 2158E 50815 116		Yoke, Governor Screw, 6-40 x 5/16" Lockwasher, #8 E.T. Tube, Breather Screw, 5/16-24 x 21/32" Blower Housing (For elec.star.)(Incl. 134,135) Washer, Belleville Nut, Hex Blower Housing Baffle (without electric starter knock-out) (Use as required)
5256A		Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)
50561 1688A 9752 50572 80164		Screw, 1/4-20 x 5/8"  * Gasket, Carburetor  Nut & Lockwasher Assy., 1/4-28  Screw, 1/4-28 x 1-1/8"  Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)  (Use as required)
7272A 1691		* Gasket, Air cleaner Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in early production only.
50521 1715 2924 50688 2401 1845 0591 0588A 0590A 0193 50561 3350 10144B		Screw, 10-32 x 1-1/8" Body, Air cleaner Spring, Compression Screw, 10-32 x 1" Base, Engine mounting (Supplied by OE M) Muffler Shaft, Mechanical governor Gear Assy., Governor (Incl. 109) Spool, Governor Washer, Flat Ring, Retaining Screw, 1/4-20 x 5/8" Fuel Tank (Incl. 115 & 117A) Fuel Cap (White Plastic)(Std)(As requ ired)
5570062 006600 05652516 5 51958 71 5125 2100068	0691 0690 0128 915A 195A 196 716 0548 326A  205 206 216 0152 826 642 699C 699B  700 0494 918 350 747B 158E 0815 16 536  256A  0561 688A 752 0572 0164  272A 691  0521 715 924 0688  401 845 591 598A 590A 193 0561 350	0691 0690 0128 915A 195A 195A 196 716 0548 326A  205 206 216 0152 826 642 699C 699B  700 0494 918 350 747B 158E 0815 16 536 256A  0561 688A 752 0572 0164  272A 691 0621 715 924 0688  401 845 5591 5586A  193 0661 350

Ref #	Part Number Qty	Description
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
115	35355	Fuel Cap (Use as required)
117A	33351	Valve, Fuel strainer & shut-off (Incl 119)
118	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
118	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
119	33679	Bushing, Fuel fitting
120	650128	Screw, 10-24 x 1/2" (Use as required)
121	30622A	Extension, Blower housing
	650427	Screw, 5/16-18 x 1"
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650493	Screw, 1/4-20 x 1-3/4"
	650690	Washer, Belleville
	30747	Clip, Shorting
	650890	Lockwasher
	31778	Spring, Breather tube
	610118	Cover, Spark plug (Use as required)
	650561 30939A	Screw, 1/4-20 x 5/8" (Use as required )
	32125	Cover, Cylinder head Cup, Starter
	590417	Screen, Starter cup
	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	610973	Terminal Ass'y. (As req. on late prod uction)
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	34346	Decal, Instruction
	30547A	Contact Assy., Breaker
333	30548B	Condenser
334	631021	Inlet Needle, Seat & Clip Assy.
336	631453	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown)
337	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)



Ref #	Part Number Qt	y Description
	650489	Screw, 1/4-20 x 5/8"
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650128	Screw, 10-32 x 3/6 (Ose as required) Screw, 10-24 x 1/2"
		·
	29716	Screw, 1/4-28 x 7/16"
	30206	Link, Throttle
	650815	Washer, Belleville
	8116	Nut, Hex
	31879	Link, Governor lever-to-bellcrank
92B	30712	Lever, Bellcrank
92A	650399	Screw, 10-32 x 5/8" (Supplied by OEM)
92	30312	Screw, 10-32 x 1/2"
93	29530	Bushing, Bellcrank
	28562	Bushing, RPM adjusting lever
	30199A	Bracket, Speed control (Incl. 98 & 99)
	33450	Nut, Lock
	30202	Spring, Extension
	30201A	Lever, Speed control
	32924	Spring, Compression
	650688	Screw, 10-32 x 1"
	31778	
		Spring, Breather tube
	610118	Cover, Spark plug (Use as required)
201	730152	Control Bracket (Incl. 92, 92A, 92B,93, 93A,94, 95, 95A &
		96)
263	650764	Nut, "U" Type (Use as required)
274	610973	Terminal Ass'y. (As req. on late prod uction)
	32179	Decal, "Super Start"
	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for
		breakdown)
0.40	00000	,
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter
		motor kit may have been added to this engine. It can be
		added only if cylinder hasdrilled and tapped starter mounting
		bosses and a ring gear flywheel (see#342). Refer to service
		number stamped on end cap of motor, or on decal, for
		identifica
3/12	30811A	Flywheel (Ring gear flywheel requiredon engines using
J <del>-1</del> Z	30011A	110-120 volt starter kits listed above)
		110-120 Volt Starter Nits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point
		ignition) (Ring gear flywheel required on engines using
		110-120 volt starter kits listed above)
0.40	044005	,
342	611085	Flywheel (Minimum ring gear flywheel required on engines
		using 110-120 volt starter kits listed above) (Use withSolid
		State ignition)



Ref #	Part Number C	Oty Description
27	27513	Lockwasher, 1/4" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A	Screw, 5/16-18 x 2" (Use as required)
38	27896A	* Gasket, Breather cover
42	26073	Washer (Use as required)
42	650691	Washer, Flat (Use as required)
50	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used in early productio n)
	32326A	Lever, Governor (New lever does not need 1 of
		51,66,132,164,165,207)
55	30205	Bracket, Adjusting
57	730130	Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
58	30196	Screw, 5/16-18 x 3/4" (Use as require d)
59	29216	Nut, Lock, 10-32
61	29826	Screw, 10-32 x 3/4"
66	29918	Lockwasher, #8 E.T.
82B	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
		91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
		an externally vented fully adjustable carburetor)
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
-		331B) (Use as required)
83	27272A	* Gasket, Air cleaner
	30708	Elbow, Air Cleaner (Incl. 85)
	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
		in 730561 assembly only)
85	650163	Screw, 10-32 x 7/8"
86	30709	Fitting, Breather tube
88	650521	Screw, 10-32 x 1-1/8"
89A	31700	Element, Air cleaner
90	31715	Body, Air cleaner
103E	391026	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
111B	33353	Bracket, Lower fuel tank
113	650561	Screw, 1/4-20 x 5/8"
116	33352A	Plate, Upper fuel tank mounting
118	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
118	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
125	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
128	650694A	Screw, 5/16-18 x 2" (Use as required)
132	650548	Screw, 8-32 x 5/16" (Early production)
138	30936	Flange, Air cleaner
146	792020	Screw, 1/4-20 x 2-1/4"
148	34067	Wire Assy., Alternator adapter (4-1/4 ")
148	34069	Wire Assy., Alternator adapter (6-3/4 ")
202	31288	Exh. Adaptor Kit (Incl.125,203,204) ( As req.)
203	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
	26460	Clamp, Fuel line
	730512	Kit. Pre-cleaner (Incl 290 & 291)
	31667	Spring, Pre-cleaner bag
	31668	Bag, Pre-cleaner