


Ref #	Part Number	Qty	Description
	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain
4	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
6	27878A		Exhaust Valve (Std.) (Incl. 9)
6	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	20810		Pin, Valve spring retainer (Use as re quired)
8	27881		Spring, Valve
8A	27881		Spring, Valve
	32581		Cap, Lower valve spring
			•
	32581		Cap, Lower valve spring
10	34242		Dipper, Oil
10A	32590		Plate, Lock & Oil dipper (This plate may be replaced by
	02000		34242 oil dipper but 650662C screw must be used.)
			34242 oil dipper but 650662C screw must be used.)
11	32670		Crankshaft (Incl. 12 & 13)
			,
	29783		Crankshaft Gear Pin (Early production )
13	27884		Gear, Crankshaft (Used in early production) This gear is
			servicable onlywhen it is pinned to the crankshaft.
			convicable only when it is purificate and oral mentalia.
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
	32595		Ring Set (Std.) (2-3/4" Bore)
15	32596		Ring Set (.010" OS)
15	32597		Ring Set (.020" OS)
	27888		
			Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
18	650662C		Screw, Connecting rod (2 each)
21	32115		Camshaft (MCR)
	34034		Lifter, Valve
23	31578B		Cover, Cylinder (Incl. 24, 106 & 279)
24	28427		Seal, Oil
	31546		Bushing, Crankshaft (Use as required)
	30924A		Dipstick (Incl. 30)
	30684		* Gasket, Cylinder cover
28	650488		Screw, 1/4-20 x 1-1/4"
	29673		* Gasket, Oil filler
	650489		Screw, 1/4-20 x 5/8"
	32631A		* Gasket, Cylinder head
33	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		• • • • • • • • • • • • • • • • • • • •
			Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
38	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
41	28425		Cover, Valve spring
	650690		Washer, Belleville (Use as required)
12, (			

42 42 43 45 46 47 48 50	Part Number 26073 650691 650128 27915A 30195A 30196 29716 650548 32326A	Qty	Description  Washer (Use as required)  Washer, Flat (Use as required)  Screw, 10-24 x 1/2"  * Gasket, Intake  Flange, Carburetor (Incl. 79 & 80)  Screw, 5/16-18 x 3/4"  Screw, 1/4-28 x 7/16"  Screw, 8-32 x 5/16"  Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
56 59 60 61 62	30205 31710 29216 650152 29826 29642 30699B		Bracket, Adjusting Link, Throttle Nut, Lock, 10-32 Screw, 8-32 x 3/8" Screw, 10-32 x 3/4" Ring, Retaining Governor Rod Ass'y. (This one-piece governor rodis no longer used. It is replaced by 30699C ass'y.,Ref. no. 63A)
64 65 66 67 69 70 71 72	30699C 30700 650494 29918 35350 29747B 32158E 650815 8116 29536		Rod Assy., Governor (Incl. 64 & 65) Yoke, Governor Screw, 6-40 x 5/16" Lockwasher, #8 E.T. Tube, Breather Screw, 5/16-24 x 21/32" Blower Housing (For elec.star.)(Incl. 134,135) Washer, Belleville Nut, Hex Blower Housing Baffle (without electric starter knock-out) (Use as required)
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)
75 79 80	650561 31688A 29752 650572 730164		Screw, 1/4-20 x 5/8"  * Gasket, Carburetor  Nut & Lockwasher Assy., 1/4-28  Screw, 1/4-28 x 1-1/8"  Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)  (Use as required)
	27272A 31691		* Gasket, Air cleaner Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in early production only.
89 90 97 100 105 106 107 108 109 110 113	28820 30727 31715 35349 29538 29443 31845 30591 30588A 30590A 29193 650561 31301 410144B		Screw, 10-32 x 1/2" Element, Air cleaner Body, Air cleaner Ground Wire Base, Engine mounting Clip, Wire Shaft, Mechanical governor Gear Assy., Governor (Incl. 109) Spool, Governor Washer, Flat Ring, Retaining Screw, 1/4-20 x 5/8" Fuel Tank (Incl. 115) Fuel Cap (White Plastic)(Std)(As requ ired)

Ref #	Part Number	Qty	Description
115	33032		Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
115	35355		Fuel Cap (Use as required)
117	28584		Fitting, Fuel strainer & elbow
118	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
118	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
120	650128		Screw, 10-24 x 1/2" (Use as required)
121	30622A		Extension, Blower housing
124	650542		Screw, 5/16-18 x 3/4"
127	26073		Washer (Use as required)
128	650694A		Screw, 5/16-18 x 2" (Use as required)
129	32589		Key, Flywheel
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	650493		Screw, 1/4-20 x 1-3/4"
	30747		Clip, Shorting
	610118		Cover, Spark plug (Use as required)
	27276		Cover, Spark plug
	650561		Screw, 1/4-20 x 5/8" (Use as required )
	30939A		Cover, Cylinder head
	650760		Screw, 8-32 x 3/8"
	28545		Grommet
	32125		Cup, Starter
	590417		Screen, Starter cup
	26460		Clamp, Fuel line
	31461		Bushing, Crankshaft (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	27275		Clip, Hi-tension wire (Use as require d)
	34246		Clip, Ground wire (Use as required)
	550223		Decal, Name
	32676		Decal "Solid state"
	34346 34753		Decal, Instruction
	31752		Decal, Air cleaner
	631021 631453		Inlet Needle, Seat & Clip Assy.
330	051405		Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown)
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A		Gasket Set (Incl. items marked*)



Ref #	Part Number Qtv	Description
	650489	Screw, 1/4-20 x 5/8"
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650128	Screw, 10-24 x 1/2"
	29716	Screw, 1/4-28 x 7/16"
	31710	Link, Throttle
	650815	Washer, Belleville
	8116	Nut, Hex
	30063	Screw, 1/4-20 x 1/2"
193	610118	Cover, Spark plug (Use as required)
	27276	Cover, Spark plug
	33450	Nut, Lock
	30845A	Bolt, Governor adjusting
241	30886A	Spring, Governor bolt
263	650764	Nut, "U" Type (Use as required)
274	610973	Terminal Ass'y. (As req. on late prod uction)
300	610806	Flywheel Ass'y. (Solid state)
301	610783	Transformer (Solid state)
302	610759	Magneto (Solid state)
331	550223	Decal, Name
331	32676	Decal "Solid state"
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for
		breakdown)
339	35765A	Electric Starter Motor (12 Volt) NOTE: The 29965, 32468, 32468B, 33606, 35765 and 35765A startermotors are used interchangeably on these models. Refer to service number stamped on end cap of motor, or on decal, for identification. Refer to Division 5, Section D for breakdown.
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)



27 27513 36 650697A 36 650694A 36 27696A 37 27896A 38 27896A 42 26073 42 650691 42 650691 42 650691 43 2670648 44 26073 44 650691 50 650548 51 30319 61 2326A 61 32 27806A 61 32 27806A 62 2326A 63 25000000000000000000000000000000000000	Ref #	Part Number	Qty	Description
57 730130	36 36 38 42 42 50	650697A 650695A 650694A 27896A 26073 650691 650548 30319		Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early productio n) Lever, Governor (New lever does not need 1 of
331B) (Use as required)  * Gasket, Air cleaner Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only)  88 28820 Screw, 10-32 x 1/2" 90 31715 Body, Air cleaner 101 32394 Muffler Elbow Muffler Nipple 103E 391026 Opt. Spark Arrest Muffler (Incl.196,1 97,199) 104 28443 Conduit Nut 104 32862 Conduit Nut 113 1694 Bracket, Fuel tank 113 650561 Screw, 1/4-20 x 5/8" 118 29774 Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) 118 30705 Fuel Line (Braided 16") (41 cm) (Use as req.) 118 30962 Fuel Line (Braided 16") (41 cm) (Use as req.) 128 650694A Screw, 5/16-18 x 2" (Use as required) 132 650139 Screw, 8-32 x 5/16" (Early production ) 132 650139 Screw, 8-32 x 1/2" 148 34067 Wire Assy., Alternator adapter (4-1/4") 148 34069 Wire Assy., Alternator adapter (6-3/4") 150 129 31288 Exh. Adaptor Kit (Incl.125,203,204) (As req.) 150 207 31725A Extension, Governor lever 150 266 26460 Clamp, Fuel line 160 276 31697 Strap, Fuel line 179 50 50 50 50 50 50 50 50 50 50 50 50 50	57 58 59 61 66	730130 30196 29216 29826 29918		Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only)  88 28820 Screw, 10-32 x 1/2" 90 31715 Body, Air cleaner 101 32394 Muffler Elbow 102 32454 Muffler Nipple 103E 391026 Opt. Spark Arrest Muffler (Incl.196,1 97,199) 104 28443 Conduit Nut 104 32862 Conduit Nut 113 1694 Bracket, Fuel tank 113 650561 Screw, 11/4-20 x 5/8" 118 29774 Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) 118 30705 Fuel Line (Braided 16") (41 cm) (Use as req.) 118 30962 Fuel Line (Braided 42") (81 cm) (Use as req.) 128 650694A Screw, 8-32 x 5/16" (Early production ) 132 650139 Screw, 8-32 x 5/16" (Early production ) 132 650139 Screw, 8-32 x 1/2" 137 33356 Terminal 148 34067 Wire Assy., Alternator adapter (4-1/4") 148 34069 Wire Assy., Alternator adapter (6-3/4") 189 6201 Screw, 1/4-28 x 7/8" 202 31288 Exh. Adaptor Kit (Incl.125,203,204) (As req.) 203 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 204 6021A Screw, 5/16-18 x 1-1/2" (Use as requi red) 207 31725A Extension, Governor lever 208 2660760 Screw, 8-32 x 3/8" 209 5752 Nut, Lock 201 Clamp, Fuel line 207 31697 Strap, Fuel tank	82	730127		
90 31715 101 32394 Muffler Elbow Muffler Nipple 103E 391026 Opt. Spark Arrest Muffler (Incl.196,1 97,199) 104 28443 Conduit Nut 104 32862 Conduit Nut 111 31694 Bracket, Fuel tank 113 650561 Screw, 1/4-20 x 5/8" 118 29774 Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) 118 30705 Fuel Line (Braided 32") (81 cm) (Use as req.) 118 30962 Fuel Line (Braided 32") (81 cm) (Use as req.) 128 650694A Screw, 5/16-18 x 2" (Use as required) 132 650139 Screw, 8-32 x 5/16" (Early production ) 132 650139 Screw, 8-32 x 1/2" Teminal 148 34067 Wire Assy., Alternator adapter (4-1/4") 148 34069 Wire Assy., Alternator adapter (6-3/4") 189 6201 Screw, 1/4-28 x 7/8" Exh. Adaptor Kit (Incl.125,203,204) (As req.) 203 650697A Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as req.) 129 31725A Extension, Governor lever Screw, 8-32 x 3/8" Grommet Nut, Lock Code Clamp, Fuel line Strap, Fuel line Strap, Fuel line				Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
	90 101 102 103E 104 104 111 113 118 118 128 132 132 137 148 148 148 1202 203 204 207 226 227 262 266 276	31715 32394 32454 391026 28443 32862 31694 650561 29774 30705 30962 650694A 650548 650139 33356 34067 34069 6201 31288 650697A 6021A 31725A 650760 28545 29752 26460 31697		Body, Air cleaner Muffler Elbow Muffler Nipple Opt. Spark Arrest Muffler (Incl.196,1 97,199) Conduit Nut Conduit Nut Bracket, Fuel tank Screw, 1/4-20 x 5/8" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production ) Screw, 8-32 x 1/2" Terminal Wire Assy., Alternator adapter (4-1/4 ") Wire Assy., Alternator adapter (6-3/4 ") Screw, 1/4-28 x 7/8" Exh. Adaptor Kit (Incl.125,203,204) ( As req.) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 1-1/2" (Use as requi red) Extension, Governor lever Screw, 8-32 x 3/8" Grommet Nut, Lock Clamp, Fuel line

Ref # Part Number	Qty Description
305 16642	Lockwasher
331B 31752	Decal, Air cleaner