


		Qty	
1	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
2	27652		Pin, Dowel
3	27642		Plug, Oil drain
4	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.) (Incl. 9)
	27880A		Exhaust Valve (3/32" OS) (Incl. 9)
			, , ,
	20810		Pin, Valve spring retainer (Use as re quired)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
10	34242		Dipper, Oil
10A	32590		Plate, Lock & Oil dipper (This plate may be replaced by
			34242 oil dipper but 650662C screw must be used.)
11	22507		Cronkahaft (Inal. 12.9.12)
	32587		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production)
13	27884		Gear, Crankshaft (Used in early production) This gear is
			servicable onlywhen it is pinned to the crankshaft.
14	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
18	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
22	34034		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24, 106 & 279)
	31546		Bushing, Crankshaft (Use as required)
	28427		Seal, Oil
	29668		Dipstick, Oil (Incl. 30)
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	29673		* Gasket, Oil filler
	650489		Screw, 1/4-20 x 5/8"
			·
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
37	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	650690		Washer, Belleville (Use as required)
4211	00000		vvasi ici, Delleville (Ose as requireu)

D-f !!	Don't Niversham	Ot . Description
		Qty Description
	26073	Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650128	Screw, 10-24 x 1/2"
	27915A	* Gasket, Intake
	30195A	Flange, Carburetor (Incl. 79 & 80)
	30196	Screw, 5/16-18 x 3/4"
	650548	Screw, 8-32 x 5/16"
52	32326A	Lever, Governor (New lever does not need 1 of
		51,66,132,164,165,207)
55	30205	Bracket, Adjusting
	30206	Link, Throttle
	29216	
		Nut, Lock, 10-32
	650152	Screw, 8-32 x 3/8"
	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
	30699C	Rod Assy., Governor (Incl. 64 & 65)
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)
64	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29918	Lockwasher, #8 E.T.
	35350	Tube, Breather
	29747B	
		Screw, 5/16-24 x 21/32"
	31754A	Housing, Blower
	650815	Washer, Belleville
	8116	Nut, Hex
/3	29536	Blower Housing Baffle (without electric starter knock-out)
		(Use as required)
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use
		as required) (Point Ignition)
7/	650561	Scrow 1/4 20 v 5/9"
		Screw, 1/4-20 x 5/8" * Cooket Corburator
	31688A	* Gasket, Carburetor
	29752	Nut & Lockwasher Assy., 1/4-28
	650572	Screw, 1/4-28 x 1-1/8"
82A	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use as required)
83	27272A	* Gasket, Air cleaner
87	31691	Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
		early production only.
ΩΩ	28820	Screw, 10-32 x 1/2"
	30727	Element, Air cleaner
	31715	
		Body, Air cleaner
	31902	Ground Wire
	32924	Spring, Compression
	650688	Screw, 10-32 x 1"
	31757	Base, Engine mounting
	31845	Shaft, Mechanical governor
	30591	Gear Assy., Governor (Incl. 109)
	30588A	Spool, Governor
109	30590A	Washer, Flat
110	29193	Ring, Retaining
	30063	Screw, 1/4-20 x 1/2"
	410144B	Fuel Cap (White Plastic)(Std)(As requ ired)
		-1. /// ///.

Ref #	Part Number	Qtv [Description
	33032	F	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
118 118 118 120 121 124 127 128 129 130 131 133 139 149 193 205 209 266 270 274 287 287 331B 331A 332 333	35355 29774 30705 30962 650128 30622A 650542 26073 650694A 32589 31843A 650836 650493 30972 30747 610118 650561 30939A 26460 31461 610973 27275 34246 31752 34346 30547A 30548B 631021 631453	F F F S E S V S M E S S E O O S O O E T O O C C C O O II	Fuel Cap (Use as required) Fuel Line (Braided 8-1/4" 21 cm) (Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing Screw, 5/16-18 x 3/4" Washer (Use as required) Screw, 5/16-18 x 2" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4" Bracket, Choke control Clip, Shorting Cover, Spark plug (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Cover, Cylinder head Clamp, Fuel line Bushing, Crankshaft (Use as required) Terminal Ass'y. (As req. on late prod uction) Clip, Hi-tension wire (Use as required) Decal, Air cleaner Decal, Instruction Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
337	610689A	N a p ii	for breakdown) Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference burposes only. Order component parts individually, as shown parts list. (Refer to Division 5, Section B, page 24 for
343	33239A		oreakdown) Gasket Set (Incl. items marked*)



Ref #	Part Number	Qty	Description
31 34 35 43A 56 71 72 92A 92 92C 92B 93 93A 94A 94 95 96 98	Part Number 650489 27793 28942 650128 30206 650815 8116 650399 30312 31879 30712 29530 28562 33450 30199A 30202 30201A 32924 650688 610118 730152	Qty	Screw, 1/4-20 x 5/8" Clip, Conduit (Use as required) Screw, 10-32 x 3/8" (Use as required) Screw, 10-24 x 1/2" Link, Throttle Washer, Belleville Nut, Hex Screw, 10-32 x 5/8" (Supplied by OEM) Screw, 10-32 x 1/2" Link, Governor lever-to-bellcrank Lever, Bellcrank Bushing, Bellcrank Bushing, RPM adjusting lever Nut, Lock Bracket, Speed control (Incl. 98 & 99) Spring, Extension Lever, Speed control Spring, Compression Screw, 10-32 x 1" Cover, Spark plug (Use as required) Control Bracket (Incl. 92, 92A, 92B,93, 93A,94, 95, 95A &
274 314 315 316 317 318 319 320A 320 331D	650764 610973 650800 650147 28942 31755 650583 31880 31756 31753 32187 33328D		Nut, "U" Type (Use as required) Terminal Ass'y. (As req. on late prod uction) Screw, 10-24 x 5/8" Washer, Flat Screw, 10-32 x 3/8" Bracket, Guard Washer, Flat Spacer, Screen Screen, Air Pulley, Rope starter Decal, "Super Start" Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)



		Qty	Description
	27513		Lockwasher, 1/4" (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
38	27896A		* Gasket, Breather cover
	26073		Washer (Use as required)
	650691		Washer, Flat (Use as required)
	650548		Screw, 8-32 x 5/16"
			·
	30319		Rivet, Split (Used in early production)
52	32326A		Lever, Governor (New lever does not need 1 of
			51,66,132,164,165,207)
55	30205		Bracket, Adjusting
	730130		Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196		
			Screw, 5/16-18 x 3/4" (Use as require d)
	29216		Nut, Lock, 10-32
	29826		Screw, 10-32 x 3/4"
	29918		Lockwasher, #8 E.T.
82	730127		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
			331B) (Use as required)
OOD	700564		Air clooper let /Incl 20 67A 92 94D 95 90D 90C 00A 04
82B	730561		Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
			91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
			an externally vented fully adjustable carburetor)
83	27272A		* Gasket, Air cleaner
	31988		Elbow, Air cleaner
	34819		
0 4 D	34019		Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
			in 730561 assembly only)
85	650163		Screw, 10-32 x 7/8"
	28820		Screw, 10-32 x 1/2"
	31715		Body, Air cleaner
	29574		Muffler Elbow
	391026		Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	31506		Muffler
	28443		Conduit Nut
	32862		Conduit Nut
	30063		Screw, 1/4-20 x 1/2"
118	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650548		Screw, 8-32 x 5/16" (Early production)
	34067		Wire Assy., Alternator adapter (4-1/4 ")
	34069		Wire Assy., Alternator adapter (6-3/4")
	31288		Exh. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
204	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
266	26460		Clamp, Fuel line
	730512		Kit. Pre-cleaner (Incl 290 & 291)
	31667		Spring, Pre-cleaner bag
	31668		Bag, Pre-cleaner
	31752		Decal, Air cleaner
3310	01102		Down, All Oldatel