



	Part Number	Qty	
	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain
	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
5	32784		Intake Valve (1/32" OS) (Incl. 9)
6	27878A		Exhaust Valve (Std.) (Incl. 9)
6	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
7A	20810		Pin, Valve spring retainer (Use as re quired)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
	32590		Plate, Lock & Oil dipper (This plate may be replaced by
10/1	32330		34242 oil dipper but 650662C screw must be used.)
			34242 Oil dipper but 050002C screw must be used.)
10	34242		Dipper, Oil
11	32587		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production)
	27884		Gear, Crankshaft (Used in early production) This gear is
.0	2.00.		servicable onlywhen it is pinned to the crankshaft.
			, ,
	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
15	32595		Ring Set (Std.) (2-3/4" Bore)
15	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
	34034		Lifter, Valve
	31303B		
			Cover, Cylinder (Incl. 24, 106 & 279)
	31546		Bushing, Crankshaft (Use as required)
	28427		Seal, Oil
	31297		Dipstick, Oil (Incl. 30)
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	29673		* Gasket, Oil filler
	650489		Screw, 1/4-20 x 5/8"
32	32631A		* Gasket, Cylinder head
33	30938A		Head, Cylinder
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		·
			Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
42	26073		Washer (Use as required)

	Dort Number	Dt. Description
	Part Number (Qty Description Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
	650128	Screw, 10-24 x 1/2"
	27915A	* Gasket, Intake
46	30195A	Flange, Carburetor (Incl. 79 & 80)
47	30196	Screw, 5/16-18 x 3/4"
48	29716	Screw, 1/4-28 x 7/16"
	650548	Screw, 8-32 x 5/16"
	32326A	Lever, Governor (New lever does not need 1 of
02	02020, 1	51,66,132,164,165,207)
		, , , , , , , , , , , , , , , , , , ,
	30205	Bracket, Adjusting
	31710	Link, Throttle
59	29216	Nut, Lock, 10-32
60	650152	Screw, 8-32 x 3/8"
61	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
	33332	used. It is replaced by 30699C ass'y., Ref. no. 63A)
	-	
	30699C	Rod Assy., Governor (Incl. 64 & 65)
64	30700	Yoke, Governor
65	650494	Screw, 6-40 x 5/16"
66	29918	Lockwasher, #8 E.T.
67	35350	Tube, Breather
69	29747B	Screw, 5/16-24 x 21/32"
	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
	650815	Washer, Belleville
	8116	Nut, Hex
	29536	•
13	29330	Blower Housing Baffle (without electric starter knock-out)
		(Use as required)
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use
		as required) (Point Ignition)
74	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	29752	Nut & Lockwasher Assy., 1/4-28
	650572	Screw, 1/4-28 x 1-1/8"
82A	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use as required)
83	27272A	* Gasket, Air cleaner
	31691	Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
		early production only.
22	00000	•
	28820	Screw, 10-32 x 1/2"
	30727	Element, Air cleaner
	31715	Body, Air cleaner
	30831	Ground Wire (Incl. 137)
98	28569	Spring, Compression
99	29500	Screw, 8-32 x 3/4"
	30802	Base, Engine mounting
	32401	Muffler
	31845	Shaft, Mechanical governor
	30591	Gear Assy., Governor (Incl. 109)
	30588A	Spool, Governor
	30590A	Washer, Flat
	29193	Ring, Retaining
	650561	Screw, 1/4-20 x 5/8"
114	31301	Fuel Tank (Incl. 115)

115	Part Number 410144B 33032	Qty	Description Fuel Cap (White Plastic)(Std)(As requ ired) Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
			(Use as required)
115	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
117 118 118 118 118 120 121 124 125 126 127 128 129 130 131 133 140 149 150 193 205 209 226 227 246 247 266 270 273 274 275 287 331B 331A 331 332	35355 28584 29774 30705 30962 650128 30622A 650542 27930A 30196 26073 650694A 32589 31843A 650836 650493 29521 30747 650890 610118 650561 30939A 650760 28545 32125 590417 26460 31461 31711B 610973 34043 27275 34246 31752 34346 550223 30547A		Fuel Cap (Use as required) Fitting, Fuel strainer & elbow Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing Screw, 5/16-18 x 3/4" Gasket, Exhaust Screw, 5/16-18 x 3/4" Washer (Use as required) Screw, 5/16-18 x 2" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4" Pin, Dowel Clip, Shorting Lockwasher Cover, Spark plug (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Cover, Cylinder head Screw, 8-32 x 3/8" Grommet Cup, Starter Screen, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Copntrol Bracket (Incl. 98, 99 & 274) Terminal Ass'y. (As req. on late prod uction) Spring, Control lever Clip, Hi-tension wire (Use as required) Decal, Air cleaner Decal, Instruction Decal, Name Contact Assy., Breaker
334	30548B 631021 631453		Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
350	001700		for breakdown)
337	610689A		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A		Gasket Set (Incl. items marked*)



Ref #	Part Number	Qtv	Description
	650489		Screw, 1/4-20 x 5/8"
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
43A	650128		Screw, 10-24 x 1/2"
48	29716		Screw, 1/4-28 x 7/16"
56	31710		Link, Throttle
71	650815		Washer, Belleville
72	8116		Nut, Hex
98	28569		Spring, Compression
99	29500		Screw, 8-32 x 3/4"
193	610118		Cover, Spark plug (Use as required)
	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	550223		Decal, Name
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use with Solid State ignition)



36 650697A Sc 36 650695A Sc 36 650694A Sc 38 27896A * 0 42 26073 W3 42 650691 W3 50 650548 Sc	
52 32326A Le	ockwasher, 1/4" (Use as required) forew, 5/16-18 x 2-1/2" (Use as requi red) forew, 5/16-18 x 2-1/4" (Use as requi red) forew, 5/16-18 x 2" (Use as required) forew, 5/16-18 x 2" (Use as required) forew, 5/16-18 x 2" (Use as required) forew, 8-3exet, Breather cover forewasher (Use as required) forew, 8-3exet, Breather cover forewasher, Flat (Use as required) forew, 8-3exet, Split (Use as required) forew, 8-3exet, Split (Used in early production) forever, Governor (New lever does not need 1 of 1,66,132,164,165,207)
57 730130 Ex 58 30196 So 59 29216 Nu 61 29826 So 66 29918 Lo 82B 730561 Air	cracket, Adjusting (xh.Adap.Kit (Incl. 58 & 125) (Use as req.) (crew, 5/16-18 x 3/4" (Use as require d) (lut, Lock, 10-32 crew, 10-32 x 3/4" (crew, 10-32 x 3/4" (crew
	ir Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 31B) (Use as required)
84D 34819 Air	Gasket, Air cleaner ir Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use 730561 assembly only)
90 31715 103E 391026 Op 111 31694 Br 113 650561 Sc 118 29774 Fu 118 30705 Fu 118 30962 Fu 125 27930A Gr 126 30196 Sc 128 650694A Sc 132 650548 Sc 148 34067 Wr 148 34069 Wr 148 34069 Sc 202 31288 Ex 203 650697A Sc 204 6021A Sc 205 29752 Sc 266 26460 Cr 276 31697 Cr 277 29212 Sc 289 730512 Sc	crew, 10-32 x 1/2" cody, Air cleaner clopt. Spark Arrest Muffler (Incl.196,1 97,199) cracket, Fuel tank crew, 1/4-20 x 5/8" cuel Line (Braided 8-1/4" 21 cm)(Use as req.) cuel Line (Braided 32") (81 cm) (Use as req.) cuel Line (Braided 32") (81 cm) (Use as req.) cuel Line (Braided 32") (81 cm) (Use as req.) casket, Exhaust crew, 5/16-18 x 3/4" crew, 5/16-18 x 2" (Use as required) crew, 8-32 x 5/16" (Early production) crew, 8-32 x 5/16" (Early production) crew, 1/4-28 x 7/8" cxh. Adaptor Kit (Incl.125,203,204) (As req.) crew, 5/16-18 x 2-1/2" (Use as required) crew, 5/16-18 x 1-1/2" (Use as required) crew, 8-32 x 3/8" crommet crew, 8-32 x 3/8" crommet crew, Hex hd. Sems, 1/4-28 x 7/16 cit. Pre-cleaner (Incl 290 & 291) cpring, Pre-cleaner crecal, Air cleaner