



		Qty	
	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
3	27642		Plug, Oil drain
4	32630		Seal, Oil
5	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.) (Incl. 9)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	20810		
			Pin, Valve spring retainer (Use as re quired)
	27881		Spring, Valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
10A	32590		Plate, Lock & Oil dipper (This plate may be replaced by
			34242 oil dipper but 650662C screw must be used.)
10	24242		Dippor Oil
	34242		Dipper, Oil  Cropkobet (Incl. 13.8.13)
	32670		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production )
13	27884		Gear, Crankshaft (Used in early production) This gear is
			servicable onlywhen it is pinned to the crankshaft.
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		
			Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
17	32591C		Rod Assy., Connecting (Incl. 10 & 18)
18	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
22	34034		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24, 106 & 279)
	31546		Bushing, Crankshaft (Use as required)
	28427		Seal, Oil
	29668		Dipstick, Oil (Incl. 30)
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	29673		* Gasket, Oil filler
	650489		Screw, 1/4-20 x 5/8"
	32631A		·
			* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
37	33636		Resistor Spark Plug (RJ-8C)
37	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	650690		Washer, Belleville (Use as required)
72/1	00000		racio, Donovino (Oco do roquilou)

Dof #	Port Number	Otry Doo	agription
	Part Number 0		scription asher (Use as required)
	650691		· · · · · · · · · · · · · · · · · · ·
			sher, Flat (Use as required)
	650128		rew, 10-24 x 1/2"
	27915A		asket, Intake
	30195A		nge, Carburetor (Incl. 79 & 80)
	30196		rew, 5/16-18 x 3/4"
	29716		rew, 1/4-28 x 7/16"
50	650548	Scre	rew, 8-32 x 5/16"
52	32326A	Leve	ver, Governor (New lever does not need 1 of
			66,132,164,165,207)
55	30205	Bro	nakat Adjustina
	32327		acket, Adjusting
			k, Throttle
	29216	-	t, Lock, 10-32
	650152		rew, 8-32 x 3/8"
	29826		rew, 10-32 x 3/4"
	29642		g, Retaining
63A	30699C	Rod	d Assy., Governor (Incl. 64 & 65)
63	30699B	Gov	vernor Rod Ass'y. (This one-piece governor rodis no longer
		use	ed. It is replaced by 30699C ass'y.,Ref. no. 63A)
64	30700	Volc	(a. Cayarnar
			ke, Governor
	650494		rew, 6-40 x 5/16"
	29918		ckwasher, #8 E.T.
	35350		be, Breather
	29747B	Scre	rew, 5/16-24 x 21/32"
70	32158E	Blov	wer Housing (For elec.star.)(Incl. 134,135)
71	650815	Was	sher, Belleville
72	8116	Nut,	t, Hex
73	29536	Blov	wer Housing Baffle (without electric starter knock-out)
			se as required)
70	050504	•	. ,
73	35256A		wer Housing Baffle (with electric starter knock-out) (Use
		as r	required) (Point Ignition)
74	650561	Scre	rew, 1/4-20 x 5/8"
	31688A		asket, Carburetor
	29752		t & Lockwasher Assy., 1/4-28
	650572		rew, 1/4-28 x 1-1/8"
	730164		Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
02/1	730104		se as required)
		(030	se as required)
83	27272A	* Ga	asket, Air cleaner
87	31691	Brad	acket, Air cleaner NOTE: 130010 thru 10C & 11 used in
		early	ly production only.
00	28820	Core	20w 10 22 v 1/2"
			rew, 10-32 x 1/2"
	30727		ment, Air cleaner
	31715		dy, Air cleaner
	31582		ound Wire
	29538		se, Engine mounting
	32401	Muf	
106	31845	Sha	aft, Mechanical governor
107	31947	Gea	ar Assy., Governor
108	32324		ool, Governor
	29193	•	g, Retaining
	650561		rew, 1/4-20 x 5/8"
	31301		el Tank (Incl. 115)
	410144B		el Cap (White Plastic)(Std)(As requ ired)
. 10		. 40	

Ref #	Part Number Qty	Description
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
115	35355	Fuel Cap (Use as required)
117	28584	Fitting, Fuel strainer & elbow
118	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
118	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
120	650128	Screw, 10-24 x 1/2" (Use as required)
121	30622A	Extension, Blower housing
124	650542	Screw, 5/16-18 x 3/4"
125	27930A	Gasket, Exhaust
126	30196	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650493	Screw, 1/4-20 x 1-3/4"
	30747	Clip, Shorting
	610118	Cover, Spark plug (Use as required)
	27276	Cover, Spark plug
	650561	Screw, 1/4-20 x 5/8" (Use as required )
	30939A	Cover, Cylinder head
	32125	Cup, Starter
	590417	Screen, Starter cup
	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	610973	Terminal Ass'y. (As req. on late prod uction)
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	550223	Decal, Name
	34346	Decal, Instruction
	31752 30547A	Decal, Air cleaner
	30548B	Contact Assy., Breaker Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631453	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
330	W14W	for breakdown)
337	610694A	Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)



	Part Number	Qty	Description
	650489		Screw, 1/4-20 x 5/8"
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
43A	650128		Screw, 10-24 x 1/2"
48	29716		Screw, 1/4-28 x 7/16"
56	32327		Link, Throttle
71	650815		Washer, Belleville
72	8116		Nut, Hex
152	30063		Screw, 1/4-20 x 1/2"
193	610118		Cover, Spark plug (Use as required)
	27276		Cover, Spark plug
	33450		Nut, Lock
	30845A		Bolt, Governor adjusting
	32329		Spring, Governor bolt
	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	550223		Decal, Name
	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
000	000 120		breakdown)
			,
339	35765A		Electric Starter Motor (12 Volt) NOTE: The 29965, 32468, 32468B, 33606, 35765 and 35765A startermotors are used interchangeably on these models. Refer to service number stamped on end cap of motor, or on decal, for identification. Refer to Division 5, Section D for breakdown.
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)



Ref #	Part Number	Qty De	escription
27	27513	Lo	ockwasher, 1/4" (Use as required)
36	650697A	Sc	crew, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Sc	crew, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		crew, 5/16-18 x 2" (Use as required)
	27896A		Gasket, Breather cover
	26073		Vasher (Use as required)
	650691		Vasher, Flat (Use as required)
	650548		crew, 8-32 x 5/16"
	30319		ivet, Split (Used in early productio n)
	32326A		ever, Governor (New lever does not need 1 of
<u> </u>	S202011		1,66,132,164,165,207)
55	30205	Br	racket, Adjusting
	730130		xh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196		crew, 5/16-18 x 3/4" (Use as require d)
	29216		lut, Lock, 10-32
	29826		crew, 10-32 x 3/4"
	29918		ockwasher, #8 E.T.
	730561		ir cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
023			1A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
			n externally vented fully adjustable carburetor)
82	730127		ir Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
		33	31B) (Use as required)
83	27272A	* (	Gasket, Air cleaner
84D	34819	Ai	ir Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
		in	730561 assembly only)
88	28820	Sc	crew, 10-32 x 1/2"
90	31715	Bo	ody, Air cleaner
103E	391026	O	pt. Spark Arrest Muffler (Incl.196,1 97,199)
111	31694	Br	racket, Fuel tank
113	650561	Sc	crew, 1/4-20 x 5/8"
118	29774		uel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705		uel Line (Braided 16") (41 cm) (Use as req.)
	30962		uel Line (Braided 32") (81 cm) (Use as req.)
	27930A		basket, Exhaust
	30196		crew, 5/16-18 x 3/4"
	650694A		crew, 5/16-18 x 2" (Use as required)
	650548		crew, 8-32 x 5/16" (Early production )
	34067		Vire Assy., Alternator adapter (4-1/4 ")
	34069		Vire Assy., Alternator adapter (4-7/4-)
	6201		crew, 1/4-28 x 7/8"
	31288		xh. Adaptor Kit (Incl.125,203,204) ( As req.)
	650697A		crew, 5/16-18 x 2-1/2" (Use as requi red)
	6021A		crew, 5/16-18 x 1-1/2" (Use as requi red)
	29752		lut, Lock
	26460		lamp, Fuel line
	31697		trap, Fuel tank
	29212		crew, Hex hd. Sems, 1/4-28 x 7/16
331B	31752	De	ecal, Air cleaner