
H70-130076 Engine Parts List #1




Ref #	Part Number	Qtv	Description
1			Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain
	32630		Seal, Oil
	32783		
			Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.) (Incl. 9)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	20810		Pin, Valve spring retainer (Use as re quired)
7	27882		Cap, Upper valve spring
8A	27881		Spring, Valve
8	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
	32590		Plate, Lock & Oil dipper (This plate may be replaced by
10/1	32350		34242 oil dipper but 650662C screw must be used.)
			34242 Oli dipper but 0000020 Screw Musi be used.)
10	34242		Dipper, Oil
	32681A		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production )
	27884		Gear, Crankshaft (Used in early production) This gear is
10	21001		servicable onlywhen it is pinned to the crankshaft.
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		
			Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
22	34034		Lifter, Valve
23	31303B		Cover, Cylinder (Incl. 24, 106 & 279)
24	28427		Seal, Oil
24B	31546		Bushing, Crankshaft (Use as required)
	31297		Dipstick, Oil (Incl. 30)
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	29673		* Gasket, Oil filler
	650516		Screw, 1/4-20 x 1-1/8"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
37	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
42	26073		Washer (Use as required)

		Description
	650691	Washer, Flat (Use as required)
42A	650690	Washer, Belleville (Use as required)
43	650128	Screw, 10-24 x 1/2"
	27915A	* Gasket, Intake
	30195A	Flange, Carburetor (Incl. 79 & 80)
	30196	Screw, 5/16-18 x 3/4"
	650548	Screw, 8-32 x 5/16"
	32326A	Lever, Governor (New lever does not need 1 of
52	32320A	51,66,132,164,165,207)
55	30205	Bracket, Adjusting
56	31710	Link, Throttle
59	29216	Nut, Lock, 10-32
	650152	Screw, 8-32 x 3/8"
	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
		<b>0</b>
	30699C	Rod Assy., Governor (Incl. 64 & 65)
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer used. It is replaced by 30699C ass'y.,Ref. no. 63A)
64	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29918	Lockwasher, #8 E.T.
	35350	Tube, Breather
	29747B	Screw, 5/16-24 x 21/32"
	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
	650815	Washer, Belleville
72	8116	Nut, Hex
73	29536	Blower Housing Baffle (without electric starter knock-out) (Use as required)
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use
		as required) (Point Ignition)
74	650561	Screw, 1/4-20 x 5/8"
75	31688A	* Gasket, Carburetor
	29752	Nut & Lockwasher Assy., 1/4-28
	650572	Screw, 1/4-28 x 1-1/8"
	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
0ZA	730104	(Use as required)
83	27272A	* Gasket, Air cleaner
87	31914	Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
		early production only.
88	28820	Screw, 10-32 x 1/2"
	30727	Element, Air cleaner
	31715	Body, Air cleaner
	28569	Spring, Compression
	29500	Screw, 8-32 x 3/4"
	29538	Base, Engine mounting
	32401	Muffler
	31845	Shaft, Mechanical governor
107	30591	Gear Assy., Governor (Incl. 109)
108	30588A	Spool, Governor
	30590A	Washer, Flat
	29193	Ring, Retaining
110		
112	650561	SCIEW 1/4-20 X 5/8
113 115	410144B	Screw, 1/4-20 x 5/8" Fuel Cap (White Plastic)(Std)(As requ ired)

445		
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use a required)
115	35355	Fuel Cap (Use as required)
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
	27930A	
		Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650493	Screw, 1/4-20 x 1-3/4"
	30747	Clip, Shorting
193	610118	Cover, Spark plug (Use as required)
205	650561	Screw, 1/4-20 x 5/8" (Use as required )
209	30939A	Cover, Cylinder head
246	32125	Cup, Starter
247	590417	Screen, Starter cup
	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	31711B	Copntrol Bracket (Incl. 98, 99 & 274)
	610973	Terminal Ass'y. (As req. on late prod uction)
	34043	Spring, Control lever
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	31752	Decal, Air cleaner
	34346	
		Decal, Instruction
	550223	Decal, Name
	32434	Contact Assy., Breaker
	610767A	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
336	631453	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 10 for breakdown)
337	610816	Magneto (w/ring gear) (12 Volt) (7 Am p) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 26 for breakdown)



		Description
	650516	Screw, 1/4-20 x 1-1/8"
	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
	650128	Screw, 10-24 x 1/2"
56	31710	Link, Throttle
	650815	Washer, Belleville
72	8116	Nut, Hex
	28569	Spring, Compression
	29500	Screw, 8-32 x 3/4"
	30063	Screw, 1/4-20 x 1/2"
193	610118	Cover, Spark plug (Use as required)
263	650764	Nut, "U" Type (Use as required)
274	610973	Terminal Ass'y. (As req. on late prod uction)
331	550223	Decal, Name
339	35765A	Electric Starter Motor (12 Volt) NOTE: The 29965, 32468, 32468B, 33606, 35765 and 35765A startermotors are used interchangeably on these models. Refer to service number stamped on end cap of motor, or on decal, for identification. Refer to Division 5, Section D for breakdown.
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)



Lockwasher, 1/4" (Use as required)
LUCRWASHEL, $1/4$ (USE as required)
Washer, Flat
Screw, 5/16-18 x 2-1/2" (Use as requi red)
Screw, 5/16-18 x 2-1/4" (Use as required)
Screw, 5/16-18 x 2" (Use as required)
* Gasket, Breather cover
Washer (Use as required)
Washer, Flat (Use as required)
Screw, 8-32 x 5/16"
Rivet, Split (Used in early productio n)
Lever, Governor (New lever does not need 1 of
51,66,132,164,165,207)
Bracket, Adjusting
Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
Screw, 5/16-18 x 3/4" (Use as require d)
Nut, Lock, 10-32
Screw, 10-32 x 3/4"
Lockwasher, #8 E.T.
Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91
91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines wit
an externally vented fully adjustable carburetor)
Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
331B) (Use as required)
* Gasket, Air cleaner
Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Us
in 730561 assembly only)
Screw, 10-32 x 1/2"
Body, Air cleaner
Opt. Spark Arrest Muffler (Incl.196,1 97,199)
Screw, 1/4-20 x 5/8"
Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
Fuel Line (Braided 16") (41 cm) (Use as req.)
Fuel Line (Braided 32") (81 cm) (Use as req.)
Gasket, Exhaust
Screw, 5/16-18 x 3/4"
Screw, 5/16-18 x 2" (Use as required)
Screw, 8-32 x 5/16" (Early production)
Regulator, Rectifier (10 Amp)
Wire Assy., Alternator adapter (4-1/4 ")
Wire Assy., Alternator adapter (6-3/4 ")
Exh. Adaptor Kit (Incl.125,203,204) (As req.)
Screw, 5/16-18 x 2-1/2" (Use as required)
Screw, 5/16-18 x 1-1/2" (Use as required)
Clamp, Fuel line
Decal, Air cleaner