



Dof #	Dort Number	h. Description
		ty Description Cylinder (Incl. 2, 2, 4, 8, 76) (2, 2/4" Pers)
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain
	32630	Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
	32784	Intake Valve (1/32" OS) (Incl. 9)
	27878A	Exhaust Valve (Std.) (Incl. 9)
	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
7A	20810	Pin, Valve spring retainer (Use as re quired)
7	27882	Cap, Upper valve spring
8	27881	Spring, Valve
8A	27881	Spring, Valve
9A	32581	Cap, Lower valve spring
	32581	Cap, Lower valve spring
	32590	Plate, Lock & Oil dipper (This plate may be replaced by
	0_500	34242 oil dipper but 650662C screw must be used.)
		,
	34242	Dipper, Oil
11	32680A	Crankshaft (Incl. 12 & 13)
12	29783	Crankshaft Gear Pin (Early production)
13	27884	Gear, Crankshaft (Used in early production) This gear is
		servicable onlywhen it is pinned to the crankshaft.
1/	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518	Piston, Pin & Ring Set (3td.) (2-3/4" Bore)
	34519	Piston, Pin & Ring Set (.020" OS)
	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595	Ring Set (Std.) (2-3/4" Bore)
	32596	Ring Set (.010" OS)
	32597	Ring Set (.020" OS)
16	27888	Ring, Piston pin retaining
17	32591C	Rod Assy., Connecting (Incl. 10 & 18)
18	650662C	Screw, Connecting rod (2 each)
19	31857	Nipple, Oil drain
20	30969	Cap, Oil drain
	32115	Camshaft (MCR)
	34034	Lifter, Valve
	31303B	Cover, Cylinder (Incl. 24, 106 & 279)
	28427	Seal, Oil
	31546	Bushing, Crankshaft (Use as required)
	29668	Dipstick, Oil (Incl. 30)
	30684	* Gasket, Cylinder cover
	650488	Screw, 1/4-20 x 1-1/4"
	29673	* Gasket, Oil filler
	650489 650546	Screw, 1/4-20 x 5/8"
	650516	Screw, 1/4-20 x 1-1/8"
	32631A	* Gasket, Cylinder head
	30938A	Head, Cylinder
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A	Screw, 5/16-18 x 2" (Use as required)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug
	27896A	* Gasket, Breather cover
	28423	Body, Breather
39		Dody, Diodelioi

Ref #	Part Number	Qty	Description
41 42A 42 42 43 45 46 47 48 50	28424 28425 650690 26073 650691 650128 27915A 30195A 30196 29716 650548 32326A		Element, Breather Cover, Valve spring Washer, Belleville (Use as required) Washer (Use as required) Washer, Flat (Use as required) Screw, 10-24 x 1/2" * Gasket, Intake Flange, Carburetor (Incl. 79 & 80) Screw, 5/16-18 x 3/4" Screw, 1/4-28 x 7/16" Screw, 8-32 x 5/16" Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
56 59 61 62 63A	30205 30824 29216 29826 29642 30699C 30699B		Bracket, Adjusting Link, Throttle Nut, Lock, 10-32 Screw, 10-32 x 3/4" Ring, Retaining Rod Assy., Governor (Incl. 64 & 65) Governor Rod Ass'y. (This one-piece governor rodis no longer used. It is replaced by 30699C ass'y.,Ref. no. 63A)
65 66 67 69 70 71 72	30700 650494 29918 35350 29747B 32158E 650815 8116 29536		Yoke, Governor Screw, 6-40 x 5/16" Lockwasher, #8 E.T. Tube, Breather Screw, 5/16-24 x 21/32" Blower Housing (For elec.star.)(Incl. 134,135) Washer, Belleville Nut, Hex Blower Housing Baffle (without electric starter knock-out) (Use as required)
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)
75 79 80	650561 31688A 29752 650572 730164		Screw, 1/4-20 x 5/8" * Gasket, Carburetor Nut & Lockwasher Assy., 1/4-28 Screw, 1/4-28 x 1-1/8" Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required)
100 103 105 106 107 108 109 110 113 114	610683 29538 32401 29443 31845 30591 30588A 30590A 29193 650561 33350 410144B 33032		Cut-off Wire Base, Engine mounting Muffler Clip, Wire Shaft, Mechanical governor Gear Assy., Governor (Incl. 109) Spool, Governor Washer, Flat Ring, Retaining Screw, 1/4-20 x 5/8" Fuel Tank (Incl. 115 & 117A) Fuel Cap (White Plastic)(Std)(As requ ired) Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)

Ref #	Part Number	Qty	Description
115	34210	•	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
115	35355		Fuel Cap (Use as required)
	33351		Valve, Fuel strainer & shut-off (Incl 119)
	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
118	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
119	33679		Bushing, Fuel fitting
120	650128		Screw, 10-24 x 1/2" (Use as required)
121	30622A		Extension, Blower housing
124	650542		Screw, 5/16-18 x 3/4"
125	27930A		Gasket, Exhaust
126	30196		Screw, 5/16-18 x 3/4"
127	26073		Washer (Use as required)
128	650694A		Screw, 5/16-18 x 2" (Use as required)
129	32589		Key, Flywheel
130	31843A		Bracket, Governor gear
131	650836		Screw, 10-24 x 1/2"
133	650493		Screw, 1/4-20 x 1-3/4"
149	30747		Clip, Shorting
193	610118		Cover, Spark plug (Use as required)
205	650561		Screw, 1/4-20 x 5/8" (Use as required)
209	30939A		Cover, Cylinder head
246	32125		Cup, Starter
247	590417		Screen, Starter cup
266	26460		Clamp, Fuel line
270	31461		Bushing, Crankshaft (Use as required)
274	610973		Terminal Ass'y. (As req. on late prod uction)
287	27275		Clip, Hi-tension wire (Use as require d)
287	34246		Clip, Ground wire (Use as required)
331A	34346		Decal, Instruction
332	30547A		Contact Assy., Breaker
333	30548B		Condenser
334	631021		Inlet Needle, Seat & Clip Assy.
336	631459		Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
			for breakdown)
337	610826		Magneto (w/ring gear)(12 Vt/3 Amp)(2 NOTE: The complete
007	010020		magneto is not available as an assembly. The magneto
			number is shown for reference purposes only. Order
			component parts individually, as show in parts list. Circuit)
			(Refer to Division 5, Section B, page 27 for breakdown)
			,
338	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for
			breakdown)
343	33239A		Gasket Set (Incl. items marked*)
3.10			,



Ref #	Part Number Qty	Description
31	650489	Screw, 1/4-20 x 5/8"
	650516	Screw, 1/4-20 x 1-1/8"
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650128	Screw, 10-24 x 1/2"
	29716	Screw, 1/4-28 x 7/16"
	30824	Link, Throttle
	650815	
	8116	Washer, Belleville
		Nut, Hex
	33013	Cover, Bubble
	650736 640650D	Screw, 10-16 x 3/8"
	610650B	Switch, Toggle (Incl. 97)
	610118	Cover, Spark plug (Use as required)
	33109A	Control Bracket (Incl. 224 & 274)
	30826	Spring, Extension
	650257	Screw, 8-32 x 5/16"
	33134	Cover, Carburetor
	32398	Bracket, Choke
	28820	Screw, 10-32 x 1/2"
256A	650765	Screw, 10-32 x 1/2"
256	650760	Screw, 8-32 x 3/8"
263	650764	Nut, "U" Type (Use as required)
274	610973	Terminal Ass'y. (As req. on late prod uction)
282	32397	Plate Assy., Choke
283	32399	Spring, Choke stop
284	32400	Knob, Choke
292	31680	Guard, Starter
	32576	Seal, Snow guard
	33135	Decal, Instruction
	31683	Decal, Choke
	35344	Decal, Control
	32187	Decal, "Super Start"
	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
	555476	breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)



Ref #	Part Number	Qty	Description
	27513	,	Lockwasher, 1/4" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	26073		Washer (Use as required)
	650691		Washer, Flat (Use as required)
	650548		Screw, 8-32 x 5/16"
	30319		Rivet, Split (Used in early productio n)
	32326A		Lever, Governor (New lever does not need 1 of
5 _	<u></u>		51,66,132,164,165,207)
EE	20205		· · · · · · · · · · · · · · · · · · ·
	30205		Bracket, Adjusting
	730130		Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	29216		Nut, Lock, 10-32 Serow 10-33 v 3/4"
	29826		Screw, 10-32 x 3/4"
	29918		Lockwasher, #8 E.T.
02D	730561		Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
			91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
			an externally vented fully adjustable carburetor)
82	730127		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
			331B) (Use as required)
84D	34819		Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
			in 730561 assembly only) NOTE: 130010 thru 10C & 11
			used in early production only.
103F	391026		Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	33353		Bracket, Lower fuel tank
	650561		Screw, 1/4-20 x 5/8"
	33352A		Plate, Upper fuel tank mounting
	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
	27930A		Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650548		Screw, 8-32 x 5/16" (Early production)
	792020		Screw, 1/4-20 x 2-1/4"
	34067		Wire Assy., Alternator adapter (4-1/4 ")
	34069		Wire Assy., Alternator adapter (6-3/4 ")
	31288		Exh. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	26460		Clamp, Fuel line
200	20.00		Clarify, 1 doi iii lo