


|     |         | Qty |  |
|-----|---------|-----|--|
| 1   | 32586C  |     | Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)              |
| 2   | 27652   |     | Pin, Dowel   |
| 3   | 27642   |     | Plug, Oil drain  |
| 4   | 32630   |     | Seal, Oil  |
|     | 32783   |     | Intake Valve (Std.) (Incl. 9)                            |
|     | 32784   |     | Intake Valve (1/32" OS) (Incl. 9)                        |
|     | 27878A  |     | Exhaust Valve (Std.) (Incl. 9)                           |
|     | 27880A  |     | Exhaust Valve (312." OS) (Incl. 9)                       |
|     |         |     | , , ,  |
|     | 20810   |     | Pin, Valve spring retainer (Use as re quired)            |
|     | 27882   |     | Cap, Upper valve spring                                  |
|     | 27881   |     | Spring, Valve  |
|     | 27881   |     | Spring, Valve  |
|     | 32581   |     | Cap, Lower valve spring                                  |
| 9   | 32581   |     | Cap, Lower valve spring                                  |
| 10  | 34242   |     | Dipper, Oil  |
| 10A | 32590   |     | Plate, Lock & Oil dipper (This plate may be replaced by  |
|     |         |     | 34242 oil dipper but 650662C screw must be used.)        |
| 11  | 32680A  |     | Crankshaft (Incl. 12 & 13)                               |
|     | 29783   |     | Crankshaft Gear Pin (Early production )                  |
|     | 27884   |     | Gear, Crankshaft (Used in early production) This gear is |
| 10  | 27.001  |     | servicable onlywhen it is pinned to the crankshaft.      |
| 4.4 | 04547   |     | , ,  |
|     | 34517   |     | Piston, Pin & Ring Set (Std.) (2-3/4" Bore)              |
|     | 34518   |     | Piston, Pin & Ring Set (.010" OS)                        |
|     | 34519   |     | Piston, Pin & Ring Set (.020" OS)                        |
|     | 32592B  |     | Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)             |
|     | 32593B  |     | Piston & Pin Ass'y. (.010" OS) (Incl. 16)                |
| 14A | 32594B  |     | Piston & Pin Ass'y. (.020" OS) (Incl. 16)                |
| 15  | 32595   |     | Ring Set (Std.) (2-3/4" Bore)                            |
| 15  | 32596   |     | Ring Set (.010" OS)                                      |
| 15  | 32597   |     | Ring Set (.020" OS)                                      |
|     | 27888   |     | Ring, Piston pin retaining                               |
|     | 32591C  |     | Rod Assy., Connecting (Incl. 10 & 18)                    |
|     | 650662C |     | Screw, Connecting rod (2 each)                           |
|     | 32115   |     | Camshaft (MCR)   |
|     | 34034   |     | Lifter, Valve  |
|     | 31303B  |     |  |
|     |         |     | Cover, Cylinder (Incl. 24, 106 & 279)                    |
|     | 31546   |     | Bushing, Crankshaft (Use as required)                    |
|     | 28427   |     | Seal, Oil  |
|     | 31297   |     | Dipstick, Oil (Incl. 30)                                 |
|     | 30684   |     | * Gasket, Cylinder cover                                 |
|     | 650488  |     | Screw, 1/4-20 x 1-1/4"                                   |
|     | 29673   |     | * Gasket, Oil filler                                     |
|     | 650489  |     | Screw, 1/4-20 x 5/8"                                     |
| 32  | 32631A  |     | * Gasket, Cylinder head                                  |
| 33  | 30938A  |     | Head, Cylinder   |
| 34  | 27793   |     | Clip, Conduit (Use as required)                          |
|     | 28942   |     | Screw, 10-32 x 3/8" (Use as required)                    |
|     | 650697A |     | Screw, 5/16-18 x 2-1/2" (Use as requi red)               |
|     | 650695A |     | Screw, 5/16-18 x 2-1/4" (Use as requi red)               |
|     | 650694A |     | Screw, 5/16-18 x 2" (Use as required)                    |
|     | 33636   |     | Resistor Spark Plug (RJ-8C)                              |
|     | 34251   |     | Resistor Spark Plug                                      |
|     | 27896A  |     | ·  |
|     |         |     | * Gasket, Breather cover                                 |
|     | 28423   |     | Body, Breather   |
|     | 28424   |     | Element, Breather  |
|     | 28425   |     | Cover, Valve spring                                      |
| 42  | 26073   |     | Washer (Use as required)                                 |
|     |         |     |  |

|      |               | Oty Description  |
|------|---------------|--|
|      | 650691        | Washer, Flat (Use as required)                                 |
|      | 650690        | Washer, Belleville (Use as required)                           |
| 43   | 650128        | Screw, 10-24 x 1/2"  |
| 45   | 27915A        | * Gasket, Intake   |
| 46   | 30195A        | Flange, Carburetor (Incl. 79 & 80)                             |
| 47   | 30196         | Screw, 5/16-18 x 3/4"  |
| 48   | 29716         | Screw, 1/4-28 x 7/16"  |
|      | 650548        | Screw, 8-32 x 5/16"  |
|      | 32326A        | Lever, Governor (New lever does not need 1 of                  |
|      |               | 51,66,132,164,165,207)   |
|      |               | , , , , , , , , , , , , , , , , , , ,                          |
|      | 30205         | Bracket, Adjusting   |
|      | 30824         | Link, Throttle   |
|      | 29216         | Nut, Lock, 10-32   |
|      | 29826         | Screw, 10-32 x 3/4"  |
| 62   | 29642         | Ring, Retaining  |
| 63   | 30699B        | Governor Rod Ass'y. (This one-piece governor rodis no longer   |
|      |               | used. It is replaced by 30699C ass'y.,Ref. no. 63A)            |
| 00.4 | 00000         |  |
|      | 30699C        | Rod Assy., Governor (Incl. 64 & 65)                            |
|      | 30700         | Yoke, Governor   |
|      | 650494        | Screw, 6-40 x 5/16"  |
|      | 29918         | Lockwasher, #8 E.T.  |
|      | 35350         | Tube, Breather   |
|      | 29747B        | Screw, 5/16-24 x 21/32"  |
| 70   | 32158E        | Blower Housing (For elec.star.)(Incl. 134,135)                 |
| 71   | 650815        | Washer, Belleville   |
| 72   | 8116          | Nut, Hex   |
| 73   | 29536         | Blower Housing Baffle (without electric starter knock-out)     |
|      |               | (Use as required)  |
| 70   | 050504        | , ,  |
| /3   | 35256A        | Blower Housing Baffle (with electric starter knock-out) (Use   |
|      |               | as required) (Point Ignition)                                  |
| 74   | 650561        | Screw, 1/4-20 x 5/8"   |
|      | 31688A        | * Gasket, Carburetor   |
|      | 29752         | Nut & Lockwasher Assy., 1/4-28                                 |
|      | 650572        | Screw, 1/4-28 x 1-1/8"   |
|      | 730164        | Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)      |
| 02/1 | 750104        | (Use as required)  |
|      |               | (Use as required)  |
| 97   | 35349         | Ground Wire  |
| 100  | 29538         | Base, Engine mounting  |
| 103  | 32401         | Muffler  |
| 106  | 31845         | Shaft, Mechanical governor                                     |
|      | 30591         | Gear Assy., Governor (Incl. 109)                               |
|      | 30588A        | Spool, Governor  |
|      | 30590A        | Washer, Flat   |
|      | 29193         | Ring, Retaining  |
|      | 650561        | Screw, 1/4-20 x 5/8"   |
|      | 35584         | Fuel Tank (Incl. 115 & 266)                                    |
|      | 410144B       | Fuel Cap (White Plastic)(Std)(As requ ired)                    |
|      | 33032         | Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)     |
| 113  | 0000 <u>2</u> | (Use as required)  |
|      |               | ` ,  |
| 115  | 34210         | Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as |
|      |               | required)  |
| 115  | 35355         | Fuel Cap (Use as required)                                     |
|      | 32961         | Valve, Shut-off  |
|      | 29774         | Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)                  |
| .10  |               | (  |

| Ref # | Part Number | Qty | Description   |
|-------|-------------|-----|---|
| 118   | 30705       |     | Fuel Line (Braided 16") (41 cm) (Use as req.)   |
| 118   | 30962       |     | Fuel Line (Braided 32") (81 cm) (Use as req.)   |
| 120   | 650128      |     | Screw, 10-24 x 1/2" (Use as required)   |
| 121   | 30622A      |     | Extension, Blower housing   |
| 122   | 34174       |     | Deflector, Exhaust  |
| 123   | 650665      |     | Screw, 1/4-15 x 7/8"  |
| 124   | 650542      |     | Screw, 5/16-18 x 3/4"   |
| 125   | 27930A      |     | Gasket, Exhaust   |
| 126   | 30196       |     | Screw, 5/16-18 x 3/4"   |
| 127   | 26073       |     | Washer (Use as required)  |
| 128   | 650694A     |     | Screw, 5/16-18 x 2" (Use as required)   |
| 129   | 32589       |     | Key, Flywheel   |
| 130   | 31843A      |     | Bracket, Governor gear  |
| 131   | 650836      |     | Screw, 10-24 x 1/2"   |
| 133   | 650493      |     | Screw, 1/4-20 x 1-3/4"  |
| 149   | 30747       |     | Clip, Shorting  |
| 151   | 650665      |     | Screw, 1/4-15 x 7/8"  |
| 193   | 610118      |     | Cover, Spark plug (Use as required)   |
| 205   | 650561      |     | Screw, 1/4-20 x 5/8" (Use as required )   |
|       | 30939A      |     | Cover, Cylinder head  |
|       | 32125       |     | Cup, Starter  |
| 247   | 590417      |     | Screen, Starter cup   |
|       | 26460       |     | Clamp, Fuel line  |
|       | 31461       |     | Bushing, Crankshaft (Use as required)   |
|       | 610973      |     | Terminal Ass'y. (As req. on late prod uction)   |
|       | 27275       |     | Clip, Hi-tension wire (Use as require d)  |
| 287   | 34246       |     | Clip, Ground wire (Use as required)   |
|       | 550223      |     | Decal, Name   |
|       | 34346       |     | Decal, Instruction  |
| 332   | 30547A      |     | Contact Assy., Breaker  |
|       | 30548B      |     | Condenser   |
|       | 631021      |     | Inlet Needle, Seat & Clip Assy.   |
|       | 631459      |     | Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100   |
|       |             |     | for breakdown)  |
| 007   | 0400044     |     | ,   |
| 337   | 610694A     |     | Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The |
|       |             |     | magneto number is shown for reference purposes only.  |
|       |             |     | Order component parts individually, as show in parts list.  |
|       |             |     | (Refer to Division 5, Section B, page 24 for breakdown)   |
|       |             |     | ,   |
| 338   | 590473      |     | Rewind Starter (Refer to Division 5, Section C, page 29 for   |
|       |             |     | breakdown)  |
| 3∕13  | 33239A      |     | Gasket Set (Incl. items marked*)  |
| 545   | 00200/1     |     | Sacrot Set (IIIol. Itelia Haired)   |



| Ref #               | Part Number Qty | Description   |
|---------------------|-----------------|---|
| 31                  | 650489          | Screw, 1/4-20 x 5/8"  |
| 34                  | 27793           | Clip, Conduit (Use as required)                               |
|                     | 28942           | Screw, 10-32 x 3/8" (Use as required)                         |
|                     | 650128          | Screw, 10-24 x 1/2"   |
|                     | 29716           | Screw, 1/4-28 x 7/16"   |
|                     | 30824           | Link, Throttle  |
|                     | 650815          | Washer, Belleville  |
|                     | 8116            | Nut, Hex  |
|                     | 33013           | Cover, Bubble   |
|                     | 650736          | Screw, 10-16 x 3/8"   |
|                     | 610118          | ·   |
|                     |                 | Cover, Spark plug (Use as required)                           |
|                     | 33109A          | Control Bracket (Incl. 224 & 274)                             |
|                     | 30826           | Spring, Extension   |
|                     | 650257          | Screw, 8-32 x 5/16"   |
|                     | 33134           | Cover, Carburetor   |
|                     | 32398           | Bracket, Choke  |
|                     | 28820           | Screw, 10-32 x 1/2"   |
|                     | 650765          | Screw, 10-32 x 1/2"   |
| 256                 | 650760          | Screw, 8-32 x 3/8"  |
| 263                 | 650764          | Nut, "U" Type (Use as required)                               |
| 274                 | 610973          | Terminal Ass'y. (As req. on late prod uction)                 |
| 282                 | 32397           | Plate Assy., Choke  |
| 283                 | 32399           | Spring, Choke stop  |
|                     | 32400           | Knob, Choke   |
|                     | 31680           | Guard, Starter  |
|                     | 32576           | Seal, Snow guard  |
|                     | 31683           | Decal, Choke  |
|                     | 550223          | Decal, Name   |
|                     | 31682           | Decal, Instruction  |
|                     | 35344           | Decal, Control  |
|                     | 590473          | Rewind Starter (Refer to Division 5, Section C, page 29 for   |
| 330                 | 390473          | breakdown)  |
| 240                 | 202000          | ,   |
| 340                 | 33328D          | Starter Motor Kit (110-120 Volt) This 110-120 volt starter    |
|                     |                 | motor kit may have been added to this engine. It can be       |
|                     |                 | added only if cylinder hasdrilled and tapped starter mounting |
|                     |                 | bosses and a ring gear flywheel (see#342). Refer to service   |
|                     |                 | number stamped on end cap of motor, or on decal, for          |
|                     |                 | identifica  |
| 342                 | 30811A          | Flywheel (Ring gear flywheel requiredon engines using         |
| <b>0</b> . <b>–</b> |                 | 110-120 volt starter kits listed above)                       |
| 242                 | 611042          | Flywheel (Used on Type letters H and above) (Std. Point       |
| 342                 | 011042          | ignition) (Ring gear flywheel required on engines using       |
|                     |                 | 110-120 volt starter kits listed above)                       |
|                     |                 | 110-120 VOIL STATIET NITS IISTEM ADOVE)                       |
| 342                 | 611085          | Flywheel (Minimum ring gear flywheel required on engines      |
|                     |                 | using 110-120 volt starter kits listed above) (Use with Solid |
|                     |                 | State ignition)   |
|                     |                 |   |



| Ref # | Part Number | Qty | Description  |
|-------|-------------|-----|--|
| 27    | 27513       |     | Lockwasher, 1/4" (Use as required)   |
| 29    | 650675      |     | Washer, Flat   |
|       | 650697A     |     | Screw, 5/16-18 x 2-1/2" (Use as requi red)                                       |
|       | 650695A     |     | Screw, 5/16-18 x 2-1/4" (Use as requi red)                                       |
|       | 650694A     |     | Screw, 5/16-18 x 2" (Use as required)  |
|       | 27896A      |     | * Gasket, Breather cover   |
|       | 26073       |     | Washer (Use as required)   |
|       | 650691      |     | Washer, Flat (Use as required)   |
|       | 650548      |     | Screw, 8-32 x 5/16"  |
|       | 30319       |     | Rivet, Split (Used in early productio n)   |
| 52    | 32326A      |     | Lever, Governor (New lever does not need 1 of                                    |
|       |             |     | 51,66,132,164,165,207)   |
| 55    | 30205       |     | Bracket, Adjusting   |
|       | 730130      |     | Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)                                      |
|       | 30196       |     | Screw, 5/16-18 x 3/4" (Use as require d)   |
|       | 29216       |     | Nut, Lock, 10-32   |
|       | 29826       |     | Screw, 10-32 x 3/4"  |
|       | 29918       |     | Lockwasher, #8 E.T.  |
|       | 730561      |     | Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,                   |
|       |             |     | 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with                        |
|       |             |     | an externally vented fully adjustable carburetor)                                |
| 02    | 730127      |     | Air Cleanar Acety (Incl. 60, 93, 97, 99, 90A, 00, 239, 8                         |
| 02    | 130121      |     | Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required) |
|       |             |     | , ,  |
| 84D   | 34819       |     | Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use                      |
|       |             |     | in 730561 assembly only) NOTE: 130010 thru 10C & 11                              |
|       |             |     | used in early production only.   |
| 103E  | 391026      |     | Opt. Spark Arrest Muffler (Incl.196,1 97,199)                                    |
|       | 33167       |     | Bracket, Fuel tank   |
|       | 650561      |     | Screw, 1/4-20 x 5/8"   |
|       | 33166A      |     | Bracket, Fuel tank   |
|       | 29774       |     | Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)                                    |
|       | 30705       |     | Fuel Line (Braided 16") (41 cm) (Use as req.)                                    |
|       | 30962       |     | Fuel Line (Braided 32") (81 cm) (Use as req.)                                    |
|       | 27930A      |     | Gasket, Exhaust  |
|       | 30196       |     | Screw, 5/16-18 x 3/4"  |
|       | 650694A     |     | Screw, 5/16-18 x 2" (Use as required)  |
|       | 650548      |     | Screw, 8-32 x 5/16" (Early production)   |
| 148   | 34067       |     | Wire Assy., Alternator adapter (4-1/4 ")   |
| 148   | 34069       |     | Wire Assy., Alternator adapter (6-3/4 ")   |
| 202   | 31288       |     | Exh. Adaptor Kit (Incl.125,203,204) ( As req.)                                   |
| 203   | 650697A     |     | Screw, 5/16-18 x 2-1/2" (Use as requi red)                                       |
|       | 6021A       |     | Screw, 5/16-18 x 1-1/2" (Use as requi red)                                       |
| 266   | 26460       |     | Clamp, Fuel line   |
|       |             |     |  |