


		Qty	Description
1	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
2	27652		Pin, Dowel
	27642		Plug, Oil drain
	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.) (Incl. 9)
6	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
7A	20810		Pin, Valve spring retainer (Use as re quired)
7	27882		Cap, Upper valve spring
	27881		Spring, Valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
	34242		Dipper, Oil
10A	32590		Plate, Lock & Oil dipper (This plate may be replaced by
			34242 oil dipper but 650662C screw must be used.)
	22690.4		Crankshaft (Incl. 12.8.12)
	32680A		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production )
13	27884		Gear, Crankshaft (Used in early production) This gear is
			servicable onlywhen it is pinned to the crankshaft.
11	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
15	32595		Ring Set (Std.) (2-3/4" Bore)
15	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		•
			Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
	34034		Lifter, Valve
23	31303B		Cover, Cylinder (Incl. 24, 106 & 279)
24B	31546		Bushing, Crankshaft (Use as required)
	28427		Seal, Ŏil
	31297		Dipstick, Oil (Incl. 30)
	30684		* Gasket, Cylinder cover
			•
	650488		Screw, 1/4-20 x 1-1/4"
	29673		* Gasket, Oil filler
	650489		Screw, 1/4-20 x 5/8"
	32631A		* Gasket, Cylinder head
33	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
37	33636		Resistor Spark Plug (RJ-8C)
37	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		Body, Breather
39			
	28424		
40	28424		Element, Breather
40 41	28424 28425 26073		Cover, Valve spring Washer (Use as required)

			Description
42	650691	V	Nasher, Flat (Use as required)
42A	650690		Nasher, Belleville (Use as required)
	650128		Screw, 10-24 x 1/2"
	27915A		Gasket, Intake
	30195A		Flange, Carburetor (Incl. 79 & 80)
			•
	30196		Screw, 5/16-18 x 3/4"
	29716		Screw, 1/4-28 x 7/16"
	650548		Screw, 8-32 x 5/16"
52	32326A	L	_ever, Governor (New lever does not need 1 of
		5	51,66,132,164,165,207)
55	30205	F	Bracket, Adjusting
	30824		Link, Throttle
	29216		
			Nut, Lock, 10-32
	29826		Screw, 10-32 x 3/4"
	29642		Ring, Retaining
63	30699B		Governor Rod Ass'y. (This one-piece governor rodis no longer
		u	used. It is replaced by 30699C ass'y.,Ref. no. 63A)
63A	30699C	F	Rod Assy., Governor (Incl. 64 & 65)
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	29918		Lockwasher, #8 E.T.
	35350		Fube, Breather
	29747B		Screw, 5/16-24 x 21/32"
	32158E		Blower Housing (For elec.star.)(Incl. 134,135)
	650815		Nasher, Belleville
	8116		Nut, Hex
73	29536		Blower Housing Baffle (without electric starter knock-out)
		(	Use as required)
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use
		а	as required) (Point Ignition)
74	650561	S	Screw, 1/4-20 x 5/8"
75	31688A	*	Gasket, Carburetor
	29752		Nut & Lockwasher Assy., 1/4-28
	650572		Screw, 1/4-28 x 1-1/8"
	730164		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
02A	750104		
		(	Use as required)
97	35349	G	Ground Wire
	29538	E	Base, Engine mounting
	32401		Muffler
	31845		Shaft, Mechanical governor
	30591		Gear Assy., Governor (Incl. 109)
	30588A		Spool, Governor
	30590A		Nasher, Flat
	29193		Ring, Retaining
	650561		Screw, 1/4-20 x 5/8"
	35584		Fuel Tank (Incl. 115 & 266)
	410144B		Fuel Cap (White Plastic)(Std)(As requ ired)
115	33032		Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
		(	Use as required)
115	34210	F	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		re	equired)
115	35355	F	Fuel Cap (Use as required)
	32961		/alve, Shut-off
	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)

		Description
118	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
122	34174	Deflector, Exhaust
	650665	Screw, 1/4-15 x 7/8"
124	650542	Screw, 5/16-18 x 3/4"
125	27930A	Gasket, Exhaust
126	30196	Screw, 5/16-18 x 3/4"
127	26073	Washer (Use as required)
128	650694A	Screw, 5/16-18 x 2" (Use as required)
129	32589	Key, Flywheel
130	31843A	Bracket, Governor gear
131	650836	Screw, 10-24 x 1/2"
133	650493	Screw, 1/4-20 x 1-3/4"
149	30747	Clip, Shorting
151	650665	Screw, 1/4-15 x 7/8"
193	610118	Cover, Spark plug (Use as required)
205	650561	Screw, 1/4-20 x 5/8" (Use as required )
209	30939A	Cover, Cylinder head
246	32125	Cup, Starter
247	590417	Screen, Starter cup
266	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	610973	Terminal Ass'y. (As req. on late prod uction)
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	550223	Decal, Name
	34346	Decal, Instruction
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631459	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
000		for breakdown)
337	610694A	Magneto (w/ring gear for 110 volt sta rter) NOTE: The
		complete magneto is not available as an assembly. The
		magneto number is shown for reference purposes only.
		Order component parts individually, as show in parts list.
		(Refer to Division 5, Section B, page 24 for breakdown)
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
500		breakdown)
343	33239A	Gasket Set (Incl. items marked*)



		Aty Description
	650489	Screw, 1/4-20 x 5/8"
34	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
43A	650128	Screw, 10-24 x 1/2"
48	29716	Screw, 1/4-28 x 7/16"
56	30824	Link, Throttle
71	650815	Washer, Belleville
	8116	Nut, Hex
	33013	Cover, Bubble
	650736	Screw, 10-16 x 3/8"
	610118	Cover, Spark plug (Use as required)
	33109A	Control Bracket (Incl. 224 & 274)
	30826	Spring, Extension
	650257	Screw, 8-32 x 5/16"
	33134	Cover, Carburetor
	32398	Bracket, Choke
	28820	Screw, 10-32 x 1/2"
	650765	Screw, 10-32 x 1/2"
	650760	Screw, 8-32 x 3/8"
	650764	Nut, "U" Type (Use as required)
	610973	
	32397	Terminal Ass'y. (As req. on late prod uction)
	32397	Plate Assy., Choke
		Spring, Choke stop
	32400	Knob, Choke
	31680	Guard, Starter
	32576	Seal, Snow guard
	31683	Decal, Choke
	550223	Decal, Name
	31682	Decal, Instruction
	35344	Decal, Control
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
		breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)



Ref #	Part Number	Qty De	escription
27 36 36 38 38 42 42 50 51	27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A	Lo Sc Sc Sc * C Wi Sc Riv Le	bockwasher, 1/4" (Use as required) crew, 5/16-18 x 2-1/2" (Use as required) crew, 5/16-18 x 2-1/4" (Use as required) crew, 5/16-18 x 2" (Use as required) Gasket, Breather cover /asher (Use as required) /asher, Flat (Use as required) crew, 8-32 x 5/16" ivet, Split (Used in early productio n) ever, Governor (New lever does not need 1 of 1,66,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730127	Ex Sc Nu Sc Lo	racket, Adjusting xh.Adap.Kit (Incl. 58 & 125) (Use as req.) crew, 5/16-18 x 3/4" (Use as require d) ut, Lock, 10-32 crew, 10-32 x 3/4" ockwasher, #8 E.T. ir Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 31B) (Use as required)
82B	730561	91	ir cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 1A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with n externally vented fully adjustable carburetor)
84D	34819	in	ir Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use 730561 assembly only) NOTE: 130010 thru 10C & 11 sed in early production only.
111A 113 116A 118 118 118 125 126 128 128 132 148 148 202 203 204	391026 33167 650561 33166A 29774 30705 30962 27930A 30196 650694A 650548 34067 34069 31288 650697A 6021A 26460	Br So Fu Fu Fu So So So Wi Wi Ex So So	pt. Spark Arrest Muffler (Incl.196,1 97,199) racket, Fuel tank crew, 1/4-20 x 5/8" racket, Fuel tank uel Line (Braided 8-1/4" 21 cm)(Use as req.) uel Line (Braided 16") (41 cm) (Use as req.) uel Line (Braided 32") (81 cm) (Use as req.) asket, Exhaust crew, 5/16-18 x 3/4" crew, 5/16-18 x 2" (Use as required) crew, 8-32 x 5/16" (Early production ) //ire Assy., Alternator adapter (4-1/4 ") //ire Assy., Alternator adapter (6-3/4 ") xh. Adaptor Kit (Incl.125,203,204) ( As req.) crew, 5/16-18 x 2-1/2" (Use as required) crew, 5/16-18 x 1-1/2" (Use as required) lamp, Fuel line