



	D (N)	2. B. : 6
		Qty Description
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain
	32630	Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
5	32784	Intake Valve (1/32" OS) (Incl. 9)
6	27878A	Exhaust Valve (Std.) (Incl. 9)
6	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
7	27882	Cap, Upper valve spring
7A	20810	Pin, Valve spring retainer (Use as re quired)
	27881	Spring, Valve
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	32581	Cap, Lower valve spring
	34242	Dipper, Oil
	32590	
IUA	32390	Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.)
11	32782	Crankshaft (Incl. 12 &13)
	29783	Crankshaft Gear Pin (Early production)
	27884	Gear, Crankshaft (Used in early production) This gear is
.0	27.00 1	servicable onlywhen it is pinned to the crankshaft.
14A	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518	Piston, Pin & Ring Set (0.10" OS)
	34519	
		Piston, Pin & Ring Set (.020" OS)
	32595	Ring Set (Std.) (2-3/4" Bore)
	32596	Ring Set (.010" OS)
	32597	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
	32591C	Rod Assy., Connecting (Incl. 10 & 18)
	650662C	Screw, Connecting rod (2 each)
	32115	Camshaft (MCR)
22	34034	Lifter, Valve
23	31451A	Cylinder Cover (Incl.24, 106, 309, 31 0 & 311)
24	28460	Seal, Oil
24B	31546	Bushing, Crankshaft (Use as required)
	31297	Dipstick, Oil (Incl. 30)
	30684	* Gasket, Cylinder cover
	650488	Screw, 1/4-20 x 1-1/4"
	29673	* Gasket, Oil filler
	650489	Screw, 1/4-20 x 5/8"
	32631A	* Gasket, Cylinder head
	30938A	Head, Cylinder Head Head, Cylinder
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug
38	27896A	* Gasket, Breather cover
39	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Valve spring
	26073	Washer (Use as required)
		

Ref #	Part Number	Qty	Description
42	650691		Washer, Flat (Use as required)
42A	650690		Washer, Belleville (Use as required)
	650128		Screw, 10-24 x 1/2"
	27915A		* Gasket, Intake
46	30195A		Flange, Carburetor (Incl. 79 & 80)
47	30196		Screw, 5/16-18 x 3/4"
48	29716		Screw, 1/4-28 x 7/16"
	650548		Screw, 8-32 x 5/16"
52	32326A		Lever, Governor (New lever does not need 1 of
			51,66,132,164,165,207)
	00005		Decel of Adi of a
	30205		Bracket, Adjusting
	30206		Link, Throttle
59	29216		Nut, Lock, 10-32
	650152		Screw, 8-32 x 3/8"
	29826		Screw, 10-32 x 3/4"
	29642		Ring, Retaining
63	30699B		Governor Rod Ass'y. (This one-piece governor rodis no longer
			used. It is replaced by 30699C ass'y.,Ref. no. 63A)
63A	30699C		Rod Assy., Governor (Incl. 64 & 65)
64	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	29918		
			Lockwasher, #8 E.T.
	35350		Tube, Breather
69	29747B		Screw, 5/16-24 x 21/32"
70	32158E		Blower Housing (For elec.star.)(Incl. 134,135)
	650815		Washer, Belleville
	8116		Nut, Hex
73	29536		Blower Housing Baffle (without electric starter knock-out)
			(Use as required)
	050504		
/3	35256A		Blower Housing Baffle (with electric starter knock-out) (Use
			as required) (Point Ignition)
_,	0=0=04		0 1/1.00 =/0!
	650561		Screw, 1/4-20 x 5/8"
75	31688A		* Gasket, Carburetor
79	29752		Nut & Lockwasher Assy., 1/4-28
	650572		Screw, 1/4-28 x 1-1/8"
6ZA	730164		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
			(Use as required)
02	77771A		* Cooket Air clooper
	27272A		* Gasket, Air cleaner
87	31691		Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
			early production only.
22	00000		0 40.00 4/00
	28820		Screw, 10-32 x 1/2"
89	30727		Element, Air cleaner
90	31715		Body, Air cleaner
	30831		Ground Wire (Incl. 137)
	32924		Spring, Compression
	650688		Screw, 10-32 x 1"
100	29538		Base, Engine mounting
106	31845		Shaft, Mechanical governor
	30591		Gear Assy., Governor (Incl. 109)
	30588A		Spool, Governor
	30590A		Washer, Flat
110	29193		Ring, Retaining
	650561		Screw, 1/4-20 x 5/8"
	31301		Fuel Tank (Incl. 115)
115	410144B		Fuel Cap (White Plastic)(Std)(As requ ired)

Ref #	Part Number Qty	Description
	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
115	35355	Fuel Cap (Use as required)
	28584	Fitting, Fuel strainer & elbow
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650493	Screw, 1/4-20 x 1-3/4"
	30747	Clip, Shorting
	650890	Lockwasher
	610118	Cover, Spark plug (Use as required)
	27276	Cover, Spark plug
	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30939A	Cover, Cylinder head
	650760	Screw, 8-32 x 3/8"
	28545	Grommet
	32125	Cup, Starter
	590417	Screen, Starter cup
	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	610973	Terminal Ass'y. (As req. on late prod uction)
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	550223	Decal, Name
331B	31752	Decal, Air cleaner
	34346	Decal, Instruction
332	30547A	Contact Assy., Breaker
333	30548B	Condenser
334	631021	Inlet Needle, Seat & Clip Assy.
336	631453	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
		for breakdown)
337	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)



Ref #	Part Number	Qty	Description
31	650489		Screw, 1/4-20 x 5/8"
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
	650128		Screw, 10-24 x 1/2"
	29716		Screw, 1/4-28 x 7/16"
	30206		Link, Throttle
	650815		Washer, Belleville
	8116		Nut, Hex
	31879		Link, Governor lever-to-bellcrank
	650399		Screw, 10-32 x 5/8" (Supplied by OEM)
	30312		Screw, 10-32 x 1/2"
92B	30712		Lever, Bellcrank
93	29530		Bushing, Bellcrank
93A	28562		Bushing, RPM adjusting lever
94	30199A		Bracket, Speed control (Incl. 98 & 99)
94A	33450		Nut, Lock
	30202		Spring, Extension
	32977		Spring, Torsion
	30201A		Lever, Speed control
	32924		
			Spring, Compression
	650688		Screw, 10-32 x 1"
	610118		Cover, Spark plug (Use as required)
	27276		Cover, Spark plug
201	730152		Control Bracket (Incl. 92, 92A, 92B,93, 93A,94, 95, 95A &
			96)
263	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	31793		Bearing, Ball
	31855		Retainer, Bearing
	650778		Washer, Lock
	650580		Nut, Lock
			•
	31792		Washer, Thrust
	550223		Decal, Name
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
040	222200		•
<i>3</i> 40	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter
			motor kit may have been added to this engine. It can be
			added only if cylinder hasdrilled and tapped starter mounting
			bosses and a ring gear flywheel (see#342). Refer to service
			number stamped on end cap of motor, or on decal, for
			identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using
0.12	555177		110-120 volt starter kits listed above)
240	611042		Flywheel (Used on Type letters H and above) (Std. Point
342	011042		
			ignition) (Ring gear flywheel required on engines using
			110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines
J. <u> </u>	-		using 110-120 volt starter kits listed above) (Use withSolid
			State ignition)



27 27513	Ref #	Part Number	Qty	Description
57 730130 Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) 58 30196 Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 x 3/4" (Use as require d) Nut, Lock, 10-32 x 3/4" Lockwasher, #8 E.T. 82B 730561 Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor) 82 730127 Air Cleaner Assy. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required) 83 27272A *Gasket, Air cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only) 88 28820 Screw, 10-32 x 1/2" 90 31715 Body. Air cleaner 103E 391026 Opt. Spark Arrest Muffler (Incl.196,1 97,199) 111 31694 Bracket, Fuel tank 113 650561 Screw, 1/4-20 x 5/8" 118 29774 Fuel Line (Braided 16") (41 cm) (Use as req.) 118 30705 Fuel Line (Braided 16") (41 cm) (Use as req.) 118 30962 Fuel Line (Braided 16") (41 cm) (Use as req.) 128 650694A Screw, 5/16-18 x 2" (Use as required) 132 650548 Screw, 5/16-18 x 2" (Use as required) 148 34067 Wire Assy., Alternator adapter (4-1/4") 149 34069 Wire Assy., Alternator adapter (4-1/4") 140 34069 Wire Assy., Alternator adapter (4-1/4") 141 34069 Wire Assy., Alternator adapter (4-1/4") 142 650561 Screw, 1/4-28 x 7/8" 143 650694 Screw, 5/16-18 x 2" (Use as required) 150 50087A Screw, 5/16-18 x 1-1/2" (Use as required) 170 500875 Screw, 5/16-18 x 1-1/2" (Use as required) 170 500875 Screw, 5/16-18 x 1-1/2" (Use as required) 171 500875 Screw, 5/16-18 x 1-1/2" (Use as required) 172 500875 Screw, 5/16-18 x 1-1/2" (Use as required) 173 6506976 Screw, 5/16-18 x 1-1/2" (Use as required) 174 500875 Screw, 5/16-18 x 1-1/2" (Use as required) 175 500875 Screw, 5/16-18 x 1-1/2" (Use as required) 175 500875 Screw, 5/16-18 x 1-1/2" (Use as required) 176 500876 Screw, 5/16-18 x 1-1/2" (Use as required) 177 500875 Screw, 5/16-18 x 1-1/2" (Use as required) 178 500876 Screw, 5/16-18 x 1-1/2" (Use as required) 178 500876 Screw, 5/16-18 x 1-1/2" (Use as required) 179 500876 Screw, 5/16-18 x 1-1/2" (Use as required) 170 50087	36 36 38 42 42 50 51	650697A 650695A 650694A 27896A 26073 650691 650548 30319		Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early productio n) Lever, Governor (New lever does not need 1 of
331B) (Use as required) * Gasket, Air cleaner Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only) 88 28820 Screw, 10-32 x 1/2" 90 31715 Body, Air cleaner 103E 391026 Opt. Spark Arrest Muffler (Incl.196,1 97,199) 111 31694 Bracket, Fuel tank 113 650561 Screw, 1/4-20 x 5/8" 118 29774 Fuel Line (Braided 8-1/4" 21 cm) (Use as req.) 118 30705 Fuel Line (Braided 16") (41 cm) (Use as req.) 118 30962 Fuel Line (Braided 32") (81 cm) (Use as req.) 128 650694A Screw, 5/16-18 x 2" (Use as required) 132 650548 Screw, 8-32 x 5/16" (Early production) 137 33356 Terminal 148 34067 Wire Assy., Alternator adapter (4-1/4") 148 34069 Wire Assy., Alternator adapter (6-3/4") 159 6201 Screw, 1/4-28 x 7/8" 202 31288 Exh. Adaptor Kit (Incl.125,203,204) (As req.) 204 650760 Screw, 8-32 x 3/8" 207 28545 Grommet Nut, Lock 206 26460 Clamp, Fuel line 276 31697 Strap, Fuel lank	57 58 59 61 66	730130 30196 29216 29826 29918		Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only) 88 28820 Screw, 10-32 x 1/2" 90 31715 Body, Air cleaner 103E 391026 Opt. Spark Arrest Muffler (Incl.196,1 97,199) 111 31694 Bracket, Fuel tank 113 650561 Screw, 1/4-20 x 5/8" 118 29774 Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) 118 30705 Fuel Line (Braided 32") (81 cm) (Use as req.) 118 30962 Fuel Line (Braided 32") (81 cm) (Use as req.) 128 650694A Screw, 5/16-18 x 2" (Use as required) 132 650548 Screw, 8-32 x 5/16" (Early production) 137 33356 Terminal 148 34067 Wire Assy., Alternator adapter (4-1/4") 149 34069 Wire Assy., Alternator adapter (6-3/4") 189 6201 Screw, 1/4-28 x 7/8" 202 31288 Exh. Adaptor Kit (Incl.125,203,204) (As req.) 203 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 204 6021A Screw, 5/16-18 x 2-1/2" (Use as required) 205 650760 Screw, 8-32 x 3/8" 227 28545 Grommet 266 26460 Clamp, Fuel line 276 31697 Strap, Fuel line	82	730127		· · · · · · · · · · · · · · · · · · ·
90 31715 103E 391026 107E Spark Arrest Muffler (Incl.196,1 97,199) 118 391026 119 31694 110 31694 110 31694 110 550561 110 Screw, 1/4-20 x 5/8" 1118 29774 110 30705 1118 30962 1118 650694A 1128 650694A 1132 650548 1133 650548 1136 34067 1148 34067 115 34069 116 34069 117 3620 118 34069 118 34067 118 34067 118 34069 118 34067 118 34067 118 34067 118 34067 118 34067 118 34067 118 34067 118 34067 118 34067 118 34067 118 34067 118 34067 118 34067 118 32 x 3/8" 118 29778 118 201 201 201 201 201 201 201 201 201 201				Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
331B 31752 Decal, Air cleaner	90 103E 111 113 118 118 118 128 132 137 148 148 189 202 203 204 226 227 262 266 276 277	31715 391026 31694 650561 29774 30705 30962 650694A 650548 33356 34067 34069 6201 31288 650697A 6021A 650760 28545 29752 26460 31697 29212		Body, Air cleaner Opt. Spark Arrest Muffler (Incl.196,1 97,199) Bracket, Fuel tank Screw, 1/4-20 x 5/8" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production) Terminal Wire Assy., Alternator adapter (4-1/4") Wire Assy., Alternator adapter (6-3/4") Screw, 1/4-28 x 7/8" Exh. Adaptor Kit (Incl.125,203,204) (As req.) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 1-1/2" (Use as required) Screw, 8-32 x 3/8" Grommet Nut, Lock Clamp, Fuel line Strap, Fuel tank Screw, Hex hd. Sems, 1/4-28 x 7/16