


Dof #	Part Number	Otv	Description
1		Qty	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
-			
	27652		Pin, Dowel
	27642		Plug, Oil drain
	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
5	32784		Intake Valve (1/32" OS) (Incl. 9)
6	27878A		Exhaust Valve (Std.) (Incl. 9)
6	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
7	27882		Cap, Upper valve spring
	20810		Pin, Valve spring retainer (Use as re quired)
	27881		Spring, Valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
TUA	32590		Plate, Lock & Oil dipper (This plate may be replaced by
			34242 oil dipper but 650662C screw must be used.)
10	34242		Dipper, Oil
	32782		Crankshaft (Incl. 12 &13)
	29783		Crankshaft Gear Pin (Early production)
	27884		Gear, Crankshaft (Used in early production) This gear is
13	27004		
			servicable onlywhen it is pinned to the crankshaft.
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
	32595		
			Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
22	34034		Lifter, Valve
23	31451A		Cylinder Cover (Incl.24, 106, 309, 31 0 & 311)
24B	31546		Bushing, Crankshaft (Use as required)
	28460		Seal, Ŏi
	31297		Dipstick, Oil (Incl. 30)
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	29673		* Gasket, Oil filler
	650489		Screw, 1/4-20 x 5/8"
	650516		Screw, 1/4-20 x 5/8 Screw, 1/4-20 x 1-1/8"
			•
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
37	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
/11			

		/ Description
	26073	Washer (Use as required)
42	650691	Washer, Flat (Use as required)
42A	650690	Washer, Belleville (Use as required)
	650128	Screw, 10-24 x 1/2"
	27915A	* Gasket, Intake
	30195A	Flange, Carburetor (Incl. 79 & 80)
	30196	Screw, 5/16-18 x 3/4"
	29716	Screw, 1/4-28 x 7/16"
	650548	Screw, 8-32 x 5/16"
52	32326A	Lever, Governor (New lever does not need 1 of
		51,66,132,164,165,207)
55	30205	Bracket, Adjusting
	30206	Link, Throttle
	29216	Nut, Lock, 10-32
	650152	Screw, 8-32 x 3/8"
	29826	Screw, 10-32 x 3/4"
62	29642	Ring, Retaining
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)
637	30699C	Rod Assy., Governor (Incl. 64 & 65)
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
66	29918	Lockwasher, #8 E.T.
67	35350	Tube, Breather
69	29747B	Screw, 5/16-24 x 21/32"
	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
	650815	
		Washer, Belleville
	8116	Nut, Hex
73	29536	Blower Housing Baffle (without electric starter knock-out) (Use as required)
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)
74	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	29752	Nut & Lockwasher Assy., 1/4-28
	650572	Screw, 1/4-28 x 1-1/8"
82A	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use as required)
83	27272A	* Gasket, Air cleaner
	31691	Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
57		early production only.
00	00000	
	28820	Screw, 10-32 x 1/2"
	30727	Element, Air cleaner
90	31715	Body, Air cleaner
98	32924	Spring, Compression
	650688	Screw, 10-32 x 1"
	29538	Base, Engine mounting
	32401	Muffler
	31845	Shaft, Mechanical governor
107	30591	Gear Assy., Governor (Incl. 109)
108	30588A	Spool, Governor
	30590A	Washer, Flat
100		Ring, Retaining
110		
110		
113	650561 31301	Screw, 1/4-20 x 5/8" Fuel Tank (Incl. 115)

Ref # Part Nu		Description
115 410144	B	Fuel Cap (White Plastic)(Std)(As required)
115 33032		Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
		(Use as required)
115 34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
113 34210		required)
		Tequiled)
115 35355		Fuel Cap (Use as required)
117 28584		Fitting, Fuel strainer & elbow
118 29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118 30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
118 30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
120 650128		Screw, 10-24 x 1/2" (Use as required)
121 30622A		Extension, Blower housing
124 650542		Screw, 5/16-18 x 3/4"
125 27930A		Gasket, Exhaust
126 30196		Screw, 5/16-18 x 3/4"
127 26073		Washer (Use as required)
128 650694		Screw, 5/16-18 x 2" (Use as required)
129 32589		Key, Flywheel
130 31843A		Bracket, Governor gear
131 650836		Screw, 10-24 x 1/2"
133 650493		Screw, 1/4-20 x 1-3/4"
149 30747		Clip, Shorting
150 650890		Lockwasher
193 610118		Cover, Spark plug (Use as required)
193 27276		Cover, Spark plug
205 650561		Screw, 1/4-20 x 5/8" (Use as required)
209 30939A		Cover, Cylinder head
246 32125		Cup, Starter
247 590417		Screen, Starter cup
266 26460		Clamp, Fuel line
270 31461		Bushing, Crankshaft (Use as required)
274 610973		Terminal Ass'y. (As req. on late prod uction)
287 27275		Clip, Hi-tension wire (Use as require d)
287 34246		Clip, Ground wire (Use as required)
331A 34346		Decal, Instruction
331 550223		Decal, Name
331B 31752		Decal, Air cleaner
332 30547A		Contact Assy., Breaker
333 30548B		Condenser
334 631021		Inlet Needle, Seat & Clip Assy.
336 631453		Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
		for breakdown)
337 610826	;	Magneto (w/ring gear)(12 Vt/3 Amp)(2 NOTE: The complete
		magneto is not available as an assembly. The magneto
		number is shown for reference purposes only. Order
		component parts individually, as show in parts list. Circuit)
		(Refer to Division 5, Section B, page 27 for breakdown)
000 500 400		Rewind Starter (Refer to Division 5, Section C, page 25 for
338 590420		
338 590420		
338 590420 343 33239A		breakdown) Gasket Set (Incl. items marked*)



Ref #	Part Number Q	ty Description
31	650489	Screw, 1/4-20 x 5/8"
31	650516	Screw, 1/4-20 x 1-1/8"
34	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
43A	650128	Screw, 10-24 x 1/2"
48	29716	Screw, 1/4-28 x 7/16"
56	30206	Link, Throttle
71	650815	Washer, Belleville
	8116	Nut, Hex
	31879	Link, Governor lever-to-bellcrank
	650399	Screw, 10-32 x 5/8" (Supplied by OEM)
	30312	Screw, 10-32 x 1/2"
	30712	Lever, Bellcrank
	29530	Bushing, Bellcrank
	28562	Bushing, RPM adjusting lever
	30199A	Bracket, Speed control (Incl. 98 & 99)
	33450	Nut, Lock
	30202	Spring, Extension
	32977	Spring, Extension Spring, Torsion
	30201A	Lever, Speed control
	32924	
	650688	Spring, Compression
		Screw, 10-32 x 1"
	610118	Cover, Spark plug (Use as required)
	27276	Cover, Spark plug
201	730152	Control Bracket (Incl. 92, 92A, 92B,93, 93A,94, 95, 95A & 96)
263	650764	Nut, "U" Type (Use as required)
	610973	Terminal Ass'y. (As req. on late prod uction)
	31793	Bearing, Ball
	31855	Retainer, Bearing
	650778	Washer, Lock
	650580	Nut, Lock
	31792	Washer, Thrust
	550223	Decal, Name
	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for
000	000120	breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)



	Part Number	Otv	Description
	27513	Qty	Lockwasher, 1/4" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	26073		Washer (Use as required)
	650691		Washer, Flat (Use as required)
	650548		Screw, 8-32 x 5/16"
	30319		Rivet, Split (Used in early productio n)
52	32326A		Lever, Governor (New lever does not need 1 of
			51,66,132,164,165,207)
55	30205		Bracket, Adjusting
	730130		Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196		Screw, $5/16-18 \times 3/4$ " (Use as require d)
	29216		Nut, Lock, 10-32
	29826		Screw, 10-32 x 3/4"
	29918		Lockwasher, #8 E.T.
	730561		Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
020	750501		91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
			an externally vented fully adjustable carburetor)
82	730127		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
			331B) (Use as required)
83	27272A		* Gasket, Air cleaner
	34819		Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
0.2			in 730561 assembly only)
00	20020		
	28820		Screw, 10-32 x 1/2"
	31715		Body, Air cleaner
	391026		Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	31694		Bracket, Fuel tank
	650561		Screw, 1/4-20 x 5/8"
	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
	27930A		Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650548		Screw, 8-32 x 5/16" (Early production)
	34067		Wire Assy., Alternator adapter (4-1/4 ")
148	34069		Wire Assy., Alternator adapter (6-3/4 ")
189	6201		Screw, 1/4-28 x 7/8"
202	31288		Exh. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	29752		Nut, Lock
	26460		Clamp, Fuel line
	31697		Strap, Fuel tank
	29212		Screw, Hex hd. Sems, 1/4-28 x 7/16
	31752		Decal, Air cleaner
5510			