

		Qty	Description
	32586C		Cylinder (Incl. 2, 3 & 4) (2-3/4" Bor e)
	27652		Pin, Dowel
3	27642		Plug, Oil drain
4	32630		Seal, Oil
5	32783		Intake Valve (Std.) (Incl. 9)
5	32784		Intake Valve (1/32" OS) (Incl. 9)
6	27878A		Exhaust Valve (Std.) (Incl. 9)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	34242		Dipper, Oil
	35280		Crankshaft
	29783		Crankshaft Gear Pin (Used on early pr od.)
	27884		Gear, Crankshaft (Used on early production)
	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
15	32595		Ring Set (Std.) (2-3/4" Bore)
15	32596		Ring Set (.010" OS)
15	32597		Ring Set (.020" OS)
16	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Bolt, Connecting rod (2 each)
	30968		Nipple, Pipe
	30969		Cap, Oil drain
	32115		Camshaft (MCR)
	34034		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24 & 106)
	28427		Seal, Oil
	34011A		•
			Dipstick (Incl. 30)
	33893A		Tube, Oil filler
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	33590		"O" Ring
	650814		Screw, Torx T-15, 10-24 x 1"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
37	35395		Spark Plug, Resistor (RJ19LM)
38	27896A		* Gasket, Breather
39	28423		Body, Breather
40	28424		Element, Breather
	28425		Cover, Valve spring
	650690		Washer, Belleville (Use as required)
	650691		Washer, Flat (Use as required)
	650128		Screw, 10-24 x 1/2"
	27915A		* Gasket, Intake
	34712		Flange, Carburetor
	30196		Screw, 5/16-18 x 3/4"
	29716		Screw, 1/4-28 x 7/16"
40	201 10		OHOW, 1/T-ZU X 1/10

Rof #	Part Number G	y Description
	650548	Screw, 8-32 x 5/16"
	33454	Lever Assy., Governor
	34662	Link, Throttle
	730130	Exhaust Adaptor Kit (Incl.58,125) (As req.)
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	29216	· · · · · · · · · · · · · · · · · · ·
		Locknut, 10-32
	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
	30699C	Rod, Governor (Incl. 64 & 65)
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29918	Washer, Lock #8 E.T.
	35350	Tube, Breather
	29747B	Screw, 5/16-24 x 21/32"
	35260	Blower Housing (For elec.strt.)(Incl. 134,135)
	650815	Washer, Belleville
	650871	Nut, Hex
73	29536	Blower Housing Baffle (Without electric starter knock-out)
		(Use as required)
73	35256A	Blower Housing Baffle (With electric starter knock-out) (Use
7.0	00200/1	as required)
		• ,
	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	34443A	Solid State Assy. (Incl. 146)
	650872	Stud, Solid state mounting
	611085	Flywheel (w/ring gear)
	650517	Screw, 1/4-20 x 27/32"
82	730561	Air Cleaner Kit (Incl. 38, 67A, 68, 83, 84A,85, 87, 88, 89,
		156 & 190A) (Use only on engines with an externally vented
		fully adjustable carburetor)
84A	34819	Elbow Assy., Air cleaner (Incl. 84, 90, 91, 92 & 92A)(Use in
0 1/1	0.0.10	730561 assy. only)
		• • • • • • • • • • • • • • • • • • • •
	35234	Wire Assy., Ground
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	29538	Base, Engine mounting
	650542	Screw, 5/16-18 x 3/4"
103A	391026	Muffler (Incl. 183, 184 & 185) (Thisspark arrester muffler can
		be used on any model)
103	32401	Muffler
	34246	Clip, Ground wire (Use as required)
	29443	Clip, Fuel line
	31845	Shaft, Mechanical governor
	30591	·
	30588A	Gear Assy., Governor Spool, Governor
	35479	Washer, Flat
	29193	Ring, Retaining
	34158	Bracket, Fuel tank mounting
	34159	Plate, Fuel tank mounting
	650561	Screw, 1/4-20 x 5/8"
114	34186A	Fuel Tank (Incl. 115 & 168) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
115	410144B	Fuel Cap (White Plastic) (Std)(Use as req.)
. 10	- · · -	

	Part Number 33032	Qty	Description Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required)
115 118 120 120A 121 125 126 127 128 129 130 131 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 157 158 163 164 165 166 168 171 172 174 175 176 183	35355 29774 30962 650128 650764 30622A 27930A 30196 26073 650694A 30196 32589 31843A 650836 650493 650665 30322 29916 650821 34663 34661 610118 30939A 35439 34814 32180C 34126 650760 28545 650257 35060 32125 35009 35161 32398 28820 650760 650765 26460 34677 610973 31546 34127 32576 33323		as required) Fuel Cap (Red Plastic) (Use as requir ed) Fuel Line (Braided 8-1/4")(21 cm)(As req.) Fuel Line (Braided 32")(81 cm)(Use as req.) Screw, 10-24 x 1/2" Nut, "U" Type Extension, Blower housing * Gasket, Exhaust Screw, 5/16-18 x 3/4" Washer, Flat Screw, 5/16-18 x 3/4" Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 10-24 x 1/2" Screw, 14-20 x 1-3/4" Screw, 14-15 x 7/8" Locknut, 8-32 Clamp, Governor lever Screw, 10-32 x 1/2" Spring, Speed control Link, Governor Cover, Spark plug (Use as required) Cover Assy., Cylinder Knob, Control Primer Assy. Line, Primer Bracket, Grommet mounting Screw, 8-32 x 3/8" Grommet, Plastic Screw, 8-32 x 5/16" Cover, Carburetor Cup, Starter Screen, Starter Plug, Starter Bracket, Choke Screw, 10-32 x 1/2" Screw, 10-32 x 1/2" Screw, 8-32 x 3/8" Screw, 10-32 x 1/2" Screw, 8-32 x 3/8" Screw, 10-32 x 1/2" Sc
185	650578 33700 32203		Screw, 8-18 x 3/8" (Use as required) Cover & Tube, Muffler (Use as require d) Air Cleaner, Starter Can be used on H70 with stamped steel
	730571		starter Starter Muff Kit (Incl.188A,188B & 18 8C) Can be used on H70 with stamped steel starter

Ref #	Part Number	Qty	Description
188B	32204	•	Bracket, Starter air cleaner Can be used on H70 with stamped steel starter
188C	34870		Decal, Instruction Can be used on H70 with stamped steel starter
	631021 632371		Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 198 for breakdown)
197	590602		Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
199	611042		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) (For use with Std. point ignition)
199	611085		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) (For use with solid state ignition)
200	33239A		Gasket Set (Incl. items marked*)