



		Qty	Description
	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
2	27652		Pin, Dowel
3	27642		Plug, Oil drain
4	32630		Seal, Oil
5	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.) (Incl. 9)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	20810		Pin, Valve spring retainer (Use as re quired)
	27881		Spring, Valve
	27881		
			Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
	34242		Dipper, Oil
10A	32590		Plate, Lock & Oil dipper (This plate may be replaced by
			34242 oil dipper but 650662C screw must be used.)
11	32680A		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production)
	27884		Gear, Crankshaft (Used in early production) This gear is
13	21004		servicable onlywhen it is pinned to the crankshaft.
			servicable of hywheri it is pirified to the crafikshait.
14	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518		Piston, Pin & Ring Set (.010" OS)
14	34519		Piston, Pin & Ring Set (.020" OS)
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	30968		Nipple, Oil drain
	30969		
	32115		Cap, Oil drain
			Camshaft (MCR)
	34034 34303B		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24, 106 & 279)
	31546		Bushing, Crankshaft (Use as required)
	28427		Seal, Oil
	34011A		Dipstick, Oil (Incl. 30)
	33893A		Tube, Oil filler
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	33590		"O" Ring
	650489		Screw, 1/4-20 x 5/8"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		Body, Breather
33			2003, 21000101

Ref #	Part Number Q:	y Description
	28424	Element, Breather
	28425	Cover, Valve spring
	26073	Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
	650128	Screw, 10-24 x 1/2"
	27915A	* Gasket, Intake
46	30195A	Flange, Carburetor (Incl. 79 & 80)
47	30196	Screw, 5/16-18 x 3/4"
48	29716	Screw, 1/4-28 x 7/16"
50	650548	Screw, 8-32 x 5/16"
52	32326A	Lever, Governor (New lever does not need 1 of
		51,66,132,164,165,207)
		, , , , , , , , , , , , , , , , , , ,
	30205	Bracket, Adjusting
56	30824	Link, Throttle
59	29216	Nut, Lock, 10-32
61	29826	Screw, 10-32 x 3/4"
62	29642	Ring, Retaining
	30699C	Rod Assy., Governor (Incl. 64 & 65)
	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
00	000002	used. It is replaced by 30699C ass'y.,Ref. no. 63A)
	30700	Yoke, Governor
65	650494	Screw, 6-40 x 5/16"
66	29918	Lockwasher, #8 E.T.
67	35350	Tube, Breather
	29747B	Screw, 5/16-24 x 21/32"
	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
	650815	Washer, Belleville
	8116	Nut, Hex
	29536	Blower Housing Baffle (without electric starter knock-out)
10	25550	(Use as required)
		, ,
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use
		as required) (Point Ignition)
74	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	29752	Nut & Lockwasher Assy., 1/4-28
	650572	Screw, 1/4-28 x 1-1/8" Air Cleaner Acely (Incl. 60, 83, 87, 88, 80, 004, 8, 334B)
02A	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use as required)
97	34240	Ground Wire
100	29538	Base, Engine mounting
	32401	Muffler
106	31845	Shaft, Mechanical governor
	30591	Gear Assy., Governor (Incl. 109)
	30588A	Spool, Governor
	30590A	Washer, Flat
		•
	29193	Ring, Retaining
	34158	Bracket, Fuel tank
	650561	Screw, 1/4-20 x 5/8"
114	34186A	Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355 or 35650.
115	410144B	Fuel Cap (White Plastic)(Std)(As requ ired)
113	7101 71 0	i dei dap (viville i laslid)(dia)(ns regu lieu)

Dof #	Part Number (Oty Description
	33032	Qty Description Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
113	33002	(Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
110	01210	required)
	35355	Fuel Cap (Use as required)
116D	34159	Plate, Fuel tank mounting
117A	32961	Valve, Shut-off
118	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
118	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
120	650128	Screw, 10-24 x 1/2" (Use as required)
121	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650493	
		Screw, 1/4-20 x 1-3/4"
	30747	Clip, Shorting
	650665	Screw, 1/4-15 x 7/8"
	610118	Cover, Spark plug (Use as required)
	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30939A	Cover, Cylinder head
	32180C	Line, Primer
	34126	Bracket, Grommet mounting
	650760	Screw, 8-32 x 3/8"
	28545	Grommet
246	32125	Cup, Starter
247	590417	Screen, Starter cup
266	26460	Clamp, Fuel line
270	31461	Bushing, Crankshaft (Use as required)
271	33876	Gasket, Stator
274	610973	Terminal Ass'y. (As req. on late prod uction)
287	27275	Clip, Hi-tension wire (Use as require d)
287	34246	Clip, Ground wire (Use as required)
	550223	Decal, Name
	34346	Decal, Instruction
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631920	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138
000	351325	for breakdown)
337	610694A	Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)



Ref #	Part Number Qty	Description
31	650489	Screw, 1/4-20 x 5/8"
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650128	Screw, 10-24 x 1/2"
	29716	Screw, 1/4-28 x 7/16"
	30824	Link, Throttle
		•
	650815	Washer, Belleville
	8116	Nut, Hex
	33013	Cover, Bubble
	650760	Screw, 8-32 x 3/8"
	30985	Control, Throttle
193	610118	Cover, Spark plug (Use as required)
200	33108A	Control Bracket (Incl. 224 & 274)
214	32410	Knob, Speed control
214A	35438	Knob, Control
	570629A	Primer Assy.
	32180C	Line, Primer
	30826	Spring, Extension
	650257	Screw, 8-32 x 5/16"
	34581	Cover, Carburetor
		•
	32398	Bracket, Choke
	28820	Screw, 10-32 x 1/2"
	650760	Screw, 8-32 x 3/8"
	650765	Screw, 10-32 x 1/2"
	31291	Plug, Cover
	650764	Nut, "U" Type (Use as required)
274	610973	Terminal Ass'y. (As req. on late prod uction)
292	34127	Guard Starter
293	32576	Seal, Snow guard
331H	34414	Decal, Warning
	35344	Decal, Control
	34144	Decal, Primer
	550223	Decal, Name
	34416	Decal, Choke
	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
330	J30473	· · · · · · · · · · · · · · · · · · ·
		breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)



Ref #	Part Number	Qty	Description
	27513		Lockwasher, 1/4" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	26073		Washer (Use as required)
	650691		Washer, Flat (Use as required)
	650548		Screw, 8-32 x 5/16"
	30319		Rivet, Split (Used in early production)
32	32326A		Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
	00005		· · · · · · · · · · · · · · · · · · ·
	30205		Bracket, Adjusting
	730130		Exh. Adap. Kit (Incl. 58 & 125) (Use as req.)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	29216		Nut, Lock, 10-32
	29826		Screw, 10-32 x 3/4"
	29918 730561		Lockwasher, #8 E.T.
02D	730301		Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
			an externally vented fully adjustable carburetor)
			, ,
82	730127		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
			331B) (Use as required)
84D	34819		Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
			in 730561 assembly only) NOTE: 130010 thru 10C & 11
			used in early production only.
103E	391026		Opt. Spark Arrest Muffler (Incl.196,1 97,199)
113	650561		Screw, 1/4-20 x 5/8"
118	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
	27930A		Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650548		Screw, 8-32 x 5/16" (Early production)
	34067		Wire Assy., Alternator adapter (4-1/4 ")
	34069		Wire Assy., Alternator adapter (6-3/4 ")
	31288		Exh. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
	650760		Screw, 8-32 x 3/8"
	28545		Grommet
266	26460		Clamp, Fuel line