
H70-130233G Engine Parts List #1




Ref # Part Number	Qty Description
1 32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
2 27652	Pin, Dowel
3 27642	Plug, Oil drain
4 32630	Seal, Oil
5 32783	Intake Valve (Std.) (Incl. 9)
5 32784	Intake Valve (1/32" OS) (Incl. 9)
6 27878A	Exhaust Valve (Std.) (Incl. 9)
6 27880A	Exhaust Valve (0.0) (incl. 9) Exhaust Valve (1/32" OS) (Incl. 9)
7 27882	Cap, Upper valve spring
7 2782 7A 20810	Pin, Valve spring retainer (Use as re quired)
8A 27881	
	Spring, Valve
8 27881	Spring, Valve
9 32581	Cap, Lower valve spring
9A 32581	Cap, Lower valve spring
10 34242	Dipper, Oil
10A 32590	Plate, Lock & Oil dipper (This plate may be replaced by
	34242 oil dipper but 650662C screw must be used.)
11 32680A	Crankshaft (Incl. 12 & 13)
12 29783	Crankshaft Gear Pin (Early production)
13 27884	Gear, Crankshaft (Used in early production) This gear is
10 21007	servicable onlywhen it is pinned to the crankshaft.
	servicable onlywhen it is pinned to the clainshalt.
14 34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14 34518	Piston, Pin & Ring Set (.010" OS)
14 34519	Piston, Pin & Ring Set (.020" OS)
14A 32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A 32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A 32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
15 32595	Ring Set (Std.) (2-3/4" Bore)
15 32596	Ring Set (.010" OS)
15 32597	Ring Set (.020" OS)
16 27888	Ring, Piston pin retaining
17 32591C	Rod Assy., Connecting (Incl. 10 & 18)
18 650662C	Screw, Connecting rod (2 each)
19 30968	Nipple, Oil drain
20 30969	Cap, Oil drain
21 32115	Camshaft (MCR)
22 34034	
	Lifter, Valve
23 31303B	Cover, Cylinder (Incl. 24, 106 & 279)
24 28427 24D 21546	Seal, Oil Bushing, Crankabett (Lion on required)
24B 31546	Bushing, Crankshaft (Use as required)
25A 33893A	Tube, Oil filler
25 34011A	Dipstick, Oil (Incl. 30)
26 30684	* Gasket, Cylinder cover
28 650488	Screw, 1/4-20 x 1-1/4"
30 33590	"O" Ring
31 650489	Screw, 1/4-20 x 5/8"
32 32631A	* Gasket, Cylinder head
33 30938A	Head, Cylinder
34 27793	Clip, Conduit (Use as required)
	Screw, 10-32 x 3/8" (Use as required)
34 27793	Screw, 10-32 x 3/8" (Use as required)
34 27793 35 28942	Screw, 10-32 x 3/8" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required)
34 27793 35 28942 36 650697A 36 650695A	Screw, 10-32 x $3/8$ " (Use as required) Screw, $5/16-18 \times 2-1/2$ " (Use as required) Screw, $5/16-18 \times 2-1/4$ " (Use as required)
34 27793 35 28942 36 650697A 36 650695A 36 650694A	Screw, 10-32 x $3/8$ " (Use as required) Screw, $5/16-18 \times 2-1/2$ " (Use as required) Screw, $5/16-18 \times 2-1/4$ " (Use as required) Screw, $5/16-18 \times 2$ " (Use as required)
<ul> <li>34 27793</li> <li>35 28942</li> <li>36 650697A</li> <li>36 650695A</li> <li>36 650694A</li> <li>37 33636</li> </ul>	Screw, 10-32 x 3/8" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2" (Use as required) Resistor Spark Plug (RJ-8C)
34       27793         35       28942         36       650697A         36       650695A         36       650694A         37       33636         37       34251	Screw, 10-32 x 3/8" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2" (Use as required) Resistor Spark Plug (RJ-8C) Resistor Spark Plug
<ul> <li>34 27793</li> <li>35 28942</li> <li>36 650697A</li> <li>36 650695A</li> <li>36 650694A</li> <li>37 33636</li> </ul>	Screw, 10-32 x 3/8" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2" (Use as required) Resistor Spark Plug (RJ-8C)

<ul> <li>41 28425</li> <li>42A 650690</li> <li>42 26073</li> <li>42 650691</li> <li>43 650128</li> <li>45 27915A</li> <li>46 34712</li> <li>47 30196</li> <li>48 29716</li> </ul>	Element, Breather Cover, Valve spring Washer, Belleville (Use as required) Washer (Use as required) Washer, Flat (Use as required) Screw, 10-24 x 1/2"
42A 650690 42 26073 42 650691 43 650128 45 27915A 46 34712 47 30196 48 29716	Washer, Belleville (Use as required) Washer (Use as required) Washer, Flat (Use as required)
<ul> <li>42 26073</li> <li>42 650691</li> <li>43 650128</li> <li>45 27915A</li> <li>46 34712</li> <li>47 30196</li> <li>48 29716</li> </ul>	Washer (Use as required) Washer, Flat (Use as required)
42 650691 43 650128 45 27915A 46 34712 47 30196 48 29716	Washer, Flat (Use as required)
43 650128 45 27915A 46 34712 47 30196 48 29716	
45 27915A 46 34712 47 30196 48 29716	Screw, 10-24 x 1/2"
46 34712 47 30196 48 29716	
47 30196 48 29716	* Gasket, Intake
47 30196 48 29716	Flange Carburetor
48 29716	Screw, 5/16-18 x 3/4"
	Screw, 1/4-28 x 7/16"
50 650548	Screw, 8-32 x 5/16"
	Lever Assy., Governor
	Link, Throttle
	Nut, Lock, 10-32
	Screw, 10-32 x 3/4"
	Ring, Retaining
	Governor Rod Ass'y. (This one-piece governor rodis no longer
	used. It is replaced by 30699C ass'y.,Ref. no. 63A)
63A 30699C	Rod Assy., Governor (Incl. 64 & 65)
64 30700	Yoke, Governor
65 650494	Screw, 6-40 x 5/16"
66 29918	Lockwasher, #8 E.T.
67 35350	Tube, Breather
69 29747B	Screw, 5/16-24 x 21/32"
	Blower Housing (For electric starter)
	Washer, Belleville
	Nut, Hex
73 29536	Blower Housing Baffle (without electric starter knock-out)
	(Use as required)
	Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)
	Screw, 1/4-20 x 5/8"
75 31688A	* Gasket, Carburetor
80A 650517	Screw, 1/4-20 x 27/32"
82A 730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
	(Use as required)
	Ground Wire
98 31342	Spring, Compression
99 650549	Screw, 5-40 x 7/16"
100 29538	Base, Engine mounting
103 32401	Muffler
106 31845	Shaft, Mechanical governor
107 30591	Gear Assy., Governor (Incl. 109)
108 30588A	Spool, Governor
	Washer, Flat
110 29193	Ring, Retaining
111C 34158	Bracket, Fuel tank
	Screw, 1/4-20 x 5/8"
	Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built
	with different size fuel inlet openings. Tanks with the 1-3/16"
	I.D. opening use fuel cap 33032 or 34210. Tanks with the
	1-1/2" I.D. opening use fuel cap 35355 or 35650.
115 410144B	Fuel Cap (White Plastic)(Std)(As requ ired)
····	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
115 33032	

		Description
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
115	35355	Fuel Cap (Use as required)
	34159	Plate, Fuel tank mounting
	32961	Valve, Shut-off
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, $10-24 \times 1/2$ " (Use as required)
	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, $10-24 \times 1/2$ "
	650493	Screw, 1/4-20 x 1-3/4"
	30747	Clip, Shorting
	650665	Screw, 1/4-15 x 7/8"
	610118	Cover, Spark plug (Use as required)
	650561	Screw, 1/4-20 x 5/8" (Use as required )
	30939A	Cover, Cylinder head
	34814	Primer Assy.
	32180C	Line, Primer
	34126	Bracket, Grommet mounting
	650760	Screw, 8-32 x 3/8"
	28545	Grommet
	32125	Cup, Starter
	590417	Screen, Starter cup
	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	33876	Gasket, Stator
	610973	Terminal Ass'y. (As req. on late prod uction)
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	550223	Decal, Name
	34346	Decal, Instruction
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631920	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138
550	031920	for breakdown)
		IDI DIEditudivili)
337	610694A	Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The
		magneto number is shown for reference purposes only.
		Order component parts individually, as show in parts list.
		(Refer to Division 5, Section B, page 24 for breakdown)
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
		breakdown)
343	33239A	Gasket Set (Incl. items marked*)



Ref #	Part Number Qt	
31	650489	Screw, 1/4-20 x 5/8"
34	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
43A	650128	Screw, 10-24 x 1/2"
48	29716	Screw, 1/4-28 x 7/16"
	34662	Link, Throttle
	650815	Washer, Belleville
	8116	Nut, Hex
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	33013	Cover, Bubble
	650760	Screw, 8-32 x 3/8"
	34663	Spring, Speed control
	650821	Screw, 10-32 x 1/2"
	34661	Link, Governor
	610118	
	35438	Cover, Spark plug (Use as required) Knob, Control
		•
	32180C	Line, Primer
	30826	Spring, Extension
	650257	Screw, 8-32 x 5/16"
	34672	Cover, Carburetor
	32398	Bracket, Choke
	28820	Screw, 10-32 x 1/2"
	650765	Screw, 10-32 x 1/2"
	650760	Screw, 8-32 x 3/8"
	650764	Nut, "U" Type (Use as required)
	34664	Control Bracket (Incl. 98, 99, 180A & 274)
	610973	Terminal Ass'y. (As req. on late prod uction)
	34127	Guard Starter
	32576	Seal, Snow guard
331H	34414	Decal, Warning
331E	34144	Decal, Primer
331G	34416	Decal, Choke
331	550223	Decal, Name
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
		breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)



Ref #	Part Number Qty	/ Description
27	27513	Lockwasher, 1/4" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	27896A	* Gasket, Breather cover
	26073	Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used in early productio n)
	33454	Lever Assy., Governor
	730130	Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	29216	Nut, Lock, 10-32
	29826	Screw, 10-32 x 3/4"
		Lockwasher, #8 E.T.
	29918	
02D	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 9
		91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines w
		an externally vented fully adjustable carburetor)
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
		331B) (Use as required)
84D	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (U
		in 730561 assembly only) NOTE: 130010 thru 10C & 11
		used in early production only.
103E	391026	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	650561	Screw, 1/4-20 x 5/8"
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650548	Screw, 8-32 x 5/16" (Early production )
	34067	Wire Assy., Alternator adapter (4-1/4 ")
	34069	Wire Assy., Alternator adapter (6-3/4 ")
	30322	Nut & Lockwasher (Early Prod. Only)
	29916	Clamp, Governor lever (Early Prod. On ly)
202	31288	Exh. Adaptor Kit (Incl.125,203,204) ( As req.)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
204	6021A	Screw, 5/16-18 x 1-1/2" (Use as required)
	650760	Screw, 8-32 x 3/8"
	28545	Grommet