
H70-130244F Engine Parts List #1




	Part Number	Qty	Description
	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain
	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
6	27878A		Exhaust Valve (Std.) (Incl. 9)
6	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
7	27882		Cap, Upper valve spring
7A	20810		Pin, Valve spring retainer (Use as re quired)
8A	27881		Spring, Valve
8	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
	34242		Dipper, Oil
	32590		Plate, Lock & Oil dipper (This plate may be replaced by
			34242 oil dipper but 650662C screw must be used.)
	34234		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production )
13	27884		Gear, Crankshaft (Used in early production) This gear is
			servicable onlywhen it is pinned to the crankshaft.
	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	30968		Nipple, Oil drain
	30969		Cap, Oil drain
	32115		Camshaft (MCR)
	34034		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24, 106 & 279)
	28427		
	31546		Seal, Oil Bushing, Crankshaft (Liso as required)
	34011A		Bushing, Crankshaft (Use as required)
	33893A		Dipstick, Oil (Incl. 30)
			Tube, Oil filler
	30684		* Gasket, Cylinder cover
	650488 23500		Screw, 1/4-20 x 1-1/4"
	33590		"O" Ring Serow 1/4 20 x 1 1/8"
	650516		Screw, 1/4-20 x 1-1/8"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
37	34251		Resistor Spark Plug
38	27896A		* Gasket, Breather cover
39	28423		Body, Breather

		/ Description
40	28424	Element, Breather
41	28425	Cover, Valve spring
42	26073	Washer (Use as required)
42	650691	Washer, Flat (Use as required)
42A	650690	Washer, Belleville (Use as required)
	650128	Screw, 10-24 x 1/2"
	27915A	* Gasket, Intake
	34712	Flange Carburetor
	30196	Screw, 5/16-18 x 3/4"
	29716	Screw, 1/4-28 x 7/16"
	650548	
		Screw, 8-32 x 5/16"
	33454	Lever Assy., Governor
	34662	Link, Throttle
	29216	Nut, Lock, 10-32
	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)
<u> </u>	206000	
	30699C	Rod Assy., Governor (Incl. 64 & 65)
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29918	Lockwasher, #8 E.T.
67	35350	Tube, Breather
69	29747B	Screw, 5/16-24 x 21/32"
70	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
71	650815	Washer, Belleville
	8116	Nut, Hex
	29536	Blower Housing Baffle (without electric starter knock-out)
	20000	(Use as required)
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use
		as required) (Point Ignition)
7/	650561	Screw, 1/4-20 x 5/8"
	31688A	
		* Gasket, Carburetor
	650517	Screw, 1/4-20 x 27/32"
82A	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use as required)
97	610609	Ground Wire
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	29538	Base, Engine mounting
	31845	Shaft, Mechanical governor
	30591	Gear Assy., Governor (Incl. 109)
	30588A	Spool, Governor
	30590A	Washer, Flat
110	29193	Ring, Retaining
111C	34158	Bracket, Fuel tank
	650561	Screw, 1/4-20 x 5/8"
	34186A	Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355 or 35650.
115	410144B	Fuel Cap (White Plastic)(Std)(As requ ired)
	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
		(Use as required)
		(

Ref #	Part Number	Qty Description
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
115	35355	Fuel Cap (Use as required)
	34159	Plate, Fuel tank mounting
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
	650729	Screw, 5/16-18 x 3-3/16"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650493	Screw, 1/4-20 x 1-3/4"
	30747	Clip, Shorting
	650665	Screw, 1/4-15 x 7/8"
	610118	Cover, Spark plug (Use as required)
	650561	Screw, 1/4-20 x 5/8" (Use as required )
	30939A	Cover, Cylinder head
	32180C	Line, Primer
	34126	
	650760	Bracket, Grommet mounting
	28545	Screw, 8-32 x 3/8" Grommet
	32125	
		Cup, Starter
	590417	Screen, Starter cup
	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	33876	Gasket, Stator
	610973	Terminal Ass'y. (As req. on late production)
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	34346	Decal, Instruction
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
336	631920	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 13
		for breakdown)
337	610985	Magneto (w/ring gear) (12 Volt) (3 Am p) NOTE: The
		complete magneto is not available as an assembly. The
		magneto number is shown for reference purposes only.
		Order component parts individually, as show in parts list.
		(Refer to Division 5, Section B, page 36 for breakdown)
	<b>200 (20</b>	( , , , , , , , , , , , , , , , , , , ,
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
		breakdown)
343	33239A	Gasket Set (Incl. items marked*)
0-10		



Ref #	Part Number C	ty Description
31	650516	Screw, 1/4-20 x 1-1/8"
34	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
43A	650128	Screw, 10-24 x 1/2"
48	29716	Screw, 1/4-28 x 7/16"
56	34662	Link, Throttle
	650815	Washer, Belleville
	8116	Nut, Hex
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	33013	Cover, Bubble
	650760	Screw, 8-32 x 3/8"
	650821	
		Screw, 10-32 x 1/2"
	34663	Spring, Speed control
	34661	Link, Governor
	610118	Cover, Spark plug (Use as required)
	35438	Knob, Control
	32410	Knob, Speed control
	570629A	Primer Assy.
	32180C	Line, Primer
	650257	Screw, 8-32 x 5/16"
	34672	Cover, Carburetor
254	32398	Bracket, Choke
255	28820	Screw, 10-32 x 1/2"
256	650760	Screw, 8-32 x 3/8"
256A	650765	Screw, 10-32 x 1/2"
	650764	Nut, "Ú" Type (Use as required)
	34677	Control Bracket (Incl. 98, 99, 180A & 274)
	610973	Terminal Ass'y. (As req. on late prod uction)
	34127	Guard Starter
	32576	Seal, Snow guard
	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
000	000110	breakdown)
		bicaldowiny
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter
		motor kit may have been added to this engine. It can be
		added only if cylinder hasdrilled and tapped starter mounting
		bosses and a ring gear flywheel (see#342). Refer to service
		number stamped on end cap of motor, or on decal, for
		identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using
		110-120 volt starter kits listed above)
2/12	611042	Flywheel (Used on Type letters H and above) (Std. Point
0 <del>1</del> 2	011042	ignition) (Ring gear flywheel required on engines using
		110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines
		using 110-120 volt starter kits listed above) (Use withSolid
		State ignition)



Ref #	Part Number		Description
27	27513	Lo	ockwasher, 1/4" (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	S	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A	S	Screw, 5/16-18 x 2" (Use as required)
38	27896A	*	Gasket, Breather cover
42	26073	N	Vasher (Use as required)
42	650691	N	Vasher, Flat (Use as required)
50	650548	S	Screw, 8-32 x 5/16"
51	30319	R	Rivet, Split (Used in early productio n)
52	33454	Le	ever Assy., Governor
57	730130	E	xh.Adap.Kit (Incl. 58 & 125) (Use as req.)
58	30196	S	Screw, 5/16-18 x 3/4" (Use as require d)
59	29216	N	lut, Lock, 10-32
61	29826	S	Screw, 10-32 x 3/4"
66	29918	Lo	ockwasher, #8 E.T.
82	730127	A	ir Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
		33	31B) (Use as required)
900	730561	Δ.	ir cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
02D	730301		1A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
			n externally vented fully adjustable carburetor)
		a	
84D	34819	Ai	ir Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
		in	n 730561 assembly only) NOTE: 130010 thru 10C & 11
		us	sed in early production only.
103E	391026	0	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	34779A		luffler Assy.
	31588		Plate, Muffler locking
	650561		Screw, 1/4-20 x 5/8"
	29774		uel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705		uel Line (Braided 16") (41 cm) (Use as req.)
	30962		uel Line (Braided 32") (81 cm) (Use as req.)
	650729		Screw, 5/16-18 x 3-3/16"
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650548		Screw, 8-32 x 5/16" (Early production )
	34067		Vire Assy., Alternator adapter (4-1/4 ")
	34069		Vire Assy., Alternator adapter (6-3/4 ")
	30322		lut & Lockwasher (Early Prod. Only)
	29916		Clamp, Governor lever (Early Prod. On ly)
	31288		Exh. Adaptor Kit (Incl.125,203,204) ( As req.)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	650760		Screw, 8-32 x 3/8"
	28545		Grommet
	26460		Xamp, Fuel line
200			- 17