


Ref #	Part Number	Otv	Description
	32586C	٠.,	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain
	32630		Seal, Oil
5	32783		Intake Valve (Std.) (Incl. 9)
5	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.) (Incl. 9)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	20810		Pin, Valve spring retainer (Use as re quired)
	27881		Spring, Valve
8	27881		Spring, Valve
9	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
	34242		Dipper, Oil
	32590		
IUA	32390		Plate, Lock & Oil dipper (This plate may be replaced by
			34242 oil dipper but 650662C screw must be used.)
11	32680A		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production)
	27884		
13	2/004		Gear, Crankshaft (Used in early production) This gear is
			servicable onlywhen it is pinned to the crankshaft.
14	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595		Ring Set (Std.) (2-3/4" Bore)
15	32596		Ring Set (.010" OS)
15	32597		Ring Set (.020" OS)
16	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	30968		Nipple, Oil drain
	30969		Cap, Oil drain
	33931		Camshaft (MCR) (Extended)
22	34034		Lifter, Valve
23	31720A		Cover, Cylinder (Incl. 24, 24A, 106 & 279)
24B	31546		Bushing, Crankshaft (Use as required)
	28427		Seal, Oil
	28926		Seal, Oil
	34011A		
			Dipstick, Oil (Incl. 30)
	33893A		Tube, Oil filler
	30684		* Gasket, Cylinder cover
28	650488		Screw, 1/4-20 x 1-1/4"
30	33590		"O" Ring
31	650489		Screw, 1/4-20 x 5/8"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
30	21 000A		Gaonet, Dicario Wydi

Def #	Dout Novele on		Description
	Part Number Qt 28423	_	Description Pack Proofbox
	28424		Body, Breather
			Element, Breather
	28425		Cover, Valve spring
	26073		Washer (Use as required)
	650691		Washer, Flat (Use as required)
	650690		Washer, Belleville (Use as required)
	650128		Screw, 10-24 x 1/2"
	27915A		* Gasket, Intake
	34712		Flange Carburetor
	30196		Screw, 5/16-18 x 3/4"
48	29716		Screw, 1/4-28 x 7/16"
50	650548		Screw, 8-32 x 5/16"
52	33454		Lever Assy., Governor
56	34662		Link, Throttle
59	29216		Nut, Lock, 10-32
61	29826		Screw, 10-32 x 3/4"
62	29642		Ring, Retaining
	30699C		Rod Assy., Governor (Incl. 64 & 65)
	30699B		Governor Rod Ass'y. (This one-piece governor rodis no longer
			used. It is replaced by 30699C ass'y., Ref. no. 63A)
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	29918		Lockwasher, #8 E.T.
	35350		Tube, Breather
	29747B		Screw, 5/16-24 x 21/32"
70	35260		Blower Housing (For electric starter)
71	650815		Washer, Belleville
72	8116		Nut, Hex
73	29536		Blower Housing Baffle (without electric starter knock-out)
			(Use as required)
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use
70			as required) (Point Ignition)
_,			, , , , , , , , , , , , , , , , , , , ,
	650561		Screw, 1/4-20 x 5/8"
	31688A		* Gasket, Carburetor
	650517		Screw, 1/4-20 x 27/32"
82A	730164		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
			(Use as required)
97	34240		Ground Wire
	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	29538		Base, Engine mounting
	32401		Muffler
	31845		Shaft, Mechanical governor
	30591		Gear Assy., Governor (Incl. 109)
	30588A		Spool, Governor
	30590A		Washer, Flat
	29193		Ring, Retaining
	34158		Bracket, Fuel tank
	650561		·
			Screw, 1/4-20 x 5/8" Fuel Tapk (Incl. 115 & 266) NOTE: Those tapks were built
114	34186A		Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built
			with different size fuel inlet openings. Tanks with the 1-3/16"
			I.D. opening use fuel cap 33032 or 34210. Tanks with the
			1-1/2" I.D. opening use fuel cap 35355 or 35650.
115	410144B		Fuel Cap (White Plastic)(Std)(As required)

	Part Number 33032	Qty	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)	
115	34210		(Use as required) Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as	
			required)	
	35355 34159		Fuel Cap (Use as required) Plate, Fuel tank mounting	
	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)	
	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)	
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)	
	650128		Screw, 10-24 x 1/2" (Use as required)	
	30622A		Extension, Blower housing	
	650542		Screw, 5/16-18 x 3/4"	
	27930A		Gasket, Exhaust	
	30196		Screw, 5/16-18 x 3/4"	
	26073		Washer (Use as required)	
	650694A		Screw, 5/16-18 x 2" (Use as required)	
	32589		Key, Flywheel	
	31843A		Bracket, Governor gear	
	650836		Screw, 10-24 x 1/2"	
	650493		Screw, 1/4-20 x 1-3/4"	
	30747		Clip, Shorting	
	650665		Screw, 1/4-15 x 7/8"	
	610118		Cover, Spark plug (Use as required)	
	650561		Screw, 1/4-20 x 5/8" (Use as required)	
	30939A		Cover, Cylinder head	
	34814		Primer Assy.	
	32180C 34126		Line, Primer Procket Grommet mounting	
	650760		Bracket, Grommet mounting Screw, 8-32 x 3/8"	
	28545		Grommet	
	32125		Cup, Starter	
	590417		Screen, Starter cup	
	26460		Clamp, Fuel line	
	31461		Bushing, Crankshaft (Use as required)	
	33876		Gasket, Stator	
274	610973		Terminal Ass'y. (As req. on late prod uction)	
287	27275		Clip, Hi-tension wire (Use as require d)	
287	34246		Clip, Ground wire (Use as required)	
331	550223		Decal, Name	
331	32679		Decal, 7 HP	
331A	34346		Decal, Instruction	
332	30547A		Contact Assy., Breaker	
	30548B		Condenser	
	631021		Inlet Needle, Seat & Clip Assy.	
336	631920		Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138	
			for breakdown)	
337	610694A		Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)	
338	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)	
343	33239A		Gasket Set (Incl. items marked*)	



Ref #	Part Number Qty	Description
	650489	Screw, 1/4-20 x 5/8"
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650128	Screw, 10-24 x 1/2"
	29716	Screw, 1/4-28 x 7/16"
	34662	Link, Throttle
	650815	Washer, Belleville
	8116	Nut, Hex
	31342	•
		Spring, Compression
	650549	Screw, 5-40 x 7/16"
	33013	Cover, Bubble
	650760	Screw, 8-32 x 3/8"
	650821	Screw, 10-32 x 1/2"
	34663	Spring, Speed control
	34661	Link, Governor
	610118	Cover, Spark plug (Use as required)
	35438	Knob, Control
223	32180C	Line, Primer
230	650257	Screw, 8-32 x 5/16"
231	34672	Cover, Carburetor
254	32398	Bracket, Choke
255	28820	Screw, 10-32 x 1/2"
256A	650765	Screw, 10-32 x 1/2"
256	650760	Screw, 8-32 x 3/8"
	650764	Nut, "U" Type (Use as required)
	34664	Control Bracket (Incl. 98, 99, 180A & 274)
	610973	Terminal Ass'y. (As req. on late prod uction)
	34127	Guard Starter
	32576	Seal, Snow guard
	34414	Decal, Warning
	34417	Decal, Primer
	34416	Decal, Choke
	34418	Decal, Choke
	550223	Decal, Name
	32679	Decal, 7 HP
	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
330	390473	breakdown)
		DIE aKUOWII)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter
		motor kit may have been added to this engine. It can be
		added only if cylinder hasdrilled and tapped starter mounting
		bosses and a ring gear flywheel (see#342). Refer to service
		number stamped on end cap of motor, or on decal, for
		identifica
0.40	000444	
342	30811A	Flywheel (Ring gear flywheel requiredon engines using
		110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point
		ignition) (Ring gear flywheel required on engines using
		110-120 volt starter kits listed above)
		•
342	611085	Flywheel (Minimum ring gear flywheel required on engines
		using 110-120 volt starter kits listed above) (Use with Solid
		State ignition)



Ref #	Part Number	Qty	Description
27	27513		Lockwasher, 1/4" (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
38	27896A		* Gasket, Breather cover
42	26073		Washer (Use as required)
42	650691		Washer, Flat (Use as required)
50	650548		Screw, 8-32 x 5/16"
51	30319		Rivet, Split (Used in early productio n)
52	33454		Lever Assy., Governor
57	730130		Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
58	30196		Screw, 5/16-18 x 3/4" (Use as require d)
59	29216		Nut, Lock, 10-32
61	29826		Screw, 10-32 x 3/4"
	29918		Lockwasher, #8 E.T.
82B	730561		Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
			91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
			an externally vented fully adjustable carburetor)
82	730127		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
02	100121		331B) (Use as required)
0.45	0.404.0		, ,
84D	34819		Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
			in 730561 assembly only) NOTE: 130010 thru 10C & 11
			used in early production only.
103E	391026		Opt. Spark Arrest Muffler (Incl.196,1 97,199)
113	650561		Screw, 1/4-20 x 5/8"
118	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
118	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
125	27930A		Gasket, Exhaust
126	30196		Screw, 5/16-18 x 3/4"
128	650694A		Screw, 5/16-18 x 2" (Use as required)
132	650548		Screw, 8-32 x 5/16" (Early production)
	34067		Wire Assy., Alternator adapter (4-1/4 ")
	34069		Wire Assy., Alternator adapter (6-3/4 ")
164	30322		Nut & Lockwasher (Early Prod. Only)
	29916		Clamp, Governor lever (Early Prod. On ly)
	31288		Exh. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
	650760		Screw, 8-32 x 3/8"
	28545		Grommet
266	26460		Clamp, Fuel line