

Ref #	Part Number	Qty	Description
	32586C		Cylinder (Incl. 2, 3 & 4) (2-3/4" Bor e)
2	27652		Pin, Dowel
3	27642		Plug, Oil drain
4	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	34242		Dipper, Oil
	35272		Crankshaft
	29783		Crankshaft Gear Pin (Used on early pr od.)
	27884		Gear, Crankshaft (Used on early production)
	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (3td.) (2-3/4 Bore)
	34519		Piston, Pin & Ring Set (.000 OS)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		
	32597		Ring Set (.010" OS)
	27888		Ring Set (.020" OS)
			Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Bolt, Connecting rod (2 each)
	30968		Nipple, Pipe
	30969		Cap, Oil drain
	33931		Camshaft (MCR) (Extended)
	34034		Lifter, Valve
	31720A		Cover, Cylinder (Incl. 24, 24A & 106)
	28427		Seal, Oil
	28926		Seal, Oil
	35555		Dipstick The O'l Class
	35554		Tube, Oil filler
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	35499		"O" Ring
	650814		Screw, Torx T-15, 10-24 x 1"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	27896A		* Gasket, Breather
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	650690		Washer, Belleville (Use as required)
	650691		Washer, Flat (Use as required)
	650128		Screw, 10-24 x 1/2"
	27915A		* Gasket, Intake
	34712		Flange, Carburetor
	30196		Screw, 5/16-18 x 3/4"
	29716		Screw, 1/4-28 x 7/16"
50	650548		Screw, 8-32 x 5/16"

Ref #	Part Number Q	y Description
	33454	Lever Assy., Governor
	34662	Link, Throttle
	730130	Exhaust Adaptor Kit (Incl.58,125) (As req.)
	30196	
		Screw, 5/16-18 x 3/4" (Use as require d)
	29216	Locknut, 10-32
	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
	30699C	Rod, Governor (Incl. 64 & 65)
64	30700	Yoke, Governor
65	650494	Screw, 6-40 x 5/16"
66	29918	Washer, Lock #8 E.T.
	35350	Tube, Breather
	29747B	Screw, 5/16-24 x 21/32"
	35260	Blower Housing (For elec.strt.)(Incl. 134,135)
	650815	Washer, Belleville
	8116	Nut, Hex
73	29536	Blower Housing Baffle (Without electric starter knock-out)
		(Use as required)
73	35256A	Blower Housing Baffle (With electric starter knock-out) (Use
	00200/1	as required)
		. ,
73	35326	Baffle, Blower housing
74	650561	Screw, 1/4-20 x 5/8"
75	31688A	* Gasket, Carburetor
76	34443A	Solid State Assy. (Incl. 146)
	650872	Stud, Solid state mounting
	611085	Flywheel (w/ring gear)
	650517	Screw, 1/4-20 x 27/32"
	730561	
02	730301	Air Cleaner Kit (Incl. 38, 67A, 68, 83, 84A,85, 87, 88, 89,
		156 & 190A) (Use only on engines with an externally vented
		fully adjustable carburetor)
84A	34819	Elbow Assy., Air cleaner (Incl. 84, 90, 91, 92 & 92A)(Use in
		730561 assy. only)
		• • •
	35253	Wire Assy., Ground
98	31342	Spring, Compression
99	650549	Screw, 5-40 x 7/16"
100	29538	Base, Engine mounting
	650542	Screw, 5/16-18 x 3/4"
	32401	Muffler
	391026	Muffler (Incl. 183, 184 & 185) (Thisspark arrester muffler can
100/1	001020	be used on any model)
		be used on any modely
105B	35540	Clip, Fill tube
	34246	Clip, Ground wire (Use as required)
105A	29443	Clip, Fuel line
	31845	Shaft, Mechanical governor
	30591	Gear Assy., Governor
	30588A	Spool, Governor
	35479	Washer, Flat
		·
	29193	Ring, Retaining
	34158	Bracket, Fuel tank mounting
	650561	Screw, 1/4-20 x 5/8"
114	34186A	Fuel Tank (Incl. 115 & 168) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
		- · · · · · · · · · · · · · · · · · · ·
445	410144B	Fuel Cap (White Plastic) (Std)(Use as req.)

	Part Number Q	ty Description Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use
		as required)
115	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required)
115	35355	Fuel Cap (Red Plastic) (Use as requir ed)
	29774	Fuel Line (Braided 8-1/4")(21 cm)(As req.)
	30962	Fuel Line (Braided 32")(81 cm)(Use as req.)
	650128	Screw, 10-24 x 1/2"
	650764	Nut, "U" Type
	30622A	Extension, Blower housing
	27930A	* Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer, Flat
	650694A	Screw, 5/16-18 x 2"
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650493	Screw, 1/4-20 x 1-3/4"
	650665	Screw, 1/4-15 x 7/8"
	30322	Locknut, 8-32
	29916	Clamp, Governor lever
	650821	Screw, 10-32 x 1/2"
	34663	Spring, Speed control
	34661	Link, Governor
	610118	Cover, Spark plug (Use as required)
	30939A	Cover Assy., Cylinder
	32410	Knob, Control
148	35439	Knob, Control
149	570682	Primer Assy.
150	32180C	Line, Primer
151	34126	Bracket, Grommet mounting
152	650760	Screw, 8-32 x 3/8"
153	28545	Grommet, Plastic
154	650257	Screw, 8-32 x 5/16"
155	34672	Cover, Carburetor
	32125	Cup, Starter
	35354	Screen, Starter (Stationary)
	32398	Bracket, Choke
	28820	Screw, 10-32 x 1/2"
	650760	Screw, 8-32 x 3/8"
	650765	Screw, 10-32 x 1/2"
	26460	Clamp, Fuel line (Use as required)
	34677	Control Bracket (Incl. 98, 99, 144 & 172)
	610973	Terminal Assy. (Use as required)
	31546	Bushing, Crankshaft
	34127	Guard, Starter
	32576	Seal, Snow guard
	33323	Screen, Muffler (Use as required)
	650578	Screw, 8-18 x 3/8" (Use as required)
	33700	Cover & Tube, Muffler (Use as require d)
	30063 33450B	Screw, 1/4-20 x 1/2"
	32450B 32203	Cord, Extension Air Cleanor, Starter Can be used on H70 with stamped steel
168A	32203	Air Cleaner, Starter Can be used on H70 with stamped steel starter
188B	32204	Bracket, Starter air cleaner Can be used on H70 with stamped steel starter

Ref #	Part Number	Qty Description
188C	34870	Decal, Instruction Can be used on H70 with stamped steel starter
188	730571	Starter Muff Kit (Incl.188A,188B & 18 8C) Can be used on H70 with stamped steel starter
190	34144	Decal, Primer
190D	34346	Decal, Instruction
190C	34418	Decal, Choke
190C	34414	Decal, Warning
	34680	Decal, Instruction
	631021	Inlet Needle, Seat & Clip Assy.
195	632371	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 198 for breakdown)
197	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
198	33328D	Electric Starter Motor (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #199). Refer to service number stamped on end cap ofmotor, or on
199	611042	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) (For use with Std. point ignition)
199	611085	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) (For use with solid state ignition)
200	33239A	Gasket Set (Incl. items marked*)