ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.





Ref # Part Number	Qty Description
1 33039	Cylinder (Incl.2,4,30,47,119) (3-5/16 ")
2 27652	Pin, Dowel
4 31950	Seal, Oil
5 31940	Intake Valve (Std.)
5 31941	Intake Valve (1/32" OS) (Incl. 9)
6 31942	Exhaust Valve (Std.)
6 31943	Exhaust Valve (1/32" OS) (Incl. 9)
7 650592	Key, Flywheel
8 31944	Spring, Valve
9 31946	Cap, Lower valve spring (1/32" OS)
9 31945	Cap, Lower valve spring (Std.)
9A 31945	Cap, Lower valve spring (Std.)
9A 31946	Cap, Lower valve spring (1/32" OS)
10 20810	Pin, Valve spring retainer
11 34057A	Crankshaft (Incl. 12, 13, 78, 79, 210 & 211)
12 29783	Pin, Crankshaft gear
13 31931	Gear, Crankshaft
14 34508	Piston, Pin & Ring Set (Std.) (3-5/16 " Bore)
14 34509	Piston, Pin & Ring Set (0.10" OS)
14 34510	Piston, Pin & Ring Set (.020" OS)
14 34850	Piston, Pin & Ring Set (.030" OS)
14 34523	
	Piston, Pin & Ring Set (.040" OS)
14 32620B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
14A 32001C	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -5/16")
14A 32002B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A 32003B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14A 32619B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
15 32004	Ring Set (Std.) (3-5/16" Bore)
15 32005	Ring Set (.010" OS)
15 32006	Ring Set (.020" OS)
15 32623	Ring Set (.030" OS)
15 32624	Ring Set (.040" OS)
15 32321	Re-Ringing Set, Piston
16 31919	Ring, Piston pin retaining
17 33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
17 34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
17 34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
18 32077	Bolt, Connecting rod
19 26073	Washer, Connecting rod
20 28264	Nut Assy., Lock
21 33470	Camshaft (MCR)
22 31939	Lifter, Valve
23A 31956A	* Gasket, Cylinder cover
23 34002A	Cover, Cylinder (Incl. 4, 30, 119 & 2 13)
24 33893A	Oil Fill Tube
25A 33590	"O" Ring
25A 35499	"O" Ring
26 33984A	
26 33904A 28 32426	Dipstick (Incl. 25A)
	Spacer, Governor rod
29 650492	Screw, 1/4-20 x 2-1/4"
30 31927	Oil Drain Plug
31 31968	Link, Governor
32 650451	Screw, 1/4-20 x 1"
33 31964	Clamp, Governor lever
34 29193	Ring, Retaining
35 31963	Lever, Governor adjusting
36 650518	Lockwasher
37 650544	Screw, 10-24 x 7/8"


Ref #	Part Number	Qtv	Description
	7975		Nut, 10-24
	31965		Plate, Governor spring
	30312		Screw, 10-32 x 1/2"
	31967		Spring, Governor
	30590A		Washer, Flat
	32425		Rod Assy., Governor
	31948		Spool, Governor
	29193		Ring, Retaining
	31947		Gear Assy., Governor
	31930		Shaft, Mechanical Governor
	32000A		* Gasket, Cylinder head
	33034		Head, Cylinder Head, Cylinder
	650694A		
	650711		Screw, 5/16-18 x 2" (Use as required)
			Screw, 5/16-18 x 1-5/8" (Use as requi red)
	650628A		Screw, 5/16-18 x 2-3/8" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650714		Screw, 5/16-18 x 1-5/8" (Use as requi red)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650692		Screw, 5/16-18 x 1-3/4" (Use as requi red)
	650603		Screw, 5/16-18 x 5/8" (Use as require d)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug (RJ-17LM)
	33035		Cover, Cylinder head
	28537		Washer, Plain
	650691		Washer, Flat (Use as required)
	650690		Washer, Belleville (Use as required)
	8274		Washer, Lock (Use as required)
59	650128		Screw, 10-24 x 1/2"
60	31976		Extension, Blower housing
63	410144B		Fuel Cap (White Plastic)(Std.)(As req uired)
63	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
67	650517		Screw, 1/4-20 x 27/32" (Use as requir ed)
	650561		Screw, 1/4-20 x 5/8" (Use as required)
	30063		Screw, 1/4-20 x 1/2" (Use as required)
	792028		Screw, 5/16-18 x 7/8" (Use as required)
	26460		
			Clamp, Fuel line (Use as required)
	29774		Fuel Line (Braided) (8.25") (Use as required)
	30705		Fuel Line (Braided) (16") (Use as req uired)
	30962		Fuel Line (Braided) (32") (Use as req uired)
	30965		Fuel Line (Braided) (48") (Use as req uired)
	32579		Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
	31932		Bearing, Tapered roller
	31928		Cup, Bearing
80	32031		Spacer, Steel (.010" thick) NOTE: Determine the gap
			between the cover and the machined surface on the cylinder
			which can be from .001"up to .007" in which case no shim
			gaskets will be required. Use of gasket must be limited to a
			combined total of .010" thick. Steel spacersmust be used
			as required

	Part Number 31971	Qty	Description * Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
82	31972		* Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 32577		"O" Ring Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84A 85 86 87 91 92 95 96 98 99 100 101 102 103 104 105 106 107 108 112 113 114 115 120 121 122D 125A 126 128 128	792028 650679 650666 650594 33044A 8274 650595 8274 650624 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33099 33853 33038 29752 650587 27272 650399 30767 32812 32810 650513 650713 650429 792028 8274		Screw, 5/16-18 x 7/8" Lockwasher, 5/16" (Use as required) Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Washer, Lock Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Nipple, Exhaust pipe Plug, Button (Use as required) Nut & Lockwasher Assy. Stud, Carburetor * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Bracket, Air cleaner Cover, Air cleaner Nut, Wing Screw, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 7/8" (Use as require d) Lockwasher, Split (Use as required)
141 145 147	26073 31960 31959 610908		Washer, Flat (Use as required) * Gasket, Carburetor Baffle, Air Terminal, Female


Ref #	Part Number	Qty	Description
156	730201		Trigger Pin Kit (Use as required)
173	610118		Cover, Spark plug (Use as required)
176	31992		Spacer, Screen
177	8345		Washer, 1/4 plain (Use as required)
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
184	27793		Clip, Conduit
185	28942		Screw, 10-32 x 3/8"
187	650713		Screw, 5/16-18 x 5/8"
188	26073		Washer, Flat
216	33467		Tube, Extension, Oil fill
217	650744		Screw, 10-24 x 7/8"
246	33776		Screen, Starter pulley
247	31980		Pulley, Starter
	650680		Screw, 1/4-20 x 1-1/2"
249	32046		Rope Assy., Starter (Use as required)
	650661		Screw, 1/4-20 x 3/4"
	610408		Nut, Hex
	610750		Grommet, Lead wire
	610906		Solid State Magneto (Incl.151,173,265,266)(20 Amp)
	610901		Solid State Flywheel
	31752		Decal, Air cleaner
	550223		Decal, Name
	32676		Decal, Solid State
	34346		Decal, Instruction
	32411A		Valve, Seat, Spring & Gasket Assy.
301	631304A		Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A		* Gasket Set (Incl. items marked *)







Oty Description
Washer, Lock 1/4 E.T. (Use as require d)
Washer, Flat 1/4 (Use as required)
Screw, 8-18 x 7/16" (Use as required)
Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
Screw, 10-16 x 3/8" (Use as required)
Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use
as required)
Harness Assy., Adapter (Use as requir ed)
Alternator Coil (20 Amp)(Incl.256,257,258)
Screw, 10-32 x 1-1/8"
Terminal
Flat Connector (Female terminals) (As req.)
Terminal
Connector, Flat
Grommet, Lead wire
Regulator (20 Amp) (Incl.268A, 269 & 298)
Starter Switch Kit(Incl. 287-298) (As req.)
Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835 starter motors are used interchangeably on the se models. Refer to service numberstamped on end cap of motor, or on decal for identification. Refer to Division 5, Section D for breakdown.



Ref #	Part Number	Qty	Description
41	31967		Spring, Governor
71	26460		Clamp, Fuel line (Use as required)
72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
72	30705		Fuel Line (Braided) (16") (Use as req uired)
72	30962		Fuel Line (Braided) (32") (Use as req uired)
72	30965		Fuel Line (Braided) (48") (Use as req uired)
119	28534		Pipe Plug, 1/8-27 (Use as required)
119	9556		Plug, Pipe, 1/8-27 (Use as required)
122C	32907B		Bracket, Air cleaner
123A	32008		Element, Air cleaner
172	31990		Bracket, Choke control
184	27793		Clip, Conduit
185	28942		Screw, 10-32 x 3/8"
209	33964		Weight Assy., Counterbalance (Helical teeth) (Incl. 2 of 212)
210	33963		Gear, Counterbalance Weight
211	33499		Spacer
212	33501		Bearing, Needle
213	33502		Shaft, Counterbalance
	33503		Washer, Thrust
215	792017		Ring, Retaining
	32958		Fitting, Fuel
	32959		Fuel Pump, Impulse
239	33010		Repair Kit, Impulse fuel pump