
## ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.





Dof # Dort Number	Oty Description
Ref # Part Number	Qty Description Odinder (hed 2.4.30.47.110) (3.5/46.11)
1 33039	Cylinder (Incl.2,4,30,47,119) (3-5/16 ")
2 27652	Pin, Dowel
4 31950	Seal, Oil
5 31940	Intake Valve (Std.)
5 31941	Intake Valve (1/32" OS) (Incl. 9)
6 31942	Exhaust Valve (Std.)
6 31943	Exhaust Valve (1/32" OS) (Incl. 9)
7 650592	Key, Flywheel
8 31944	Spring, Valve
9A 31945	Cap, Lower valve spring (Std.)
9A 31946	Cap, Lower valve spring (1/32" OS)
9 31946	Cap, Lower valve spring (1/32" OS)
9 31945	Cap, Lower valve spring (Std.)
10 20810	Pin, Valve spring retainer
11 33397A	Crankshaft (Incl. 12, 13, 78 & 79)
12 29783	
	Pin, Crankshaft gear
13 31931	Gear, Crankshaft
14A 32001C	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -5/16")
14A 32002B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A 32003B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14A 32619B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
14 34508	Piston, Pin & Ring Set (Std.) (3-5/16 "Bore)
14 34509	Piston, Pin & Ring Set (.010" OS)
14 34510	Piston, Pin & Ring Set (.020" OS)
14 34850	Piston, Pin & Ring Set (.030" OS)
14 34523	Piston, Pin & Ring Set (.040" OS)
14 32620B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
15 32004	Ring Set (Std.) (3-5/16" Bore)
15 32005	Ring Set (.010" OS)
15 32006	Ring Set (.020" OS)
15 32623	Ring Set (.030" OS)
15 32624	Ring Set (.040" OS)
15 32321	Re-Ringing Set, Piston
16 31919	Ring, Piston pin retaining
17 33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
17 34383	Connecting Rod Assy.(Job., Mid. 16, 13 & 26)
17 34384	Connecting Rod Assy.(.020" US)(Incl. 1 8,19,20)
18 32077	
	Bolt, Connecting rod
19 26073	Washer, Connecting rod
20 28264	Nut Assy., Lock
21 32150	Camshaft (MCR)
22 31939	Lifter, Valve
23 32580A	Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
23A 31956A	* Gasket, Cylinder cover
25A 29673	* Gasket, Oil fill
26 33069	Dipstick (Incl. 25A)
28 32426	Spacer, Governor rod
29 650588	Screw, 1/4-20 x 2"
30 31927	Oil Drain Plug
31 31968	Link, Governor
32 650451	Screw, 1/4-20 x 1"
33 31964	Clamp, Governor lever
34 29193	Ring, Retaining
35 31963	Lever, Governor adjusting
36 650518	Lockwasher
37 650544	Screw, 10-24 x 7/8"
38 7975	Nut, 10-24
39 31965	Plate, Governor spring
33 01000	. iaic, coronic opining


Ref #	Part Number Qty	Description
	30312	Screw, 10-32 x 1/2"
	31967	Spring, Governor
	30590A	Washer, Flat
	32425	Rod Assy., Governor
	31948	Spool, Governor
45	29193	Ring, Retaining
46	31947	Gear Assy., Governor
47	31930	Shaft, Mechanical Governor
48	32000A	* Gasket, Cylinder head
	33034	Head, Cylinder
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650711	Screw, 5/16-18 x 1-5/8" (Use as required)
	650628A	Screw, 5/16-18 x 2-3/8" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650714	Screw, 5/16-18 x 1-5/8" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
51	650692	Screw, 5/16-18 x 1-3/4" (Use as requi red)
51	650603	Screw, 5/16-18 x 5/8" (Use as require d)
53	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug (RJ-17LM)
	33035	Cover, Cylinder head
	28537	Washer, Plain
	650691	Washer, Flat (Use as required)
		. ,
	650690	Washer, Belleville (Use as required)
	8274	Washer, Lock (Use as required)
	650128	Screw, 10-24 x 1/2"
	31976	Extension, Blower housing
61	31978	Bracket, Fuel tank
63	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
63	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
64	21070	Stron Fuel tonk
	31979	Strap, Fuel tank
	650451	Screw, 1/4-20 x 1"
	650456	Nut, Flange whiz-lock, 1/4-20
	650517	Screw, 1/4-20 x 27/32" (Use as requir ed)
	650561	Screw, 1/4-20 x 5/8" (Use as required )
67	30063	Screw, 1/4-20 x 1/2" (Use as required )
67	792028	Screw, 5/16-18 x 7/8" (Use as require d)
70B	29683	Strainer & Shut-off, Fuel
71	26460	Clamp, Fuel line (Use as required)
	30962	Fuel Line (Braided) (32") (Use as req uired)
	30965	Fuel Line (Braided) (48") (Use as req uired)
	29774	Fuel Line (Braided) (8.25") (Use as required)
	30705	Fuel Line (Braided) (16") (Use as req uired)
	32579	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	28545	Grommet, Plastic
	650760	Screw, 8-32 x 3/8"
78	31932	Bearing, Tapered roller
79	31928	Cup, Bearing
	32031	Spacer, Steel (.010" thick) NOTE: Determine the gap
00		between the cover and the machined surface on the cylinder
		which can be from .001"up to .007" in which case no shim
		gaskets will be required. Use of gasket must be limited to a
		combined total of .010" thick. Steel spacersmust be used
		as required

Def #	Dout Ni week ov	Description
	Part Number Qty 31971	Description  * Cooket Shim ( 004/ 005 thick) NOTE: Determine the gen
01	219/1	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
82	31972	* Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 32577	"O" Ring Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84	792028	Screw, 5/16-18 x 7/8"
	650679	Lockwasher, 5/16" (Use as required)
85	650666	Washer, Lock
	650594	Nut, Flywheel, 3/4-16
	33044A	Blower Hsg. (Incl.73) (For electric s tarter)
	8274	Washer, Lock
	650595	Screw, 5/16-24 x 3/8"
	32039	Switch, Stop
	650890 26073	Washer, Shakeproof
	650624	Washer, Flat Screw, 5/16-24 x 9/16"
	31958	* Gasket, Breather
	31957	Breather Assy.
	35350	Tube, Breather
	650128	Screw, 10-24 x 1/2"
	28558	Washer, Wave
	31966	Bushing, Control lever
	31984A	Lever, Control
	650597	Screw, 10-24 x 5/8"
106	650591	Screw, 10-24 x 2"
	33099	Spring
	32042	Nipple, Exhaust pipe
	32043B	Muffler
	33038	Plug, Button (Use as required)
	27272	* Gasket, Air cleaner
	650399	Screw, 10-32 x 5/8"
	30767	Spacer, Air cleaner
	32810 650513	Cover, Air cleaner
	650513 650713	Nut, Wing Screw, 5/16-18 x 5/8" (Use as require d)
	650429	Screw, 5/16-18 x 3/4" (Use as require d)
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
	26073	Washer, Flat (Use as required)
	8274	Lockwasher, Split (Use as required)
	33263	* Gasket, Carburetor
	650451	Screw, 1/4-20 x 1"
	34061	Baffle, Air


Ref #	Part Number	Qty	Description
151	610908	•	Terminal, Female
156	730201		Trigger Pin Kit (Use as required)
173	610118		Cover, Spark plug (Use as required)
177	8345		Washer, 1/4 plain (Use as required)
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
184	27793		Clip, Conduit
185	28942		Screw, 10-32 x 3/8"
187	650713		Screw, 5/16-18 x 5/8"
188	26073		Washer, Flat
249	32046		Rope Assy., Starter (Use as required)
259	650399		Screw, 10-32 x 5/8"
260	610965		Solid State Stator Plate Ass'y.
264	650661		Screw, 1/4-20 x 3/4"
265	610408		Nut, Hex
266	610750		Grommet, Lead wire
267	610906		Solid State Magneto (Incl.151,173,265,266)(20 Amp)
278	610966		Flywheel (w/ring gear)
299	34346		Decal, Instruction
299B	550223		Decal, Name
300A	631021		Inlet Needle, Seat & Clip Assy.
301	631975		Carburetor (Incl. 145) (Refer to Division 5, Section A, page
			150 for breakdown)
304	33237A		* Gasket Set (Incl. items marked *)







Ref #	Part Number	Qty Description
165	32048	Hub, Starter
166	32049	Screen, Starter hub
167	650516	Screw, 1/4-20 x 1-1/8"
168	650598	Screw, 1/4-28 x 3/4"
169	8345	Washer, Flat
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
179	33013	Cover, Starter bubble
180	650701	Screw, 8-18 x 7/16" (Use as required)
222	792028	Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
222	650781	Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276	Plate, Cover (Use as required to cover regulator mounting
		hole in blower housing)
236	650736	Screw, 10-16 x 3/8" (Use as required)
252	730134	Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use
		as required)
253	33018	Harness Assy., Adapter (Use as requir ed)
	610824	Flat Connector (Female terminals) (As req.)
	610750	Grommet, Lead wire
	730198	Starter Switch Kit(Incl. 287-298) (As req.)
	590405	Rewind Starter (Refer to Division 5, Section C, page 24 for
		breakdown)



Ref #	Part Number (	Qty Description
41	31967	Spring, Governor
62A	31977	Fuel Tank (Incl. 63)
71	26460	Clamp, Fuel line (Use as required)
72	30962	Fuel Line (Braided) (32") (Use as req uired)
72	30965	Fuel Line (Braided) (48") (Use as req uired)
72	29774	Fuel Line (Braided) (8.25") (Use as r equired)
72	30705	Fuel Line (Braided) (16") (Use as req uired)
119	28534	Pipe Plug, 1/8-27 (Use as required)
119	9556	Plug, Pipe, 1/8-27 (Use as required)
122C	32907B	Bracket, Air cleaner
122B	34065	Bracket, Air cleaner
123A	32008	Element, Air cleaner
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"