ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




Ref #	Part Number C	ty Description
	33039	Cylinder (Incl.2,4,30,47,119) (3-5/16 ")
	27652	Pin, Dowel
	31950	Seal, Oil
	31940	Intake Valve (Std.)
	31941	Intake Valve (1/32" OS) (Incl. 9)
	31942	Exhaust Valve (Std.)
	31943	Exhaust Valve (1/32" OS) (Incl. 9)
	650592	Key, Flywheel
8	31944	Spring, Valve
9A	31945	Cap, Lower valve spring (Std.)
9A	31946	Cap, Lower valve spring (1/32" OS)
9	31946	Cap, Lower valve spring (1/32" OS)
	31945	Cap, Lower valve spring (Std.)
	20810	Pin, Valve spring retainer
	33397A	Crankshaft (Incl. 12, 13, 78 & 79)
	29783	Pin, Crankshaft gear
	34692	Gear, Crankshaft
	32001C	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -5/16")
	32002B	Piston & Pin Assly. (.010" OS) (Incl. 16)
	32003B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32619B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	34508	Piston, Pin & Ring Set (Std.) (3-5/16 " Bore)
	34509	Piston, Pin & Ring Set (.010" OS)
	34510	Piston, Pin & Ring Set (.020" OS)
14	34850	Piston, Pin & Ring Set (.030" OS)
14	34523	Piston, Pin & Ring Set (.040" OS)
14	32620B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
15	32004	Ring Set (Std.) (3-5/16" Bore)
15	32005	Ring Set (.010" OS)
	32006	Ring Set (.020" OS)
	32623	Ring Set (.030" OS)
	32624	Ring Set (.040" OS)
	32321	Re-Ringing Set, Piston
	31919	Ring, Piston pin retaining
	33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383	
	34384	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20) Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077	Bolt, Connecting rod
	26073	Washer, Connecting rod
	28264	Nut Assy., Lock
	34693	Camshaft (MCR) (Helical)
	31939	Lifter, Valve
	31956A	* Gasket, Cylinder cover
	32685	Cylinder Cover (Incl.4,25,26A,28,30,3 4 & 43)
25A	29673	* Gasket, Oil fill
26	33069	Dipstick (Incl. 25A)
28	32426	Spacer, Governor rod
29	650588	Screw, 1/4-20 x 2"
	31927	Oil Drain Plug
	31968	Link, Governor
	650451	Screw, 1/4-20 x 1"
	31964	Clamp, Governor lever
	29193	Ring, Retaining
	31963	Lever, Governor adjusting
	650518	Lockwasher
	650544	Screw, 10-24 x 7/8"
	7975	Nut, 10-24
39	31965	Plate, Governor spring


D-(//	Deat Marchan	O 1	December 1.
	Part Number	Qty	Description
	30312		Screw, 10-32 x 1/2"
	31967		Spring, Governor
42	30590A		Washer, Flat
43	32425		Rod Assy., Governor
44	31948		Spool, Governor
	29193		Ring, Retaining
	34691		Governor Gear Ass'y. (Helical)
	31930		Shaft, Mechanical Governor
	32000A		•
			* Gasket, Cylinder head
	33034		Head, Cylinder
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650711		Screw, 5/16-18 x 1-5/8" (Use as requi red)
51	650628A		Screw, 5/16-18 x 2-3/8" (Use as requi red)
51	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
51	650714		Screw, 5/16-18 x 1-5/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650692		Screw, 5/16-18 x 1-3/4" (Use as required)
	650603		Screw, 5/16-18 x 5/8" (Use as require d)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug (RJ-17LM)
	33035		Cover, Cylinder head
	28537		Washer, Plain
57	650691		Washer, Flat (Use as required)
58	650690		Washer, Belleville (Use as required)
58	8274		Washer, Lock (Use as required)
	650128		Screw, 10-24 x 1/2"
	31976		Extension, Blower housing
	31978		Bracket, Fuel tank
			·
	410144B		Fuel Cap (White Plastic)(Std.)(As req uired)
63	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
64	31979		Strap, Fuel tank
	650451		Screw, 1/4-20 x 1"
			•
	650456		Nut, Flange whiz-lock, 1/4-20
	650517		Screw, 1/4-20 x 27/32" (Use as requir ed)
	650561		Screw, 1/4-20 x 5/8" (Use as required)
	30063		Screw, 1/4-20 x 1/2" (Use as required)
67	792028		Screw, 5/16-18 x 7/8" (Use as require d)
70B	29683		Strainer & Shut-off, Fuel
71	26460		Clamp, Fuel line (Use as required)
	30962		Fuel Line (Braided) (32") (Use as req uired)
	30965		Fuel Line (Braided) (48") (Use as req uired)
	29774		Fuel Line (Braided) (8.25") (Use as r equired)
	30705		Fuel Line (Braided) (16") (Use as required)
	32579		Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
	31932		Bearing, Tapered roller
	31928		Cup, Bearing
80	32031		Spacer, Steel (.010" thick) NOTE: Determine the gap
			between the cover and the machined surface on the cylinder
			which can be from .001"up to .007" in which case no shim
			gaskets will be required. Use of gasket must be limited to a
			combined total of .010" thick. Steel spacersmust be used
			as required
			as required

Ref #	Part Number	Qtv	Description
	31971		* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972		"O" Ring * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32577		Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84 85 86 87 91 92 95 96 98 99 100 101 105 108 109 112 115 120 121 125A 128 128 128 141 141A 145 146 147 151	33263 650451 34061 610908 730201		Lockwasher, 5/16" (Use as required) Screw, 5/16-18 x 7/8" Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Washer, Lock Screw, 5/16-24 x 3/8" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Screw, 10-24 x 5/8" Nipple, Exhaust pipe Muffler Plug, Button (Use as required) * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Cover, Air cleaner Cover, Air cleaner Nut, Wing Screw, 5/16-18 x 3/4" (Use as require d) Screw, 5/16-18 x 3/4" (Use as require d) Washer, Flat (Use as required) Lockwasher, Split (Use as required) * Gasket, Carburetor Screw, 1/4-20 x 1" Baffle, Air Terminal, Female Trigger Pin Kit (Use as required)
176 177 178	610118 31992 8345 27070 650675		Cover, Spark plug (Use as required) Spacer, Screen Washer, 1/4 plain (Use as required) Washer, Lock 1/4 E.T. (Use as require d) Washer, Flat 1/4 (Use as required)

Ref #	Part Number C	ty Description
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"
187	650713	Screw, 5/16-18 x 5/8"
188	26073	Washer, Flat
246	33776	Screen, Starter pulley
247	31980	Pulley, Starter
248	650680	Screw, 1/4-20 x 1-1/2"
249	32046	Rope Assy., Starter (Use as required)
264	650661	Screw, 1/4-20 x 3/4"
265	610408	Nut, Hex
266	610750	Grommet, Lead wire
267	610906	Solid State Magneto (Incl.151,173,265,266)(20 Amp)
278	610901	Solid State Flywheel
299	34346	Decal, Instruction
299B	34768	Decal, Name
300A	631021	Inlet Needle, Seat & Clip Assy.
301	631975	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 150 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)

This illustration may not depict actual equipment and is for reference only! VIEW 2 of 3 267A





Ref #	Part Number	Qty	Description
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
180	650701		Screw, 8-18 x 7/16" (Use as required)
222	792028		Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
222	650781		Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276		Plate, Cover (Use as required to cover regulator mounting
			hole in blower housing)
236	650736		Screw, 10-16 x 3/8" (Use as required)
252	730134		Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
253	33018		Harness Assy., Adapter (Use as requir ed)
254A	610902		Alternator Coil (20 Amp)(Incl.256,257,258)
255	650521		Screw, 10-32 x 1-1/8"
256	610905		Terminal
257	610904		Terminal
257B	610824		Flat Connector (Female terminals) (As req.)
258	610903		Connector, Flat
266	610750		Grommet, Lead wire
268A	610996		Regulator (20 Amp) (Incl. 270 thru 27 4)
269	30063		Screw, 1/4-20 x 1/2"
270A	610990		Connector, Male
270	610921		Connector
271	610992		Terminal, Female
	610989		Terminal, Female
	610992		Terminal, Female
	610991		Terminal, Female
	730198		Starter Switch Kit(Incl. 287-298) (As req.)
	34614		Bracket, Starter button
	34615		Switch, Toggle
	34616		Switch, Starter
	792026		Screw, 1/4-20 x 7/8"
	34619		Wire Assy., Ground
	27513		Lockwasher, Split
	650864		Nut, Hex
	34620		Wire & Fuse Assy.
	34618		Wire Assy., Starter
	8274		Lockwasher, Split
	650586		Nut, Jam
	34617		Cord Assy., Adapter
303	33835		Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835
			starter motors are used interchangeably on the se models.
			Refer to service numberstamped on end cap of motor, or on
			decal for identification. Refer to Division 5, Section D for
			breakdown.



Ref #	Part Number	Qty	Description
41	31967		Spring, Governor
62A	31977		Fuel Tank (Incl. 63)
71	26460		Clamp, Fuel line (Use as required)
72	30962		Fuel Line (Braided) (32") (Use as req uired)
72	30965		Fuel Line (Braided) (48") (Use as req uired)
72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
72	30705		Fuel Line (Braided) (16") (Use as req uired)
119	28534		Pipe Plug, 1/8-27 (Use as required)
119	9556		Plug, Pipe, 1/8-27 (Use as required)
122C	32907B		Bracket, Air cleaner
122B	34065		Bracket, Air cleaner
123A	32008		Element, Air cleaner
184	27793		Clip, Conduit
185	28942		Screw, 10-32 x 3/8"
200	32421		Control Assy., Speed (Incl. 206)
201	650641		Nut, Jam
205	33597		Bracket, Speed control
	650456		Nut, Flanged whiz-lock
207	650561		Screw, 1/4-20 x 5/8"
208	31992		Spacer