
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




		_	
	Part Number	Qty	
	33042		Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore)
	27652		Pin, Dowel
4	31950		Seal, Oil
5	31940		Intake Valve (Std.)
5	31941		Intake Valve (1/32" OS) (Incl. 9)
6	31942		Exhaust Valve (Std.)
6	31943		Exhaust Valve (1/32" OS) (Incl. 9)
7	650592		Key, Flywheel
	31944		Spring, Valve
	32475		Cap, Lower valve spring (Rotator)
	31946		Cap, Lower valve spring (1/32" OS)
	31945		Cap, Lower valve spring (Std.)
	20810		Pin, Valve spring retainer
	33392A		Crankshaft (Incl. 12, 13, 78 & 79)
	29783		Pin, Crankshaft gear
	31931		Gear, Crankshaft
	32238B		Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
	32239B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32240B		Piston & Pin Ass'y. (.000 °CS) (Incl. 16)
	32621B		Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	32622B		Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	34511		Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
	34512		Piston, Pin & Ring Set (.010" OS)
	34513		Piston, Pin & Ring Set (.020" OS)
	34524		Piston, Pin & Ring Set (.030" OS)
	34525		Piston, Pin & Ring Set (.040" OS)
	32241		Ring Set (Std.) (3-1/2" Bore)
	32242		Ring Set (.010" OS)
	32243		Ring Set (.020" OS)
15	32625		Ring Set (.030" OS)
15	32626		Ring Set (.040" OS)
15	32336		Re-Ringing Set, Piston
16	31919		Ring, Piston pin retaining
17	33093A		Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
17	34383		Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
17	34384		Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077		Bolt, Connecting rod
	26073		Washer, Connecting rod
	28264		Nut Assy., Lock
	32150		Camshaft (MCR)
	31939		Lifter, Valve
	32685		Cylinder Cover (Incl.4,25,26A,28,30,3 4 & 43)
	31956A		* Gasket, Cylinder cover
	33992A		Oil Fill Tube
	33590		"O" Ring
	33993A		Dipstick (Incl. 25A)
	32426		Spacer, Governor rod
	650588		Screw, 1/4-20 x 2"
	31927		Oil Drain Plug
	31968		
			Link, Governor
	650451		Screw, 1/4-20 x 1"
	31964		Clamp, Governor lever
	29193		Ring, Retaining
	31963		Lever, Governor adjusting
	650518		
	650544		Screw, 10-24 x 7/8"
	7975		Nut, 10-24
39	31965		Plate, Governor spring

	rt Number Qty	
40 303	312	Screw, 10-32 x 1/2"
41 319	967	Spring, Governor
42 305		Washer, Flat
43 324		Rod Assy., Governor
44 319		Spool, Governor
		•
45 291		Ring, Retaining
46 319		Gear Assy., Governor
47 319		Shaft, Mechanical Governor
48 322		* Gasket, Cylinder head
49 330)34	Head, Cylinder
51 650)694A	Screw, 5/16-18 x 2" (Use as required)
51 650)711	Screw, 5/16-18 x 1-5/8" (Use as required)
51 650		Screw, 5/16-18 x 2-3/8" (Use as required)
51 650		Screw, 5/16-18 x 2-1/4" (Use as required)
51 650		
		Screw, 5/16-18 x 1-5/8" (Use as required)
51 650		Screw, 5/16-18 x 2-1/2" (Use as required)
51 650		Screw, 5/16-18 x 1-3/4" (Use as required)
51 650		Screw, 5/16-18 x 5/8" (Use as require d)
53 336	536	Resistor Spark Plug (RJ-8C)
53 342	251	Resistor Spark Plug (RJ-17LM)
54 330)35	Cover, Cylinder head
55 285		Washer, Plain
57 650		Washer, Flat (Use as required)
58 650		
		Washer, Belleville (Use as required)
58 827		Washer, Lock (Use as required)
59 650		Screw, 10-24 x 1/2"
60 319		Extension, Blower housing
61 319	978	Bracket, Fuel tank
63 410)144B	Fuel Cap (White Plastic)(Std.)(As req uired)
63 342	210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
64 319	979	Strap, Fuel tank
65 650		Screw, 1/4-20 x 1"
66 650		Nut, Flange whiz-lock, 1/4-20
67 650		Screw, 1/4-20 x 27/32" (Use as required)
67 650		Screw, 1/4-20 x 5/8" (Use as required)
67 300		Screw, 1/4-20 x 1/2" (Use as required)
67 792		Screw, 5/16-18 x 7/8" (Use as require d)
70B 296	683	Strainer & Shut-off, Fuel
71 264		Clamp, Fuel line (Use as required)
72 309		Fuel Line (Braided) (32") (Use as req uired)
72 309		Fuel Line (Braided) (48") (Use as req uired)
72 297		Fuel Line (Braided) (8.25") (Use as required)
72 307		Fuel Line (Braided) (16") (Use as req uired)
73 325		Baffle, Blower housing
74 650	0561	Screw, 1/4-20 x 5/8"
75 333	356	Terminal
76 285		Grommet, Plastic
77 650		Screw, 8-32 x 3/8"
78 319		
		Bearing, Tapered roller
79 319		
80 320	J31	Spacer, Steel (.010" thick) NOTE: Determine the gap
00 020		between the cover and the machined surface on the cylinder
		which can be from .001"up to .007" in which case no shim
		which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used

	Part Number	Qty Description
81	31971	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972	"O" Ring * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32677	Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84A 85 86 87 91 92 93 94 95 96 98 99 100 101 102 103 104 105 106 107 112 115 120 121 122D 122E 123 126 128 128	650668 650679 650666 650594 33044A 8274 650595 32039 650890 26073 650624 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33099 33038 27272 650399 30767 32380 32377 31925 650513 650713 650429 792028 26073	Screw, 10-32 x 1" Lockwasher, 5/16" (Use as required) Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Switch, Stop Washer, Shakeproof Washer, Flat Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Plug, Button (Use as required) * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Bracket, Air clean
145 146	8274 33263 650451 34061	Lockwasher, Split (Use as required) * Gasket, Carburetor Screw, 1/4-20 x 1" Baffle, Air

156 730201 Trigger Pin Kit (Use as required) 173 610118 Cover, Spark plug (Use as required) 176 31992 Spacer, Screen 177 8345 Washer, 1/4 plain (Use as required) 178 27070 Washer, Lock 1/4 E.T. (Use as required) 178 650675 Washer, Flat 1/4 (Use as required) 187 650713 Screw, 5/16-18 x 5/8" 188 26073 Washer, Flat 246 33776 Screen, Starter pulley 248 650680 Screw, 1/4-20 x 1-1/2" 249 32046 Rope Assy., Starter (Use as required) 266 610750 Grommet, Lead wire	
176 31992 Spacer, Screen 177 8345 Washer, 1/4 plain (Use as required) 178 27070 Washer, Lock 1/4 E.T. (Use as required) 178 650675 Washer, Flat 1/4 (Use as required) 187 650713 Screw, 5/16-18 x 5/8" 188 26073 Washer, Flat 246 33776 Screen, Starter pulley 248 650680 Screw, 1/4-20 x 1-1/2" 249 32046 Rope Assy., Starter (Use as required) 266 610750 Grommet, Lead wire	
177 8345 Washer, 1/4 plain (Use as required) 178 27070 Washer, Lock 1/4 E.T. (Use as required) 178 650675 Washer, Flat 1/4 (Use as required) 187 650713 Screw, 5/16-18 x 5/8" 188 26073 Washer, Flat 246 33776 Screen, Starter pulley 248 650680 Screw, 1/4-20 x 1-1/2" 249 32046 Rope Assy., Starter (Use as required) 266 610750 Grommet, Lead wire	
178 27070 Washer, Lock 1/4 E.T. (Use as require d) 178 650675 Washer, Flat 1/4 (Use as required) 187 650713 Screw, 5/16-18 x 5/8" 188 26073 Washer, Flat 246 33776 Screen, Starter pulley 248 650680 Screw, 1/4-20 x 1-1/2" 249 32046 Rope Assy., Starter (Use as required) 266 610750 Grommet, Lead wire	
178 27070 Washer, Lock 1/4 E.T. (Use as require d) 178 650675 Washer, Flat 1/4 (Use as required) 187 650713 Screw, 5/16-18 x 5/8" 188 26073 Washer, Flat 246 33776 Screen, Starter pulley 248 650680 Screw, 1/4-20 x 1-1/2" 249 32046 Rope Assy., Starter (Use as required) 266 610750 Grommet, Lead wire	
178 650675 Washer, Flat 1/4 (Use as required) 187 650713 Screw, 5/16-18 x 5/8" 188 26073 Washer, Flat 246 33776 Screen, Starter pulley 248 650680 Screw, 1/4-20 x 1-1/2" 249 32046 Rope Assy., Starter (Use as required) 266 610750 Grommet, Lead wire	
187 650713 Screw, 5/16-18 x 5/8" 188 26073 Washer, Flat 246 33776 Screen, Starter pulley 248 650680 Screw, 1/4-20 x 1-1/2" 249 32046 Rope Assy., Starter (Use as required) 266 610750 Grommet, Lead wire	
188 26073 Washer, Flat 246 33776 Screen, Starter pulley 248 650680 Screw, 1/4-20 x 1-1/2" 249 32046 Rope Assy., Starter (Use as required) 266 610750 Grommet, Lead wire	
248 650680 Screw, 1/4-20 x 1-1/2" 249 32046 Rope Assy., Starter (Use as required) 266 610750 Grommet, Lead wire	
24932046Rope Assy., Starter (Use as required)266610750Grommet, Lead wire	
266 610750 Grommet, Lead wire	
266 610750 Grommet, Lead wire	
278 610773 Solid State Flywheel	
299 34346 Decal, Instruction	
299B 550223 Decal, Name	
299B 34768 Decal, Name	
299B 32676 Decal, Solid State	
299A 31752 Decal, Air cleaner	
300A 631021 Inlet Needle, Seat & Clip Assy.	
301 631877 Carburetor (Incl. 145) (Refer to Division 5, Section A, page	je
134 for breakdown)	
304 33237A * Gasket Set (Incl. items marked *)	



Ref #	Part Number	Qty De	escription
178	27070	Wa	/asher, Lock 1/4 E.T. (Use as require d)
178	650675	Wa	/asher, Flat 1/4 (Use as required)
180	650701	Sc	crew, 8-18 x 7/16" (Use as required)
222	792028	Sc	crew, 5/16-18 x 7/8" (Use w/32817 st r.motor)
222	650781	Sc	crew,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276		ate, Cover (Use as required to cover regulator mounting ble in blower housing)
236	650736	Sc	crew, 10-16 x 3/8" (Use as required)
	730134	Re	ewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use s required)
253	33018	Ha	arness Assy., Adapter (Use as requir ed)
	610824		at Connector (Female terminals) (As req.)
	610759		blid State Magneto
	650489		crew, 1/4-20 x 5/8"
	650669		crew, 5/16-18 x 1-1/4"
262	610760		blid State Transformer Ass'y.(Incl.1 73,266)
263	650561	Sc	crew, 1/4-20 x 5/8"
266	610750	Gr	rommet, Lead wire
275	730198	Sta	arter Switch Kit(Incl. 287-298) (As req.)
277	30831	Gr	round Wire (Incl. 75)
303	33835	sta Re de	ectric Starter Motor (12 Volt) NOTE: The 32817 and 33835 arter motors are used interchangeably on the se models. efer to service numberstamped on end cap of motor, or on ecal for identification. Refer to Division 5, Section D for eakdown.


1268

126A

Ć

Ĩ25

ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY DEM.



123A

124

234

228

227-

234A

Ref #	Part Number 0	Qty Description
41	31967	Spring, Governor
62A	31977	Fuel Tank (Incl. 63)
71	26460	Clamp, Fuel line (Use as required)
72	30962	Fuel Line (Braided) (32") (Use as req uired)
72	30965	Fuel Line (Braided) (48") (Use as req uired)
72	29774	Fuel Line (Braided) (8.25") (Use as r equired)
72	30705	Fuel Line (Braided) (16") (Use as req uired)
111	650590	Nut, Conduit
119	28534	Pipe Plug, 1/8-27 (Use as required)
119	9556	Plug, Pipe, 1/8-27 (Use as required)