
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEAL




	B (N)		
		lty	Description
	33042		Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore)
	27652		Pin, Dowel
4	31950		Seal, Oil
5	31940		Intake Valve (Std.)
5	31941		Intake Valve (1/32" OS) (Incl. 9)
6	31942		Exhaust Valve (Std.)
	31943		Exhaust Valve (1/32" OS) (Incl. 9)
	650592		Key, Flywheel
	31944		Spring, Valve
	31946		Cap, Lower valve spring (1/32" OS)
	31945		, ,
			Cap, Lower valve spring (Std.)
	32475		Cap, Lower valve spring (Rotator)
	20810		Pin, Valve spring retainer
	33392A		Crankshaft (Incl. 12, 13, 78 & 79)
	29783		Pin, Crankshaft gear
13	31931		Gear, Crankshaft
14A	32238B		Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
14A	32239B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32240B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14A	32621B		Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	32622B		Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	34511		Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
	34512		Piston, Pin & Ring Set (0.10" OS)
	34513		Piston, Pin & Ring Set (.020" OS)
	34524		Piston, Pin & Ring Set (.030" OS)
	34525		Piston, Pin & Ring Set (.040" OS)
	32241		Ring Set (Std.) (3-1/2" Bore)
	32242		Ring Set (.010" OS)
	32243		Ring Set (.020" OS)
	32625		Ring Set (.030" OS)
15	32626		Ring Set (.040" OS)
15	32336		Re-Ringing Set, Piston
16	31919		Ring, Piston pin retaining
17	33093A		Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383		Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384		Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077		Bolt, Connecting rod
	26073		Washer, Connecting rod
	28264		Nut Assy., Lock
	32150		Camshaft (MCR)
	31939		Lifter, Valve
			·
	31956A		* Gasket, Cylinder cover
	32685		Cylinder Cover (Incl.4,25,26A,28,30,3 4 & 43)
	29673		* Gasket, Oil fill
	27625		Oil Fill Plug (Incl. 25A)
	32426		Spacer, Governor rod
	650588		Screw, 1/4-20 x 2"
30	31927		Oil Drain Plug
31	31968		Link, Governor
32	650451		Screw, 1/4-20 x 1"
	31964		Clamp, Governor lever
	29193		Ring, Retaining
	31963		Lever, Governor adjusting
	650518		Lockwasher
	650544		Screw, 10-24 x 7/8"
	7975		Nut, 10-24 x 7/8
			·
	31965		Plate, Governor spring
40	30312		Screw, 10-32 x 1/2"


41 42 43 44 45 46 47 48 49 51 51 51	Part Number 31967 30590A 32425 31948 29193 31947 31930 32246A 33034 650694A 650711 650628A 650695A	Qty	Description Spring, Governor Washer, Flat Rod Assy., Governor Spool, Governor Ring, Retaining Gear Assy., Governor Shaft, Mechanical Governor * Gasket, Cylinder head Head, Cylinder Screw, 5/16-18 x 2" (Use as required) Screw, 5/16-18 x 2-3/8" (Use as requi red) Screw, 5/16-18 x 2-3/8" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red)
51 51 53 53 54 55 57 58 58 59 60 61 63 63	650714 650697A 650692 650603 33636 34251 33035 28537 650691 650690 8274 650128 31976 31978 410144B 34210		Screw, 5/16-18 x 1-5/8" (Use as requi red) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 1-3/4" (Use as requi red) Screw, 5/16-18 x 5/8" (Use as require d) Resistor Spark Plug (RJ-8C) Resistor Spark Plug (RJ-17LM) Cover, Cylinder head Washer, Plain Washer, Flat (Use as required) Washer, Belleville (Use as required) Washer, Lock (Use as required) Screw, 10-24 x 1/2" Extension, Blower housing Bracket, Fuel tank Fuel Cap (White Plastic)(Std.)(As req uired) Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
65 66 67 67 67 70B 71 72 72 72 72 73 74 75 76 77	31979 650451 650456 650517 650561 30063 792028 29683 26460 30962 30965 29774 30705 32579 650561 33356 28545 650760 31932 31928 32031		Strap, Fuel tank Screw, 1/4-20 x 1" Nut, Flange whiz-lock, 1/4-20 Screw, 1/4-20 x 27/32" (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Screw, 5/16-18 x 7/8" (Use as required) Strainer & Shut-off, Fuel Clamp, Fuel line (Use as required) Fuel Line (Braided) (32") (Use as req uired) Fuel Line (Braided) (48") (Use as req uired) Fuel Line (Braided) (8.25") (Use as required) Fuel Line (Braided) (16") (Use as required) Fuel Line (Braided) (16") (Use as req uired) Baffle, Blower housing Screw, 1/4-20 x 5/8" Terminal Grommet, Plastic Screw, 8-32 x 3/8" Bearing, Tapered roller Cup, Bearing Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required

	Part Number 31971	Aty Description * Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
82	31972	* Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 32677	"O" Ring Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84A 85 86 87 91 92 93 94 95 96 98 99 100 101 102 103 104 105 106 107 108 109 112 113 114 115 120 121 122D 125A 126 128	650668 650679 650666 650594 33044A 8274 650595 32039 650890 26073 650624 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33099 32042 32043B 33038 29752 650587 27272 650399 30767 32376 32378 32009 650513 650713 650429	Screw, 10-32 x 1" Lockwasher, 5/16" (Use as required) Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Switch, Stop Washer, Shakeproof Washer, Flat Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Nipple, Exhaust pipe Muffler Plug, Button (Use as required) Nut & Lockwasher Assy. Stud, Carburetor * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Bracket, Air cleaner Bracket, Air cleaner Cover, Air cleaner Cover, Air cleaner Nut, Wing Screw, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 3/4" (Use as require d)
128	792028 8274	Screw, 5/16-18 x 7/8" (Use as require d) Lockwasher, Split (Use as required)

Ref #	Part Number	Qty	Description
141	26073		Washer, Flat (Use as required)
145	31960		* Gasket, Carburetor
147	31959		Baffle, Air
156	730201		Trigger Pin Kit (Use as required)
173	610118		Cover, Spark plug (Use as required)
176	31992		Spacer, Screen
177	8345		Washer, 1/4 plain (Use as required)
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
187	650713		Screw, 5/16-18 x 5/8"
188	26073		Washer, Flat
246	33776		Screen, Starter pulley
247	31980		Pulley, Starter
	650680		Screw, 1/4-20 x 1-1/2"
249	32046		Rope Assy., Starter (Use as required)
	610750		Grommet, Lead wire
	610773		Solid State Flywheel
	550223		Decal, Name
	34768		Decal, Name
	32676		Decal, Solid State
	31752		Decal, Air cleaner
	34346		Decal, Instruction
	32255A		Valve, Seat, Spring & Gasket Assy.
301	631533		Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A		* Gasket Set (Incl. items marked *)



Ref #	Part Number	Otv	Description
178 178 180 222 222	27070 650675 650701 792028 650781 34276		Washer, Lock 1/4 E.T. (Use as require d) Washer, Flat 1/4 (Use as required) Screw, 8-18 x 7/16" (Use as required) Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor) Screw,5/16-18 x 11/16"(Use w/33835 st r.motor) Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
	650736 730134		Screw, 10-16 x 3/8" (Use as required) Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
257B 260A 261 261A 262 263 266 275 277	33018 610824 610759 650489 650669 610760 650561 610750 730198 30831 33835		Harness Assy., Adapter (Use as requir ed) Flat Connector (Female terminals) (As req.) Solid State Magneto Screw, 1/4-20 x 5/8" Screw, 5/16-18 x 1-1/4" Solid State Transformer Ass'y.(Incl.1 73,266) Screw, 1/4-20 x 5/8" Grommet, Lead wire Starter Switch Kit(Incl. 287-298) (As req.) Ground Wire (Incl. 75) Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835 starter motors are used interchangeably on the se models. Refer to service numberstamped on end cap of motor, or on decal for identification. Refer to Division 5, Section D for breakdown.



Ref #	Part Number Qty	Description
41	31967	Spring, Governor
62A	31977	Fuel Tank (Incl. 63)
70	29634	Fitting, Fuel line
71	26460	Clamp, Fuel line (Use as required)
72	30962	Fuel Line (Braided) (32") (Use as req uired)
72	30965	Fuel Line (Braided) (48") (Use as req uired)
72	29774	Fuel Line (Braided) (8.25") (Use as r equired)
72	30705	Fuel Line (Braided) (16") (Use as req uired)
119	28534	Pipe Plug, 1/8-27 (Use as required)
119	9556	Plug, Pipe, 1/8-27 (Use as required)
123A	32008	Element, Air cleaner