
## ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




Ref #	Part Number (	Oty Description
	32289	Cylinder (Incl. 2,4,30,47,116-119) (3 -1/2")
	27652	Pin, Dowel
	31950	Seal, Oil
	31940	Intake Valve (Std.)
		· /
	31941	Intake Valve (1/32" OS) (Incl. 9)
	31942	Exhaust Valve (Std.)
	31943	Exhaust Valve (1/32" OS) (Incl. 9)
	650592	Key, Flywheel
	31944	Spring, Valve
9	31946	Cap, Lower valve spring (1/32" OS)
9	31945	Cap, Lower valve spring (Std.)
9A	31945	Cap, Lower valve spring (Std.)
9A	31946	Cap, Lower valve spring (1/32" OS)
10	20810	Pin, Valve spring retainer
	32293C	Crankshaft (Incl. 12, 13, 17, 78 & 79)
	29783	Pin, Crankshaft gear
	31931	Gear, Crankshaft
	32238B	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
	32239B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32240B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32621B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	32622B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	34511	Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
	34512	Piston, Pin & Ring Set (.010" OS)
	34513	Piston, Pin & Ring Set (.020" OS)
	34524	Piston, Pin & Ring Set (.030" OS)
	34525	Piston, Pin & Ring Set (.040" OS)
	32241	Ring Set (Std.) (3-1/2" Bore)
	32242	Ring Set (.010" OS)
15	32243	Ring Set (.020" OS)
15	32625	Ring Set (.030" OS)
15	32626	Ring Set (.040" OS)
15	32336	Re-Ringing Set, Piston
16	31919	Ring, Piston pin retaining
17	33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077	Bolt, Connecting rod
	26073	Washer, Connecting rod
	28264	Nut Assy., Lock
	32150	Camshaft (MCR)
	31939	Lifter, Valve
	32580A	Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
	31956A	* Gasket, Cylinder cover
	32908	Oil Fill Tube
	29985	"O" Ring
	29673	* Gasket, Oil fill tube
	32909	Dipstick (Incl. 25A)
	32426	Spacer, Governor rod
	650588	Screw, 1/4-20 x 2"
	31968	Link, Governor
	650451	Screw, 1/4-20 x 1"
33	31964	Clamp, Governor lever
34	29193	Ring, Retaining
35	31963	Lever, Governor adjusting
	650518	Lockwasher
	650544	Screw, 10-24 x 7/8"
	7975	Nut, 10-24
		•


Ref # Part Number  39 31965 40 30312 41 31967 42 30590A 43 32425 44 31948 45 29193 46 31947 47 31930 48 32246A 49 33056 51 650694A 51 650694A 51 650695A 51 650695A 51 650697A 51 650692 51 650692 51 650603 53 33636 53 34251 54 33035 55 28537 57 650691 58 650690 58 8274 59 650128 60 31976 63 410144B	Plate, Governor spring Screw, 10-32 x 1/2" Spring, Governor Washer, Flat Rod Assy., Governor Spool, Governor Spool, Governor Shaft, Mechanical Governor * Gasket, Cylinder head Head, Cylinder Screw, 5/16-18 x 2" (Use as required) Screw, 5/16-18 x 2-3/8" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 1-5/8" (Use as requi red) Screw, 5/16-18 x 1-3/4" (Use as requi red) Screw, 5/16-18 x 1-3/4" (Use as requi red) Screw, 5/16-18 x 5/8" (Use as requi red) Screw, 5/16-18 x 5/8" (Use as requi red) Screw, 5/16-18 x 5/8" (Use as required) Screw, 5/16-18 x 5/8" (Use as required) Washer, Flat (Use as required) Washer, Plain Washer, Flat (Use as required) Washer, Belleville (Use as required) Screw, 10-24 x 1/2" Extension, Blower housing Fuel Cap (White Plastic)(Std.)(As req uired)
63 34210  64 31979 65 650451 66 650456 67 650517 67 650561 67 30063 67 792028 71 26460 72 29774 72 30705 72 30962 72 30965 73 31975 74 650561 75 33356 76 28545 77 650760 78 31932 79 31928 80 32031	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)  Strap, Fuel tank Screw, 1/4-20 x 1" Nut, Flange whiz-lock, 1/4-20 Screw, 1/4-20 x 5/8" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Screw, 5/16-18 x 7/8" (Use as required) Clamp, Fuel line (Use as required) Fuel Line (Braided) (8.25") (Use as r equired) Fuel Line (Braided) (32") (Use as req uired) Fuel Line (Braided) (32") (Use as req uired) Fuel Line (Braided) (48") (Use as req uired) Fuel Line (Braided) (48") (Use as req uired) Baffle, Blower housing Screw, 1/4-20 x 5/8" Terminal Grommet, Plastic Screw, 8-32 x 3/8" Bearing, Tapered roller Cup, Bearing Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required

Ref #	Part Number	Otv	Description
	31971		* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972		"O" Ring  * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32677		Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
	650668		Screw, 10-32 x 1"
	650679 650666		Lockwasher, 5/16" (Use as required) Washer, Lock
	650594		Nut, Flywheel, 3/4-16
	31983		Blower Housing
	8274		Washer, Lock
	650595 8274		Screw, 5/16-24 x 3/8" Washer, Lock
	650624		Screw, 5/16-24 x 9/16"
	31958		* Gasket, Breather
	31957		Breather Assy.
	35350		Tube, Breather
	650128 28558		Screw, 10-24 x 1/2" Washer, Wave
	31966		Bushing, Control lever
	31984A		Lever, Control
	650597		Screw, 10-24 x 5/8"
	650591 33099		Screw, 10-24 x 2" Spring
	33038		Plug, Button (Use as required)
	29752		Nut & Lockwasher Assy.
	650587		Stud, Carburetor
	27272 650399		* Gasket, Air cleaner Screw, 10-32 x 5/8"
	30767		Spacer, Air cleaner
	650513		Nut, Wing
	33058		Spacer
	650713		Screw, 5/16-18 x 5/8" (Use as require d)
	650429 792028		Screw, 5/16-18 x 3/4" (Use as require d) Screw, 5/16-18 x 7/8" (Use as require d)
	26073		Washer, Flat (Use as required)
141A	8274		Lockwasher, Split (Use as required)
	31960		* Gasket, Carburetor
	31959 730301		Baffle, Air Trigger Dip Kit (Llos as required)
	730201 610118		Trigger Pin Kit (Use as required) Cover, Spark plug (Use as required)
	31992		Spacer, Screen
			'

Ref #	Part Number	Qty Description
177	8345	Washer, 1/4 plain (Use as required)
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"
187	650713	Screw, 5/16-18 x 5/8"
188	26073	Washer, Flat
219	32154	Cap, Pipe
220	32438	Nipple, Pipe
246	33776	Screen, Starter pulley
247	31980	Pulley, Starter
248	650680	Screw, 1/4-20 x 1-1/2"
249	32046	Rope Assy., Starter (Use as required)
266	610750	Grommet, Lead wire
278	610758	Flywheel
299B	32730	Decal, Craftsman
299	34346	Decal, Instruction
300	32255A	Valve, Seat, Spring & Gasket Assy.
301	631533	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
174	31755		Bracket, Guard
175	28942		Screw, 10-32 x 3/8"
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
	650701		Screw, 8-18 x 7/16" (Use as required)
	792028		Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
	650781		Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276		Plate, Cover (Use as required to cover regulator mounting
			hole in blower housing)
236	650736		Screw, 10-16 x 3/8" (Use as required)
252	730134		Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use
			as required)
253	33018		Harness Assy., Adapter (Use as requir ed)
257B	610824		Flat Connector (Female terminals) (As req.)
260A	610759		Solid State Magneto
261	650489		Screw, 1/4-20 x 5/8"
261A	650669		Screw, 5/16-18 x 1-1/4"
262	610760		Solid State Transformer Ass'y.(Incl.1 73,266)
263	650561		Screw, 1/4-20 x 5/8"
	610750		Grommet, Lead wire
	730198		Starter Switch Kit(Incl. 287-298) (As req.)
277	30831		Ground Wire (Incl. 75)



Ref #	Part Number	Qty	Description
41	31967		Spring, Governor
62A	32689		Fuel Tank (Incl. 63)
63A	32437A		Gauge, Visual fuel
70	29634		Fitting, Fuel line
70C	28584		Fitting & Strainer, Fuel
70F	32155		Valve, Fuel shut-off
71	26460		Clamp, Fuel line (Use as required)
72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
72	30705		Fuel Line (Braided) (16") (Use as req uired)
72	30962		Fuel Line (Braided) (32") (Use as req uired)
72	30965		Fuel Line (Braided) (48") (Use as req uired)
116	32955		Cover, Fuel pump pad
117	32683		Gasket, Fuel pump pad cover
118	30063		Screw, 1/4-20 x 1/2"
119	28534		Pipe Plug, 1/8-27 (Use as required)
119	9556		Plug, Pipe, 1/8-27 (Use as required)
121A	29774		Spacer, Air cleaner
	32905		Bracket, Air cleaner
122C	32907B		Bracket, Air cleaner
123A	32008		Element, Air cleaner
124	32906		Element, Pre-Air cleaner
	32904		Cover, Pre-air cleaner
184	27793		Clip, Conduit
185	28942		Screw, 10-32 x 3/8"