
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




	Dout Number	0.	Description
	Part Number 33043	Qty	Description
	27652		Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore) Pin, Dowel
	31950		Seal, Oil
	31940		Intake Valve (Std.)
	31941		Intake Valve (J/32" OS) (Incl. 9)
	31942		Exhaust Valve (Std.)
	31943		Exhaust Valve (1/32" OS) (Incl. 9)
	650592		Key, Flywheel
	31944		Spring, Valve
	31946		Cap, Lower valve spring (1/32" OS)
	31945		Cap, Lower valve spring (Std.)
9A	31945		Cap, Lower valve spring (Std.)
9A	31946		Cap, Lower valve spring (1/32" OS)
10	20810		Pin, Valve spring retainer
	32291B		Crankshaft (Incl. 12, 13, 17, 78 & 79)
	29783		Pin, Crankshaft gear
	31931		Gear, Crankshaft
	32238B		Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
	32239B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32240B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32621B		Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	32622B 34511		Piston & Pin Ass'y. (.040" OS) (Incl. 16) Picton Bin & Ping Set (Std.) (2.1/2" Pare)
	34512		Piston, Pin & Ring Set (Std.) (3-1/2" Bore) Piston, Pin & Ring Set (.010" OS)
	34512		Piston, Pin & Ring Set (.020" OS)
	34524		Piston, Pin & Ring Set (.030" OS)
	34525		Piston, Pin & Ring Set (.040" OS)
	32241		Ring Set (Std.) (3-1/2" Bore)
	32242		Ring Set (.010" OS)
	32243		Ring Set (.020" OS)
15	32625		Ring Set (.030" OS)
15	32626		Ring Set (.040" OS)
15	32336		Re-Ringing Set, Piston
	31919		Ring, Piston pin retaining
	33093A		Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383		Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384		Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077		Bolt, Connecting rod
	26073		Washer, Connecting rod
	28264		Nut Assy., Lock
	32150 31939		Camshaft (MCR) Lifter, Valve
	32580A		Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
	31956A		* Gasket, Cylinder cover
	32908		Oil Fill Tube
	29673		* Gasket, Oil fill tube
	29985		"O" Ring
	33055		Dipstick (Incl. 25A)
28	32426		Spacer, Governor rod
	650588		Screw, 1/4-20 x 2"
	31968		Link, Governor
	650451		Screw, 1/4-20 x 1"
	31964		Clamp, Governor lever
	29193		Ring, Retaining
	31963		Lever, Governor adjusting
	650518		Lockwasher
	650544 7075		Screw, 10-24 x 7/8"
30	7975		Nut, 10-24

Ref # Part N 39 31965 40 30312 41 31967 42 30590, 43 32425 44 31948 45 29193 46 31947 47 31930 48 32246, 49 33034 51 65069 51 65069 51 65069 51 65069 51 65069 51 65069 51 65069 51 65069 51 65069 51 65069 51 65069 51 65069 51 65069 51 65069 51 65069 51 65069 53 33035 55 28537 57 65069 58 65069 58 650128	5 2 7 0)A 5 3 3 3 3 7 0) 5 6 4 9 7 9 1 9 7 9 1 90 2 2 8 5 2 2 4 4 8	Description Plate, Governor spring Screw, 10-32 x 1/2" Spring, Governor Washer, Flat Rod Assy., Governor Spool, Governor Spool, Governor Shaft, Mechanical Governor * Gasket, Cylinder head Head, Cylinder Screw, 5/16-18 x 2" (Use as required) Screw, 5/16-18 x 2-3/8" (Use as required) Screw, 5/16-18 x 2-3/8" (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 1-5/8" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 1-3/4" (Use as required) Washer, Flat (Use as required) Washer, Flat (Use as required) Washer, Belleville (Use as required) Washer, Lock (Use as required) Screw, 10-24 x 1/2" Extension, Blower housing Bracket, Fuel tank Fuel Cap (White Plastic)(Std.)(As req uired) Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
67 650517 67 65056 67 30063 67 792028 71 26460 72 29774 72 30705 72 30962 72 30965 73 32579 74 65056 78 31932 79 31928 80 32031	51 3 28 0 4 5 2 5 5 9 61 2 3	Screw, 1/4-20 x 27/32" (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Screw, 5/16-18 x 7/8" (Use as required) Clamp, Fuel line (Use as required) Fuel Line (Braided) (8.25") (Use as r equired) Fuel Line (Braided) (16") (Use as req uired) Fuel Line (Braided) (32") (Use as req uired) Fuel Line (Braided) (48") (Use as req uired) Baffle, Blower housing Screw, 1/4-20 x 5/8" Bearing, Tapered roller Cup, Bearing Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required


Ref #	Part Number	Qty I	Description
81	31971		* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972	- 	"O" Ring * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32577	; - - - - - 	Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84A 85 86 87 91 92 95 96 98 99 100 101 102 103 104 105 106 107 108 109 112 113 114 115 120 121	792028 650679 650666 650594 33044A 8274 650595 8274 650624 31958 31957 35350 650128 28558 31966 33054 650597 650591 33099 32808 32043B 33038 29752 650587 27272 650399 30767 32812		Screw, 5/16-18 x 7/8" Lockwasher, 5/16" (Use as required) Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Washer, Lock Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Nipple, Exhaust pipe Muffler Plug, Button (Use as required) Nut & Lockwasher Assy. Stud, Carburetor * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Bracket, Air cleaner
128 128 128 141 141A 141A 145 145	32810 650713 650429 792028 26073 8274 31960 31959 33356		Cover, Air cleaner Screw, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 3/4" (Use as require d) Screw, 5/16-18 x 7/8" (Use as require d) Washer, Flat (Use as required) Lockwasher, Split (Use as required) * Gasket, Carburetor Baffle, Air Terminal, Ground


Ref #	Part Number C	ty Description
156	730201	Trigger Pin Kit (Use as required)
173	610118	Cover, Spark plug (Use as required)
176	32426	Spacer, Screen
177	8345	Washer, 1/4 plain (Use as required)
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"
187	650713	Screw, 5/16-18 x 5/8"
188	26073	Washer, Flat
246	33776	Screen, Starter pulley
247	31980	Pulley, Starter
248	650670	Screw, 1/4-20 x 3/4"
249	32046	Rope Assy., Starter (Use as required)
264	650661	Screw, 1/4-20 x 3/4"
265	610408	Nut, Hex
266	610750	Grommet, Lead wire
267	610748	Solid State Magneto (Incl.151,173,265 ,266)
278	610746	Solid State Flywheel
299	34346	Decal, Instruction
299A	31752	Decal, Air cleaner
299B	550223	Decal, Name
299B	32676	Decal, Solid State
300	32411A	Valve, Seat, Spring & Gasket Assy.
301	631498	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)




Ref #	Part Number	Qty Description
	27275	Clip, Wire retaining
	27070	Washer, Lock 1/4 E.T. (Use as require d)
	650675	Washer, Flat 1/4 (Use as required)
	650701	Screw, 8-18 x 7/16" (Use as required)
	792028	Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
	650781	Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276	Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
236	650736	Screw, 10-16 x 3/8" (Use as required)
	730134	Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
253	33018	Harness Assy., Adapter (Use as requir ed)
254	610761	Alternator Coil (Solid State) (10 Amp) (Incl. Nos. 253, 256 & 257A)
255	650416	Screw, 10-32 x 1"
256	610922	Terminal, Female
257B	610824	Flat Connector (Female terminals) (As req.)
257A	610819	Connector, Pyramid (For female termin als)
266	610750	Grommet, Lead wire
268	610749	Solid State Regulator (10 Amp)
	730198	Starter Switch Kit(Incl. 287-298) (As req.)
303	33835	Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835 starter motors are used interchangeably on the se models. Refer to service numberstamped on end cap of motor, or on decal for identification. Refer to Division 5, Section D for breakdown.

ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY DEM.







Ref #	Part Number (Aty Description
41	31967	Spring, Governor
71	26460	Clamp, Fuel line (Use as required)
72	29774	Fuel Line (Braided) (8.25") (Use as r equired)
72	30705	Fuel Line (Braided) (16") (Use as req uired)
72	30962	Fuel Line (Braided) (32") (Use as req uired)
72	30965	Fuel Line (Braided) (48") (Use as req uired)
111	650590	Nut, Conduit
119	28534	Pipe Plug, 1/8-27 (Use as required)
119	9556	Plug, Pipe, 1/8-27 (Use as required)
122A	32811	Bracket, Air cleaner
123A	32008	Element, Air cleaner
126A	30513	Screw & Lockwasher
172	31990	Bracket, Choke control
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"
237	32958	Fitting, Fuel
238	32959	Fuel Pump, Impulse
239	33010	Repair Kit, Impulse fuel pump