
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




Ref # Part Number	Qty Description
1 32289	Cylinder (Incl. 2,4,30,47,116-119) (3 -1/2")
2 27652	Pin, Dowel
4 31950	Seal, Oil
5 31940	Intake Valve (Std.)
5 31941	Intake Valve (3.d.) Intake Valve (1/32" OS) (Incl. 9)
6 31942	
	Exhaust Valve (Std.)
6 31943	Exhaust Valve (1/32" OS) (Incl. 9)
7 650592 3 31044	Key, Flywheel
8 31944	Spring, Valve
9 31946	Cap, Lower valve spring (1/32" OS)
9 31945	Cap, Lower valve spring (Std.)
9A 31945	Cap, Lower valve spring (Std.)
9A 31946	Cap, Lower valve spring (1/32" OS)
10 20810	Pin, Valve spring retainer
11 32293C	Crankshaft (Incl. 12, 13, 17, 78 & 79)
12 29783	Pin, Crankshaft gear
13 31931	Gear, Crankshaft
14A 32238B	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
14A 32239B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A 32240B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14A 32621B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
14A 32622B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
14 34511	Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
14 34512	Piston, Pin & Ring Set (.010" OS)
14 34513	Piston, Pin & Ring Set (.020" OS)
14 34524	Piston, Pin & Ring Set (.030" OS)
14 34525	Piston, Pin & Ring Set (.040" OS)
15 32241	Ring Set (Std.) (3-1/2" Bore)
15 32242	Ring Set (.010" OS)
15 32243	Ring Set (.020" OS)
15 32625	Ring Set (.030" OS)
15 32626	Ring Set (.040" OS)
15 32336	Re-Ringing Set, Piston
16 31919	Ring, Piston pin retaining
17 33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
17 34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
17 34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
18 32077	Bolt, Connecting rod
19 26073	Washer, Connecting rod
20 28264	Nut Assy., Lock
21 32150	Camshaft (MCR)
22 31939	Lifter, Valve
23 32580A	Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
23A 31956A	* Gasket, Cylinder cover
24 32908	Oil Fill Tube
25A 29985	"O" Ring
25 29673	* Gasket, Oil fill tube
26 32909	Dipstick (Incl. 25A)
	·
28 32426 29 650588	Spacer, Governor rod
29 650588 31 31068	Screw, 1/4-20 x 2"
31 31968 33 650451	Link, Governor
32 650451 33 31064	Screw, 1/4-20 x 1"
33 31964	Clamp, Governor lever
34 29193	Ring, Retaining
35 31963	Lever, Governor adjusting
36 650518	Lockwasher
37 650544	Screw, 10-24 x 7/8"
38 7975	Nut, 10-24


39 40 41 42 43 44 45 46 47 48 49 51 51 51 51 51 53 53 54 55 57 58 58 59 60 63	Part Number 31965 30312 31967 30590A 32425 31948 29193 31947 31930 32246A 33056 650694A 650711 650628A 650695A 650714 650697 650692 650603 33636 34251 33035 28537 650691 650690 8274 650128 31976 410144B 34210	Qty	Description Plate, Governor spring Screw, 10-32 x 1/2" Spring, Governor Washer, Flat Rod Assy., Governor Spool, Governor Ring, Retaining Gear Assy., Governor Shaft, Mechanical Governor * Gasket, Cylinder head Head, Cylinder Screw, 5/16-18 x 2" (Use as required) Screw, 5/16-18 x 1-5/8" (Use as requi red) Screw, 5/16-18 x 2-3/8" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 1-3/4" (Use as requi red) Screw, 5/16-18 x 5/8" (Use as requi red) Screw, 5/16-18 x 5/8" (Use as requi red) Screw, 5/16-18 x 5/8" (Use as required) Screw, 5/16-18 x 1-3/4" (Use as required) Screw, 5/16-18 x 5/8" (Use as required) Washer, Flat (Use as required) Washer, Plain Washer, Flat (Use as required) Washer, Lock (Use as required) Screw, 10-24 x 1/2" Extension, Blower housing Fuel Cap (White Plastic) (Std.)(As req uired) Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
64 65 66 67 67 67 71 72 72 72 72 73 74 76 77	31979 650451 650456 650517 650561 30063 792028 26460 29774 30705 30962 30965 31975 650561 28545 650760 31932 31928 32031		required) Strap, Fuel tank Screw, 1/4-20 x 1" Nut, Flange whiz-lock, 1/4-20 Screw, 1/4-20 x 27/32" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Screw, 5/16-18 x 7/8" (Use as required) Clamp, Fuel line (Use as required) Fuel Line (Braided) (8.25") (Use as required) Fuel Line (Braided) (16") (Use as required) Fuel Line (Braided) (32") (Use as required) Fuel Line (Braided) (48") (Use as required) Fuel Line (Braided) (48") (Use as required) Baffle, Blower housing Screw, 1/4-20 x 5/8" Grommet, Plastic Screw, 8-32 x 3/8" Bearing, Tapered roller Cup, Bearing Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required

Ref # Part Number Qty Description 81 31971 * Gasket, Shim (.004/.005 thick) NOTE: Determine the between the cover and the machined surface on the cy	
which can be from .001"up to .007" in which case no s gaskets will be required. Use of gasket must be limite combined total of .010" thick. Steel spacersmust be u as req	him d to a sed
* Gasket, Shim (.005/.007 thick) NOTE: Determine the between the cover and the machined surface on the cy which can be from .001"up to .007" in which case no s gaskets will be required. Use of gasket must be limite combined total of .010" thick. Steel spacersmust be u as req	linder him d to a
82A 32599 83 32677 Cover, Cylinder NOTE: Determine the gap between the and the machined surface on the cylinder which can be .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined of .010" thick. Steel spacersmust be used as required eliminat	from total
84A 650679 Lockwasher, 5/16" (Use as required)	
84 650668 Screw, 10-32 x 1"	
85 650666 Washer, Lock	
86 650594 Nut, Flywheel, 3/4-16	
87 31983 Blower Housing	
91 8274 Washer, Lock 92 650595 Screw, 5/16-24 x 3/8"	
95 8274 Washer, Lock	
96 650624 Screw, 5/16-24 x 9/16"	
98 31958 * Gasket, Breather	
99 31957 Breather Assy.	
100 35350 Tube, Breather	
101 650128 Screw, 10-24 x 1/2"	
102 28558 Washer, Wave	
103 31966 Bushing, Control lever 104 31984A Lever, Control	
105 650597 Screw, 10-24 x 5/8"	
106 650591 Screw, 10-24 x 2"	
107 33099 Spring	
112 33038 Plug, Button (Use as required)	
113 29752 Nut & Lockwasher Assy.	
114 650587 Stud, Carburetor	
115 27272 * Gasket, Air cleaner	
120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner	
126 650513 Nut, Wing	
127 33058 Spacer	
128 650713 Screw, 5/16-18 x 5/8" (Use as require d)	
128 650429 Screw, 5/16-18 x 3/4" (Use as require d)	
128 792028 Screw, 5/16-18 x 7/8" (Use as require d)	
141 26073 Washer, Flat (Use as required)	
141A 8274 Lockwasher, Split (Use as required)	
145 31960 * Gasket, Carburetor 147 31959 Baffle, Air	
156 730201 Trigger Pin Kit (Use as required)	
173 610118 Cover, Spark plug (Use as required)	
176 31992 Spacer, Screen	

Ref #	Part Number	Qty [Description
177	8345	V	Washer, 1/4 plain (Use as required)
178	27070	V	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	V	Washer, Flat 1/4 (Use as required)
184	27793	C	Clip, Conduit
185	28942	S	Screw, 10-32 x 3/8"
187	650713	S	Screw, 5/16-18 x 5/8"
188	26073	V	Vasher, Flat
219	32154	C	Cap, Pipe
220	32438	N	Nipple, Pipe
246	33776	S	Screen, Starter pulley
247	31980	F	Pulley, Starter
248	650680	S	Screw, 1/4-20 x 1-1/2"
249	32046	F	Rope Assy., Starter (Use as required)
266	610750		Grommet, Lead wire
278	610758	F	Flywheel
299B	32730		Decal, Craftsman
299	34346		Decal, Instruction
300	32411A	\	/alve, Seat, Spring & Gasket Assy.
301	631498		Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 or breakdown)
304	33237A	*	Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
174	31755		Bracket, Guard
175	28942		Screw, 10-32 x 3/8"
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
180	650701		Screw, 8-18 x 7/16" (Use as required)
222	792028		Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
	650781		Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276		Plate, Cover (Use as required to cover regulator mounting
			hole in blower housing)
236	650736		Screw, 10-16 x 3/8" (Use as required)
252	730134		Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use
			as required)
253	33018		Harness Assy., Adapter (Use as requir ed)
	610824		Flat Connector (Female terminals) (As req.)
260A	610759		Solid State Magneto
261	650489		Screw, 1/4-20 x 5/8"
261A	650669		Screw, 5/16-18 x 1-1/4"
262	610760		Solid State Transformer Ass'y.(Incl.1 73,266)
263	650561		Screw, 1/4-20 x 5/8"
266	610750		Grommet, Lead wire
275	730198		Starter Switch Kit(Incl. 287-298) (As req.)
277	30831		Ground Wire (Incl. 75)



Ref #	Part Number	Qty	Description
41	31967	-	Spring, Governor
62A	32689		Fuel Tank (Incl. 63)
63A	32437A		Gauge, Visual fuel
70C	28584		Fitting & Strainer, Fuel
70F	32155		Valve, Fuel shut-off
71	26460		Clamp, Fuel line (Use as required)
72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
72	30705		Fuel Line (Braided) (16") (Use as req uired)
72	30962		Fuel Line (Braided) (32") (Use as req uired)
72	30965		Fuel Line (Braided) (48") (Use as req uired)
116	32955		Cover, Fuel pump pad
117	32683		Gasket, Fuel pump pad cover
118	30063		Screw, 1/4-20 x 1/2"
119	28534		Pipe Plug, 1/8-27 (Use as required)
119	9556		Plug, Pipe, 1/8-27 (Use as required)
121A	29774		Spacer, Air cleaner
122C	32907B		Bracket, Air cleaner
122B	32905		Bracket, Air cleaner
123A	32008		Element, Air cleaner
124	32906		Element, Pre-Air cleaner
125	32904		Cover, Pre-air cleaner
172	31990		Bracket, Choke control
184	27793		Clip, Conduit
185	28942		Screw, 10-32 x 3/8"
237	32958		Fitting, Fuel
238	32959		Fuel Pump, Impulse
239	33010		Repair Kit, Impulse fuel pump
285	32960		Washer, Lock
286	650849		Nut, Hex jam, 3/8-24