
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




Ref # Part Number	Qty Description
1 33042	Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore)
2 27652	Pin, Dowel
4 31950	Seal, Oil
5 31940	Intake Valve (Std.)
5 31941	Intake Valve (1/32" OS) (Incl. 9)
6 31942	Exhaust Valve (Std.)
6 31943	Exhaust Valve (1/32" OS) (Incl. 9)
7 650592	Key, Flywheel
8 31944	Spring, Valve
9 31946	Cap, Lower valve spring (1/32" OS)
9 31945	Cap, Lower valve spring (Std.)
9A 31945	Cap, Lower valve spring (Std.)
9A 31946	Cap, Lower valve spring (1/32" OS)
10 20810	Pin, Valve spring retainer
11 33390B	Crankshaft (Incl. 12, 13, 78 & 79)
12 29783	
	Pin, Crankshaft gear
13 31931	Gear, Crankshaft
14A 32238B	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
14A 32239B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A 32240B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14A 32621B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
14A 32622B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
14 34511	Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
14 34512	Piston, Pin & Ring Set (.010" OS)
14 34513	Piston, Pin & Ring Set (.020" OS)
14 34524	Piston, Pin & Ring Set (.030" OS)
14 34525	Piston, Pin & Ring Set (.040" OS)
15 32241	Ring Set (Std.) (3-1/2" Bore)
15 32242	Ring Set (.010" OS)
15 32243	Ring Set (.020" OS)
15 32625	Ring Set (.030" OS)
15 32626	Ring Set (.040" OS)
15 32336	Re-Ringing Set, Piston
16 31919	Ring, Piston pin retaining
17 33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
17 34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
17 34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
18 32077	Bolt, Connecting rod
19 26073	Washer, Connecting rod
20 28264	Nut Assy., Lock
21 32150	Camshaft (MCR)
22 31939	Lifter, Valve
22 31939 23A 31956A	* Gasket, Cylinder cover
23 32580A	Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
24 32908 25 A 20085	Oil Fill Tube
25A 29985	"O" Ring * Coolect Oil fill tube
25 29673	* Gasket, Oil fill tube
26 33055	Dipstick (Incl. 25A)
28 32426	Spacer, Governor rod
29 650588	Screw, 1/4-20 x 2"
31 31968	Link, Governor
32 650451	Screw, 1/4-20 x 1"
33 31964	Clamp, Governor lever
34 29193	Ring, Retaining
35 31963	Lever, Governor adjusting
36 650518	Lockwasher
37 650544	Screw, 10-24 x 7/8"
38 7975	Nut, 10-24
00 1010	

	Part Number Qty	Description
39	31965	Plate, Governor spring
40	30312	Screw, 10-32 x 1/2"
41	31967	Spring, Governor
42	30590A	Washer, Flat
	32425	Rod Assy., Governor
	31948	Spool, Governor
	29193	Ring, Retaining
	31947	
		Gear Assy., Governor
	31930	Shaft, Mechanical Governor
	32246A	* Gasket, Cylinder head
	33034	Head, Cylinder
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650711	Screw, 5/16-18 x 1-5/8" (Use as requi red)
51	650628A	Screw, 5/16-18 x 2-3/8" (Use as requi red)
51	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
51	650714	Screw, 5/16-18 x 1-5/8" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	650692	Screw, 5/16-18 x 1-3/4" (Use as required)
	650603	Screw, $5/16-18 \times 5/8$ " (Use as require d)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug (RJ-17LM)
	33035	
		Cover, Cylinder head
	28537	Washer, Plain
	650691	Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
	8274	Washer, Lock (Use as required)
	650128	Screw, 10-24 x 1/2"
60	31976	Extension, Blower housing
63	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
63	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
67	650517	Screw, 1/4-20 x 27/32" (Use as requir ed)
	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30063	Screw, 1/4-20 x 1/2" (Use as required)
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
	26460	Clamp, Fuel line (Use as required)
	29774	Fuel Line (Braided) (8.25") (Use as r equired)
	30705	Fuel Line (Braided) (16") (Use as req uired)
72	30962	Fuel Line (Braided) (32") (Use as req uired)
72	30965	Fuel Line (Braided) (48") (Use as req uired)
	31975	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	33356	Terminal
	28545	Grommet, Plastic
		•
	650760	Screw, 8-32 x 3/8"
	31932	Bearing, Tapered roller
	31928	Cup, Bearing
80	32031	Spacer, Steel (.010" thick) NOTE: Determine the gap
		between the cover and the machined surface on the cylinder
		which can be from .001"up to .007" in which case no shim
		gaskets will be required. Use of gasket must be limited to a
		combined total of .010" thick. Steel spacersmust be used

Ref #	Part Number	Qty D	Description
81	31971	t w ga co	Gasket, Shim (.004/.005 thick) NOTE: Determine the gap etween the cover and the machined surface on the cylinder hich can be from .001"up to .007" in which case no shim askets will be required. Use of gasket must be limited to a ombined total of .010" thick. Steel spacersmust be used s req
	32599 31972	* w ga co	D" Ring Gasket, Shim (.005/.007 thick) NOTE: Determine the gap etween the cover and the machined surface on the cylinder <i>t</i> hich can be from .001"up to .007" in which case no shim askets will be required. Use of gasket must be limited to a ombined total of .010" thick. Steel spacersmust be used s req
83	32677	ai .C re	Cover, Cylinder NOTE: Determine the gap between the cover nd the machined surface on the cylinder which can be from 001"up to .007" in which case no shim gaskets will be equired. Use of gasket must be limited to a combined total f .010" thick. Steel spacersmust be used as required to liminat
84A 85 86 87 91 92 95 96 98 99 100 101 102 103 104 105 106 107 112 113 114 115 120 121 126 128 128	650668 650679 650666 650594 33041 8274 650595 8274 650624 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33099 33038 29752 650587 27272 650587 27272 650399 30767 650513 650713 650429	SLYNBYSYS* BTSYBLSSSPNS* SSNSS	Screw, 10-32 x 1" ockwasher, 5/16" (Use as required) Vasher, Lock lut, Flywheel, 3/4-16 Hower Housing Vasher, Lock crew, 5/16-24 x 3/8" Vasher, Lock crew, 5/16-24 x 9/16" Gasket, Breather Gasket, Breather Breather Assy. Tube, Breather Crew, 10-24 x 1/2" Vasher, Wave Bushing, Control lever ever, Control Corew, 10-24 x 5/8" Grew, 10-24 x 5/8" Grew, 10-24 x 2" Dipring Plug, Button (Use as required) lut & Lockwasher Assy. Citud, Carburetor Gasket, Air cleaner Corew, 10-32 x 5/8" Dipacer, Air cleaner lut, Wing Grew, 5/16-18 x 5/8" (Use as require d) Corew, 5/16-18 x 3/4" (Use as require d)
141A 141 145 147 156 173 176	792028 8274 26073 31960 31959 730201 610118 31992 8345	Li W B T C S	icrew, 5/16-18 x 7/8" (Use as require d) ockwasher, Split (Use as required) Vasher, Flat (Use as required) Gasket, Carburetor affle, Air irigger Pin Kit (Use as required) cover, Spark plug (Use as required) ipacer, Screen Vasher, 1/4 plain (Use as required)

Ref #	Part Number Qty	Description
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"
187	650713	Screw, 5/16-18 x 5/8"
188	26073	Washer, Flat
219	32154	Cap, Pipe
220	32438	Nipple, Pipe
246	33776	Screen, Starter pulley
247	31980	Pulley, Starter
248	650680	Screw, 1/4-20 x 1-1/2"
249	32046	Rope Assy., Starter (Use as required)
266	610750	Grommet, Lead wire
278	610758	Flywheel
299	34346	Decal, Instruction
299B	32730	Decal, Craftsman
300	32411A	Valve, Seat, Spring & Gasket Assy.
301	631498	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)



Ref #	Part Number Qty	Description
174	31755	Bracket, Guard
175	28942	Screw, 10-32 x 3/8"
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
180	650701	Screw, 8-18 x 7/16" (Use as required)
222	792028	Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
222	650781	Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276	Plate, Cover (Use as required to cover regulator mounting
		hole in blower housing)
236	650736	Screw, 10-16 x 3/8" (Use as required)
	730134	Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use
		as required)
050	22040	
	33018	Harness Assy., Adapter (Use as required)
	610824	Flat Connector (Female terminals) (As req.)
	610759	Solid State Magneto
	650489 650669	Screw, 1/4-20 x 5/8"
	610760	Screw, 5/16-18 x 1-1/4" Solid State Transformer Ass'y.(Incl.1 73,266)
	650561	Screw, 1/4-20 x 5/8"
	610750	Grommet, Lead wire
	730198	Starter Switch Kit(Incl. 287-298) (As req.)
	30831	Ground Wire (Incl. 75)
211	00001	


1268

126A

Ć


Ĩ25

ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY DEM.



124

123A



Ref #	Part Number Qty	Description
41	31967	Spring, Governor
70G	32961	Valve, Fuel shut-off
71	26460	Clamp, Fuel line (Use as required)
72	29774	Fuel Line (Braided) (8.25") (Use as r equired)
72	30705	Fuel Line (Braided) (16") (Use as req uired)
72	30962	Fuel Line (Braided) (32") (Use as req uired)
72	30965	Fuel Line (Braided) (48") (Use as req uired)
119	28534	Pipe Plug, 1/8-27 (Use as required)
119	9556	Plug, Pipe, 1/8-27 (Use as required)
121A	29774	Spacer, Air cleaner
122B	32905	Bracket, Air cleaner
	32907B	Bracket, Air cleaner
123A	32008	Element, Air cleaner
124	32906	Element, Pre-Air cleaner
125	32904	Cover, Pre-air cleaner
172	31990	Bracket, Choke control
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"
223	34279A	Filter Assy., Fuel
237	32958	Fitting, Fuel
	32959	Fuel Pump, Impulse
	33010	Repair Kit, Impulse fuel pump
	32960	Washer, Lock
286	650849	Nut, Hex jam, 3/8-24