
## ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.



Ref # Part Number	Oty Description
	Qty Description  Ovlinder (Incl. 2. 4. 30 & 47) (3-1/2 " Bore)
1 33042	Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore)
2 27652	Pin, Dowel
4 31950	Seal, Oil
5 31940	Intake Valve (Std.)
5 31941	Intake Valve (1/32" OS) (Incl. 9)
6 31942	Exhaust Valve (Std.)
6 31943	Exhaust Valve (1/32" OS) (Incl. 9)
7 650592	Key, Flywheel
8 31944	Spring, Valve
9 31946	Cap, Lower valve spring (1/32" OS)
9 31945	Cap, Lower valve spring (Std.)
9A 31945	Cap, Lower valve spring (Std.)
9A 31946	Cap, Lower valve spring (1/32" OS)
10 20810	Pin, Valve spring retainer
11 32293C	Crankshaft (Incl. 12, 13, 17, 78 & 79)
12 29783	Pin, Crankshaft gear
13 31931	Gear, Crankshaft
14A 32238B	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
14A 32239B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A 32240B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14A 32621B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
14A 32622B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
14 34511	Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
14 34512	Piston, Pin & Ring Set (.010" OS)
14 34513	Piston, Pin & Ring Set (.020" OS)
14 34524	Piston, Pin & Ring Set (.030" OS)
14 34525	Piston, Pin & Ring Set (.040" OS)
15 32241	Ring Set (Std.) (3-1/2" Bore)
15 32242	Ring Set (.010" OS)
15 32243	Ring Set (.020" OS)
15 32625	Ring Set (.030" OS)
15 32626	Ring Set (.040" OS)
15 32336	Re-Ringing Set, Piston
16 31919	Ring, Piston pin retaining
17 33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
17 34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
17 34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
18 32077	Bolt, Connecting rod
19 26073	Washer, Connecting rod
20 28264	Nut Assy., Lock
21 32150	Camshaft (MCR)
22 31939	Lifter, Valve
23A 31956A	* Gasket, Cylinder cover
23 32580A	Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
25A 29673	* Gasket, Oil fill
26 33069	Dipstick (Incl. 25A)
28 32426	Spacer, Governor rod
29 650588	Screw, 1/4-20 x 2"
30 31927	Oil Drain Plug
31 31968 33 650451	Link, Governor
32 650451 33 31064	Screw, 1/4-20 x 1"
33 31964 34 30103	Clamp, Governor lever
34 29193 35 31063	Ring, Retaining
35 31963 36 650518	Lever, Governor adjusting
36 650518 37 650544	Lockwasher
37 650544 39 7075	Screw, 10-24 x 7/8"
38 7975 30 31065	Nut, 10-24
39 31965	Plate, Governor spring


Ref # Part Number  40 30312 41 31967 42 30590A 43 32425 44 31948 45 29193 46 31947 47 31930 48 32246A 49 33034 51 650694A 51 650711 51 650628A 51 650695A 51 650714 51 650697 51 650692 51 650603 53 33636 53 34251 54 33035 55 28537 57 650691 58 650690 58 8274 59 650128 60 31976 61 31978 63 410144B	Screw, 10-32 x 1/2" Spring, Governor Washer, Flat Rod Assy., Governor Spool, Governor Ring, Retaining Gear Assy., Governor Shaft, Mechanical Governor * Gasket, Cylinder head Head, Cylinder Screw, 5/16-18 x 2" (Use as required) Screw, 5/16-18 x 1-5/8" (Use as requi red) Screw, 5/16-18 x 2-3/8" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 1-5/8" (Use as requi red) Screw, 5/16-18 x 1-5/8" (Use as requi red) Screw, 5/16-18 x 1-5/8" (Use as requi red) Screw, 5/16-18 x 1-3/4" (Use as requi red) Screw, 5/16-18 x 5/8" (Use as required) Screw, 5/16-18 x 5/8" (Use as required) Screw, 5/16-18 x 5/8" (Use as required) Screw, 5/16-18 x 1-3/4" (Use as required) Screw, 5/16-18 x 5/8" (Use as required) Screw, 5/16-18 x 5/8" (Use as required) Washer, Flat (Use as required) Washer, Plain Washer, Flat (Use as required) Washer, Belleville (Use as required) Screw, 10-24 x 1/2" Extension, Blower housing Bracket, Fuel tank Fuel Cap (White Plastic)(Std.)(As req uired)
63 34210  64 31979 65 650451 66 650456 67 650517 67 650561 67 30063 67 792028 68 8345 69 8303 70B 29683 71 26460 72 29774 72 30705 72 30962 72 30965 73 32579 74 650561 78 31932 79 31928 80 32031	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)  Strap, Fuel tank Screw, 1/4-20 x 1" Nut, Flange whiz-lock, 1/4-20 Screw, 1/4-20 x 5/8" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Screw, 5/16-18 x 7/8" (Use as required) Washer, Flat Lockwasher Strainer & Shut-off, Fuel Clamp, Fuel line (Use as required) Fuel Line (Braided) (8.25") (Use as required) Fuel Line (Braided) (32") (Use as required) Fuel Line (Braided) (48") (Use as required) Fuel Line (Braided) (48") (Use as required) Fuel Line (Braided) (48") (Use as required) Baffle, Blower housing Screw, 1/4-20 x 5/8" Bearing, Tapered roller Cup, Bearing Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required

HH120-120125C Engine Parts List #1

Ref #	Part Number	Qtv	Description
	31971		* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972		"O" Ring  * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32577		Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84A 85 86 87 91 92 95 96 98 99 100 101 102 103 104 105 106 107 108 109 112 113 114 115 120 121 122E 122D 125A 126 128	792028 650679 650666 650594 33044A 8274 650595 8274 650624 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33099 32042 32043B 33038 29752 650587 27272 650399 30767 32376 32378 32009 650513 650713 650429		Screw, 5/16-18 x 7/8" Lockwasher, 5/16" (Use as required) Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Washer, Lock Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Nipple, Exhaust pipe Muffler Plug, Button (Use as required) Nut & Lockwasher Assy. Stud, Carburetor * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Bracket, Air cleaner Bracket, Air cleaner Bracket, Air cleaner Nut, Wing Screw, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 3/4" (Use as require d)
128 141A 141	792028		Screw, 5/16-18 x 7/8" (Use as require d) Screw, 5/16-18 x 7/8" (Use as require d) Lockwasher, Split (Use as required) Washer, Flat (Use as required) * Gasket, Carburetor

Page 4 of 9

Ref #	Part Number Qt	/ Description
147	31959	Baffle, Air
151	33356	Terminal, Ground
156	730201	Trigger Pin Kit (Use as required)
173	610118	Cover, Spark plug (Use as required)
176	31992	Spacer, Screen
177	8345	Washer, 1/4 plain (Use as required)
	27070	Washer, Lock 1/4 E.T. (Use as require d)
	650675	Washer, Flat 1/4 (Use as required)
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"
	650713	Screw, 5/16-18 x 5/8"
	26073	Washer, Flat
	33776	Screen, Starter pulley
	31980	Pulley, Starter
	650680	Screw, 1/4-20 x 1-1/2"
	32046	Rope Assy., Starter (Use as required)
	650661	Screw, 1/4-20 x 3/4"
	610408	Nut, Hex
	610750	Grommet, Lead wire
	610748	Solid State Magneto (Incl.151,173,265,266)
	610746	Solid State Flywheel
	34346	Decal, Instruction
	550223	Decal, Name
	32676	Decal, Solid State
	31752	Decal, Air cleaner
	32255A	Valve, Seat, Spring & Gasket Assy.
301	631533	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
	27070		Washer, Lock 1/4 E.T. (Use as require d)
	650675		Washer, Flat 1/4 (Use as required)
180	650701		Screw, 8-18 x 7/16" (Use as required)
	792028		Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
	650781		Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276		Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
236	650736		Screw, 10-16 x 3/8" (Use as required)
	730134		Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
253	33018		Harness Assy., Adapter (Use as requir ed)
	610761		Alternator Coil (Solid State) (10 Amp) (Incl. Nos. 253, 256 &
			257A)
255	650416		Screw, 10-32 x 1"
256	610922		Terminal, Female
257B	610824		Flat Connector (Female terminals) (As req.)
257A	610819		Connector, Pyramid (For female termin als)
	610750		Grommet, Lead wire
	610749		Solid State Regulator (10 Amp)
	730198		Starter Switch Kit(Incl. 287-298) (As req.)
303	33835		Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835
			starter motors are used interchangeably on the se models.
			Refer to service numberstamped on end cap of motor, or on
			decal for identification. Refer to Division 5, Section D for
			breakdown.



Ref #	Part Number C	Oty Description
41	31967	Spring, Governor
62A	31977	Fuel Tank (Incl. 63)
70	29634	Fitting, Fuel line
71	26460	Clamp, Fuel line (Use as required)
72	29774	Fuel Line (Braided) (8.25") (Use as r equired)
72	30705	Fuel Line (Braided) (16") (Use as req uired)
72	30962	Fuel Line (Braided) (32") (Use as req uired)
72	30965	Fuel Line (Braided) (48") (Use as req uired)
119	28534	Pipe Plug, 1/8-27 (Use as required)
119	9556	Plug, Pipe, 1/8-27 (Use as required)
123A	32008	Element, Air cleaner
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"