## ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




Ref #	Part Number C	ty Description
	33042	Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore)
	27652	Pin, Dowel
	31950	Seal, Oil
	31940	Intake Valve (Std.)
		` '
	31941	Intake Valve (1/32" OS) (Incl. 9)
	31942	Exhaust Valve (Std.)
	31943	Exhaust Valve (1/32" OS) (Incl. 9)
	650592	Key, Flywheel
	31944	Spring, Valve
	31945	Cap, Lower valve spring (Std.)
	31946	Cap, Lower valve spring (1/32" OS)
	31946	Cap, Lower valve spring (1/32" OS)
	31945	Cap, Lower valve spring (Std.)
	20810	Pin, Valve spring retainer
11	33390B	Crankshaft (Incl. 12, 13, 78 & 79)
12	29783	Pin, Crankshaft gear
13	31931	Gear, Crankshaft
14	34511	Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
14	34512	Piston, Pin & Ring Set (.010" OS)
14	34513	Piston, Pin & Ring Set (.020" OS)
	34524	Piston, Pin & Ring Set (.030" OS)
	34525	Piston, Pin & Ring Set (.040" OS)
	32238B	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
	32239B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32240B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32621B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	32622B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	32241	Ring Set (Std.) (3-1/2" Bore)
	32242	Ring Set (010.") (0-1/2" Bore)
	32243	Ring Set (.020" OS)
		• •
	32625	Ring Set (.030" OS)
	32626	Ring Set (.040" OS)
	32336	Re-Ringing Set, Piston
	31919	Ring, Piston pin retaining
	33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077	Bolt, Connecting rod
	26073	Washer, Connecting rod
	28264	Nut Assy., Lock
	32150	Camshaft (MCR)
	31939	Lifter, Valve
	31956A	* Gasket, Cylinder cover
	32580A	Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
25A	29673	* Gasket, Oil fill
26	33069	Dipstick (Incl. 25A)
28	32426	Spacer, Governor rod
29	650588	Screw, 1/4-20 x 2"
30	31927	Oil Drain Plug
	31968	Link, Governor
	650451	Screw, 1/4-20 x 1"
	31964	Clamp, Governor lever
	29193	Ring, Retaining
	31963	Lever, Governor adjusting
	650518	Lockwasher
	650544	Screw, 10-24 x 7/8"
	7975	Nut, 10-24
	31965	Plate, Governor spring
39	01000	riato, Ouvernor opining


Ref #	Part Number	Qty	Description
	30312	Qty	Screw, 10-32 x 1/2"
	31967		
			Spring, Governor
	30590A		Washer, Flat
	32425		Rod Assy., Governor
	31948		Spool, Governor
	29193		Ring, Retaining
46	31947		Gear Assy., Governor
47	31930		Shaft, Mechanical Governor
48	32246A		* Gasket, Cylinder head
	33034		Head, Cylinder
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650711		Screw, 5/16-18 x 1-5/8" (Use as required)
	650628A		
			Screw, 5/16-18 x 2-3/8" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650714		Screw, 5/16-18 x 1-5/8" (Use as requi red)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
51	650692		Screw, 5/16-18 x 1-3/4" (Use as requi red)
51	650603		Screw, 5/16-18 x 5/8" (Use as require d)
53	33636		Resistor Spark Plug (RJ-8C)
53	34251		Resistor Spark Plug (RJ-17LM)
	33035		Cover, Cylinder head
	28537		Washer, Plain
	650691		Washer, Flat (Use as required)
	650690		Washer, Belleville (Use as required)
	8274		
			Washer, Lock (Use as required)
	650128		Screw, 10-24 x 1/2"
	31976		Extension, Blower housing
	410144B		Fuel Cap (White Plastic)(Std.)(As req uired)
63	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
67	650517		Scrow 1/4-20 x 27/32" (Uso as required)
			Screw, 1/4-20 x 27/32" (Use as required)
	650561		Screw, 1/4-20 x 5/8" (Use as required )
	30063		Screw, 1/4-20 x 1/2" (Use as required )
	792028		Screw, 5/16-18 x 7/8" (Use as require d)
	29683		Strainer & Shut-off, Fuel
	26460		Clamp, Fuel line (Use as required)
72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
72	30705		Fuel Line (Braided) (16") (Use as req uired)
72	30962		Fuel Line (Braided) (32") (Use as req uired)
72	30965		Fuel Line (Braided) (48") (Use as req uired)
	32579		Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
	31932		Bearing, Tapered roller
	31928		Cup, Bearing
	32031		
00	32031		Spacer, Steel (.010" thick) NOTE: Determine the gap
			between the cover and the machined surface on the cylinder
			which can be from .001"up to .007" in which case no shim
			gaskets will be required. Use of gasket must be limited to a
			combined total of .010" thick. Steel spacersmust be used
			as required
04	31971		* Caskot Shim ( 001/ 005 thick) NOTE: Determine the see
01	J181 I		* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap
			between the cover and the machined surface on the cylinder
			which can be from .001"up to .007" in which case no shim
			gaskets will be required. Use of gasket must be limited to a
			combined total of .010" thick. Steel spacersmust be used
			as req

Ref #	Part Number C	ty Description
82A	32599	"O" Ring
	31972	* Gasket, Shim (.005/.007 thick) NOTE: Determine the gap
02	31972	
		between the cover and the machined surface on the cylinder
		which can be from .001"up to .007" in which case no shim
		gaskets will be required. Use of gasket must be limited to a
		combined total of .010" thick. Steel spacersmust be used
		·
		as req
၀၁	32577	Cover Cylinder NOTE: Determine the gap between the cover
65	32311	Cover, Cylinder NOTE: Determine the gap between the cover
		and the machined surface on the cylinder which can be from
		.001"up to .007" in which case no shim gaskets will be
		required. Use of gasket must be limited to a combined total
		of .010" thick. Steel spacersmust be used as required to
		eliminat
84	792028	Screw, 5/16-18 x 7/8"
	650679	Lockwasher, 5/16" (Use as required)
85	650615	Washer, Flat
86	650616	Nut, Flywheel, 3/4-16
87	33044A	Blower Hsg. (Incl.73) (For electric s tarter)
	8274	Washer, Lock
		·
	650595	Screw, 5/16-24 x 3/8"
95	8274	Washer, Lock
96	650624	Screw, 5/16-24 x 9/16"
98	31958	* Gasket, Breather
	31957	·
		Breather Assy.
	35350	Tube, Breather
101	650128	Screw, 10-24 x 1/2"
102	28558	Washer, Wave
103	31966	Bushing, Control lever
	31984A	Lever, Control
	650597	Screw, 10-24 x 5/8"
	650591	Screw, 10-24 x 2"
107	33099	Spring
108	32042	Nipple, Exhaust pipe
	32043B	Muffler
	33038	Plug, Button (Use as required)
	29752	Nut & Lockwasher Assy.
	650587	Stud, Carburetor
115	27272	* Gasket, Air cleaner
120	650399	Screw, 10-32 x 5/8"
	30767	Spacer, Air cleaner
	32376	•
		Bracket, Air cleaner
	32378	Bracket, Air cleaner
	32009	Cover, Air cleaner
126	650513	Nut, Wing
128	650713	Screw, 5/16-18 x 5/8" (Use as require d)
	650429	Screw, 5/16-18 x 3/4" (Use as require d)
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
	8274	Lockwasher, Split (Use as required)
141	26073	Washer, Flat (Use as required)
145	31960	* Gasket, Carburetor
	31959	Baffle, Air
	33356	Terminal, Ground
	730201	Trigger Pin Kit (Use as required)
	610118	Cover, Spark plug (Use as required)
176	32426	Spacer, Screen
	8345	Washer, 1/4 plain (Use as required)
	27070	Washer, Lock 1/4 E.T. (Use as require d)
170	2,0,0	Traction, book 1/4 E.T. (Odd ad Toquillo a)

Ref #	Part Number	Qty Description
178	650675	Washer, Flat 1/4 (Use as required)
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"
187	650713	Screw, 5/16-18 x 5/8"
188	26073	Washer, Flat
246	32953	Screen, Starter pulley
248	650670	Screw, 1/4-20 x 3/4"
249	32046	Rope Assy., Starter (Use as required)
264	650661	Screw, 1/4-20 x 3/4"
265	610408	Nut, Hex
266	610750	Grommet, Lead wire
267	610748	Solid State Magneto (Incl.151,173,265,266)
278	610746	Solid State Flywheel
299A	31752	Decal, Air cleaner
299B	550223	Decal, Name
299B	32676	Decal, Solid State
299	34346	Decal, Instruction
300	32255A	Valve, Seat, Spring & Gasket Assy.
301	631533	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
178 180 222 222	27070 650675 650701 792028 650781 34276		Washer, Lock 1/4 E.T. (Use as require d) Washer, Flat 1/4 (Use as required) Screw, 8-18 x 7/16" (Use as required) Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor) Screw,5/16-18 x 11/16"(Use w/33835 st r.motor) Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
243 244 245	650736 32252 27513 792051 730134		Screw, 10-16 x 3/8" (Use as required) Shaft, Flywheel extension Lockwasher Screw, 1/4-20 x 1-3/4" Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
	33018 610761		Harness Assy., Adapter (Use as requir ed) Alternator Coil (Solid State) (10 Amp) (Incl. Nos. 253, 256 & 257A)
256 257B 257A 266 268 275	650416 610922 610824 610819 610750 610749 730198 33835		Screw, 10-32 x 1" Terminal, Female Flat Connector (Female terminals) (As req.) Connector, Pyramid (For female termin als) Grommet, Lead wire Solid State Regulator (10 Amp) Starter Switch Kit(Incl. 287-298) (As req.) Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835 starter motors are used interchangeably on the se models. Refer to service numberstamped on end cap of motor, or on decal for identification. Refer to Division 5, Section D for breakdown.



Ref #	Part Number	Qty [	Description
41	31967	- (	Spring, Governor
62A	31977	F	Fuel Tank (Incl. 63)
70	29634	F	Fitting, Fuel line
71	26460	(	Clamp, Fuel line (Use as required)
72	29774	F	Fuel Line (Braided) (8.25") (Use as r equired)
72	30705	F	Fuel Line (Braided) (16") (Use as req uired)
72	30962	F	Fuel Line (Braided) (32") (Use as req uired)
72	30965	F	Fuel Line (Braided) (48") (Use as req uired)
119	28534	F	Pipe Plug, 1/8-27 (Use as required)
119	9556	F	Plug, Pipe, 1/8-27 (Use as required)
123A	32008		Element, Air cleaner
172	31990	E	Bracket, Choke control
184	27793	(	Clip, Conduit
185	28942	9	Screw, 10-32 x 3/8"