
## ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




Ref #	Part Number C	Oty Description
	33042	Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore)
	27652	Pin, Dowel
	31950	Seal, Oil
	31940	Intake Valve (Std.)
		<b>`</b>
	31941	Intake Valve (1/32" OS) (Incl. 9)
	31942	Exhaust Valve (Std.)
	31943	Exhaust Valve (1/32" OS) (Incl. 9)
	650592	Key, Flywheel
	31944	Spring, Valve
	31946	Cap, Lower valve spring (1/32" OS)
	31945	Cap, Lower valve spring (Std.)
	31945	Cap, Lower valve spring (Std.)
	31946	Cap, Lower valve spring (1/32" OS)
	20810	Pin, Valve spring retainer
	32293C	Crankshaft (Incl. 12, 13, 17, 78 & 79)
	29783	Pin, Crankshaft gear
	31931	Gear, Crankshaft
	32238B	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
	32239B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32240B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32621B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	32622B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	34511	Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
	34512	Piston, Pin & Ring Set (.010" OS)
	34513	Piston, Pin & Ring Set (.020" OS)
	34524	Piston, Pin & Ring Set (.030" OS)
	34525	Piston, Pin & Ring Set (.040" OS)
	32241	Ring Set (Std.) (3-1/2" Bore)
	32242	Ring Set (.010" OS)
	32243	Ring Set (.020" OS)
	32625	Ring Set (.030" OS)
	32626	Ring Set (.040" OS)
	32336	Re-Ringing Set, Piston
	31919	Ring, Piston pin retaining
	33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077	Bolt, Connecting rod
	26073	Washer, Connecting rod
	28264	Nut Assy., Lock
	32150	Camshaft (MCR)
	31939	Lifter, Valve
	32580A	Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
	31956A	* Gasket, Cylinder cover
	32908	Oil Fill Tube
	29985	"O" Ring
	29673	* Gasket, Oil fill tube
26	33055	Dipstick (Incl. 25A)
28	32426	Spacer, Governor rod
	650588	Screw, 1/4-20 x 2"
	31968	Link, Governor
32	650451	Screw, 1/4-20 x 1"
33	31964	Clamp, Governor lever
	29193	Ring, Retaining
	31963	Lever, Governor adjusting
	650518	Lockwasher
	650544	Screw, 10-24 x 7/8"
	7975	Nut, 10-24


Pof #	Part Number Qty	Description
	31965	Plate, Governor spring
	30312	Screw, 10-32 x 1/2"
	31967	Spring, Governor
	30590A	
		Washer, Flat
	32425	Rod Assy., Governor
	31948	Spool, Governor
	29193	Ring, Retaining
	31947	Gear Assy., Governor
	31930	Shaft, Mechanical Governor
	32246A	* Gasket, Cylinder head
	33034	Head, Cylinder
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650711	Screw, 5/16-18 x 1-5/8" (Use as requi red)
51	650628A	Screw, 5/16-18 x 2-3/8" (Use as requi red)
51	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
51	650714	Screw, 5/16-18 x 1-5/8" (Use as requi red)
51	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
51	650692	Screw, 5/16-18 x 1-3/4" (Use as required)
51	650603	Screw, 5/16-18 x 5/8" (Use as require d)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug (RJ-17LM)
	33035	Cover, Cylinder head
	28537	Washer, Plain
	650691	Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
	8274	Washer, Lock (Use as required)
	650128	Screw, 10-24 x 1/2"
	31976	Extension, Blower housing
	410144B	
		Fuel Cap (White Plastic)(Std.)(As req uired)
03	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
64	31979	Strap, Fuel tank
65	650451	Screw, 1/4-20 x 1"
66	650456	Nut, Flange whiz-lock, 1/4-20
	650517	Screw, 1/4-20 x 27/32" (Use as requir ed)
	650561	Screw, 1/4-20 x 5/8" (Use as required )
	30063	Screw, 1/4-20 x 1/2" (Use as required )
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
	26460	Clamp, Fuel line (Use as required)
	29774	Fuel Line (Braided) (8.25") (Use as r equired)
	30705	Fuel Line (Braided) (16") (Use as required)
	30962	Fuel Line (Braided) (32") (Use as req uired)
	30965	Fuel Line (Braided) (48") (Use as req uired)
	31975	
	650561	Baffle, Blower housing
		Screw, 1/4-20 x 5/8"
	28545	Grommet, Plastic
	650760	Screw, 8-32 x 3/8"
	31932	Bearing, Tapered roller
	31928	Cup, Bearing
80	32031	Spacer, Steel (.010" thick) NOTE: Determine the gap
		between the cover and the machined surface on the cylinder
		which can be from .001"up to .007" in which case no shim
		gaskets will be required. Use of gasket must be limited to a
		combined total of .010" thick. Steel spacersmust be used
		as required

Ref #	Part Number	Otv	Description
81	31971		* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972		"O" Ring * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32677		Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84	650668		Screw, 10-32 x 1"
	650679		Lockwasher, 5/16" (Use as required)
	650666 650504		Washer, Lock
	650594 33041		Nut, Flywheel, 3/4-16 Blower Housing
	8274		Washer, Lock
	650595		Screw, 5/16-24 x 3/8"
	8274		Washer, Lock
	650624		Screw, 5/16-24 x 9/16"
	31958		* Gasket, Breather
	31957 35350		Breather Assy. Tube, Breather
	650128		Screw, 10-24 x 1/2"
	28558		Washer, Wave
	31966		Bushing, Control lever
	31984A		Lever, Control
	650597		Screw, 10-24 x 5/8"
	650591 33099		Screw, 10-24 x 2"
	33038		Spring Plug, Button (Use as required)
	29752		Nut & Lockwasher Assy.
	650587		Stud, Carburetor
	27272		* Gasket, Air cleaner
	650399		Screw, 10-32 x 5/8"
	30767 650513		Spacer, Air cleaner Nut, Wing
	650713		Screw, 5/16-18 x 5/8" (Use as require d)
	650429		Screw, 5/16-18 x 3/4" (Use as require d)
	792028		Screw, 5/16-18 x 7/8" (Use as require d)
	26073		Washer, Flat (Use as required)
	8274		Lockwasher, Split (Use as required)
	31960 31950		* Gasket, Carburetor
	31959 730201		Baffle, Air Trigger Pin Kit (Use as required)
	610118		Cover, Spark plug (Use as required)
	31992		Spacer, Screen
177	8345		Washer, 1/4 plain (Use as required)

Ref #	Part Number	Qty	Description
178	27070	•	Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
184	27793		Clip, Conduit
185	28942		Screw, 10-32 x 3/8"
187	650713		Screw, 5/16-18 x 5/8"
188	26073		Washer, Flat
219	32154		Cap, Pipe
220	32438		Nipple, Pipe
246	33776		Screen, Starter pulley
247	31980		Pulley, Starter
248	650680		Screw, 1/4-20 x 1-1/2"
249	32046		Rope Assy., Starter (Use as required)
266	610750		Grommet, Lead wire
278	610758		Flywheel
299	34346		Decal, Instruction
299E	32165		Decal, Timken
299B	550223		Decal, Name
299B	32676		Decal, Solid State
300	32411A		Valve, Seat, Spring & Gasket Assy.
301	631498		Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94
			for breakdown)
304	33237A		* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty Description
174	31755	Bracket, Guard
175	28942	Screw, 10-32 x 3/8"
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
180	650701	Screw, 8-18 x 7/16" (Use as required)
222	792028	Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
222	650781	Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276	Plate, Cover (Use as required to cover regulator mounting
		hole in blower housing)
236	650736	Screw, 10-16 x 3/8" (Use as required)
	730134	Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use
		as required)
253	33018	Harness Assy., Adapter (Use as requir ed)
	610824	Flat Connector (Female terminals) (As req.)
	610759	Solid State Magneto
	650489	Screw, 1/4-20 x 5/8"
	650669	Screw, 5/16-18 x 1-1/4"
	610760	Solid State Transformer Ass'y.(Incl.1 73,266)
	650561	Screw, 1/4-20 x 5/8"
	610750	Grommet, Lead wire
	730198	Starter Switch Kit(Incl. 287-298) (As req.)
	30831	Ground Wire (Incl. 75)



Ref #	Part Number	Qty	Description
41	31967		Spring, Governor
62A	32689		Fuel Tank (Incl. 63)
63A	32437A		Gauge, Visual fuel
70G	32961		Valve, Fuel shut-off
	28584		Fitting & Strainer, Fuel
	26460		Clamp, Fuel line (Use as required)
	29774		Fuel Line (Braided) (8.25") (Use as r equired)
	30705		Fuel Line (Braided) (16") (Use as req uired)
	30962		Fuel Line (Braided) (32") (Use as req uired)
	30965		Fuel Line (Braided) (48") (Use as req uired)
	28534		Pipe Plug, 1/8-27 (Use as required)
	9556		Plug, Pipe, 1/8-27 (Use as required)
	29774		Spacer, Air cleaner
	32907B		Bracket, Air cleaner
	32905		Bracket, Air cleaner
	32008		Element, Air cleaner
	32906		Element, Pre-Air cleaner
	32904		Cover, Pre-air cleaner
	31990		Bracket, Choke control
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	32958		Fitting, Fuel
	32959		Fuel Pump, Impulse
	33010		Repair Kit, Impulse fuel pump
	32960		Washer, Lock
286	650849		Nut, Hex jam, 3/8-24