ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




Dof #	Part Number	Description
	Part Number Qty 33042	Description Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore)
	27652	Pin, Dowel
	31950	Seal, Oil
	31940	Intake Valve (Std.)
		,
	31941	Intake Valve (1/32" OS) (Incl. 9)
	31942	Exhaust Valve (Std.)
	31943	Exhaust Valve (1/32" OS) (Incl. 9)
	650592	Key, Flywheel
	31944	Spring, Valve
	31946	Cap, Lower valve spring (1/32" OS)
	31945	Cap, Lower valve spring (Std.)
	31945	Cap, Lower valve spring (Std.)
	31946	Cap, Lower valve spring (1/32" OS)
	20810 2001B	Pin, Valve spring retainer
	32291B	Crankshaft (Incl. 12, 13, 17, 78 & 79)
	29783	Pin, Crankshaft gear
	31931 33338B	Gear, Crankshaft
	32238B	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
	32239B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32240B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32621B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	32622B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	34511	Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
	34512 34513	Piston, Pin & Ring Set (.010" OS)
	34513 34524	Piston, Pin & Ring Set (.020" OS) Piston, Pin & Ring Set (.030" OS)
	34525	Piston, Pin & Ring Set (.030 OS) Piston, Pin & Ring Set (.040" OS)
	32241	Ring Set (Std.) (3-1/2" Bore)
	32242	Ring Set (3.01.0" OS)
	32243	Ring Set (.020" OS)
	32625	Ring Set (.030" OS)
	32626	Ring Set (.040" OS)
	32336	Re-Ringing Set, Piston
	31919	Ring, Piston pin retaining
	33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077	Bolt, Connecting rod
	26073	Washer, Connecting rod
	28264	Nut Assy., Lock
	32150	Camshaft (MCR)
	31939	Lifter, Valve
23A	31956A	* Gasket, Cylinder cover
23	32580A	Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
24	31985	Oil Fill Tube
25	29673	* Gasket, Oil fill tube
25A	29673	* Gasket, Oil fill
26	33070	Dipstick (Incl. 25A)
28	32426	Spacer, Governor rod
29	650588	Screw, 1/4-20 x 2"
	31927	Oil Drain Plug
	31968	Link, Governor
	650451	Screw, 1/4-20 x 1"
	31964	Clamp, Governor lever
	29193	Ring, Retaining
	31963	Lever, Governor adjusting
	650518	Lockwasher
37	650544	Screw, 10-24 x 7/8"


Ref #	Part Number Qt	y Description
	7975	Nut, 10-24
	31965	Plate, Governor spring
	30312	Screw, 10-32 x 1/2"
	31967	Spring, Governor
	30590A	Washer, Flat
	32425	Rod Assy., Governor
	31948	Spool, Governor
	29193	Ring, Retaining
	31947	Gear Assy., Governor
	31930	Shaft, Mechanical Governor
	32246A	* Gasket, Cylinder head
	33034	Head, Cylinder
51	650694A	Screw, 5/16-18 x 2" (Use as required)
51	650711	Screw, 5/16-18 x 1-5/8" (Use as required)
	650628A	Screw, 5/16-18 x 2-3/8" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650714	Screw, 5/16-18 x 1-5/8" (Use as requi red)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650692	Screw, 5/16-18 x 1-3/4" (Use as requi red)
	650603	Screw, 5/16-18 x 5/8" (Use as require d)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug (RJ-17LM)
54	33035	Cover, Cylinder head
	28537	Washer, Plain
57	650691	Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
58	8274	Washer, Lock (Use as required)
59	650128	Screw, 10-24 x 1/2"
60	31976	Extension, Blower housing
63	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
67	CE0E47	• ,
	650517 650561	Screw, 1/4-20 x 27/32" (Use as required)
	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30063	Screw, 1/4-20 x 1/2" (Use as required)
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
	26460	Clamp, Fuel line (Use as required)
	29774	Fuel Line (Braided) (8.25") (Use as required)
	30705	Fuel Line (Braided) (16") (Use as req uired)
	30962 30065	Fuel Line (Braided) (32") (Use as req uired)
	30965	Fuel Line (Braided) (48") (Use as req uired)
	32579	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	31932	Bearing, Tapered roller
	31928	Cup, Bearing
80	32031	Spacer, Steel (.010" thick) NOTE: Determine the gap
		between the cover and the machined surface on the cylinder
		which can be from .001"up to .007" in which case no shim
		gaskets will be required. Use of gasket must be limited to a
		combined total of .010" thick. Steel spacersmust be used
		as required

Pof #	Part Number Qty	Description
	31971 Qty	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim
		gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972	"O" Ring * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32577	Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84A	792028 650679	Screw, 5/16-18 x 7/8" Lockwasher, 5/16" (Use as required)
	650666	Washer, Lock
	650594 33044A	Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter)
	8274	Washer, Lock
	650595	Screw, 5/16-24 x 3/8"
	8274	Washer, Lock
	650624	Screw, 5/16-24 x 9/16" * Cooket Broother
	31958 31957	* Gasket, Breather Breather Assy.
	35350	Tube, Breather
101	650128	Screw, 10-24 x 1/2"
	28558	Washer, Wave
	31966	Bushing, Control lever
	31984A 650597	Lever, Control Screw, 10-24 x 5/8"
	650591	Screw, 10-24 x 2"
	33099	Spring
	33038	Plug, Button (Use as required)
	29752 650587	Nut & Lockwasher Assy. Stud, Carburetor
	27272	* Gasket, Air cleaner
	650399	Screw, 10-32 x 5/8"
	30767	Spacer, Air cleaner
	32376 32378	Bracket, Air cleaner
	32009	Bracket, Air cleaner Cover, Air cleaner
	650513	Nut, Wing
128	650713	Screw, 5/16-18 x 5/8" (Use as require d)
	650429	Screw, 5/16-18 x 3/4" (Use as require d)
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
141 141A	26073 8274	Washer, Flat (Use as required) Lockwasher, Split (Use as required)
	31960	* Gasket, Carburetor
147	31959	Baffle, Air
151	33356	Terminal, Ground

Ref #	Part Number	Qty	Description
156	730201		Trigger Pin Kit (Use as required)
173	610118		Cover, Spark plug (Use as required)
176	31992		Spacer, Screen
177	8345		Washer, 1/4 plain (Use as required)
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
184	27793		Clip, Conduit
185	28942		Screw, 10-32 x 3/8"
187	650713		Screw, 5/16-18 x 5/8"
188	26073		Washer, Flat
246	33776		Screen, Starter pulley
247	31980		Pulley, Starter
248	650680		Screw, 1/4-20 x 1-1/2"
249	32046		Rope Assy., Starter (Use as required)
264	650661		Screw, 1/4-20 x 3/4"
265	610408		Nut, Hex
266	610750		Grommet, Lead wire
267	610748		Solid State Magneto (Incl.151,173,265 ,266)
278	610746		Solid State Flywheel
299	34346		Decal, Instruction
	31752		Decal, Air cleaner
	550223		Decal, Name
	32676		Decal, Solid State
	32411A		Valve, Seat, Spring & Gasket Assy.
301	631498		Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A		* Gasket Set (Incl. items marked *)



	Part Number		Description
178 180 222 222	27070 650675 650701 792028 650781 34276	\ : :	Washer, Lock 1/4 E.T. (Use as require d) Washer, Flat 1/4 (Use as required) Screw, 8-18 x 7/16" (Use as required) Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor) Screw,5/16-18 x 11/16"(Use w/33835 st r.motor) Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
	650736 730134		Screw, 10-16 x 3/8" (Use as required) Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
	33018 610761	1	Harness Assy., Adapter (Use as requir ed) Alternator Coil (Solid State) (10 Amp) (Incl. Nos. 253, 256 & 257A)
256 257B 257A 266 268 275	650416 610922 610824 610819 610750 610749 730198 33835	- - - - - - - - - - - - - - - - - - -	Screw, 10-32 x 1" Terminal, Female Flat Connector (Female terminals) (As req.) Connector, Pyramid (For female termin als) Grommet, Lead wire Solid State Regulator (10 Amp) Starter Switch Kit(Incl. 287-298) (As req.) Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835 starter motors are used interchangeably on the se models. Refer to service numberstamped on end cap of motor, or on decal for identification. Refer to Division 5, Section D for breakdown.



Ref #	Part Number	Qty	Description
41	31967		Spring, Governor
71	26460		Clamp, Fuel line (Use as required)
72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
72	30705		Fuel Line (Braided) (16") (Use as req uired)
72	30962		Fuel Line (Braided) (32") (Use as req uired)
72	30965		Fuel Line (Braided) (48") (Use as req uired)
119	28534		Pipe Plug, 1/8-27 (Use as required)
119	9556		Plug, Pipe, 1/8-27 (Use as required)
123A	32008		Element, Air cleaner
172	31990		Bracket, Choke control
184	27793		Clip, Conduit
185	28942		Screw, 10-32 x 3/8"
237	32958		Fitting, Fuel
238	32959		Fuel Pump, Impulse
239	33010		Repair Kit, Impulse fuel pump