
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.





Ref #	Part Number Qty	Description
1	_	Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore)
•	27652	Pin, Dowel
	31950	Seal, Oil
	31940	
		Intake Valve (Std.)
	31941	Intake Valve (1/32" OS) (Incl. 9)
	31942	Exhaust Valve (Std.)
	31943	Exhaust Valve (1/32" OS) (Incl. 9)
	650592	Key, Flywheel
	31944	Spring, Valve
	31945	Cap, Lower valve spring (Std.)
	31946	Cap, Lower valve spring (1/32" OS)
	31946	Cap, Lower valve spring (1/32" OS)
	31945	Cap, Lower valve spring (Std.)
	20810	Pin, Valve spring retainer
	33393A	Crankshaft (Incl. 12, 13, 78 & 79)
	29783	Pin, Crankshaft gear
	31931	Gear, Crankshaft
14A	32238B	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
14A	32239B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32240B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14A	32621B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
14A	32622B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
14	34511	Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
14	34512	Piston, Pin & Ring Set (.010" OS)
14	34513	Piston, Pin & Ring Set (.020" OS)
14	34524	Piston, Pin & Ring Set (.030" OS)
14	34525	Piston, Pin & Ring Set (.040" OS)
	32241	Ring Set (Std.) (3-1/2" Bore)
	32242	Ring Set (.010" OS)
	32243	Ring Set (.020" OS)
	32625	Ring Set (.030" OS)
	32626	Ring Set (.040" OS)
	32336	Re-Ringing Set, Piston
	31919	Ring, Piston pin retaining
	33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077	Bolt, Connecting rod
	26073	Washer, Connecting rod
	28264	Nut Assy., Lock
	32150	Camshaft (MCR)
	31939	Lifter, Valve
	32580A	Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
	31956A	* Gasket, Cylinder cover
	31985	Oil Fill Tube
	29673	* Gasket, Oil fill tube
	29673	* Gasket, Oil fill
	33070	·
	32426	Dipstick (Incl. 25A)
		Spacer, Governor rod
	650588	Screw, 1/4-20 x 2"
	31927	Oil Drain Plug
	31968 650454	Link, Governor
	650451	Screw, 1/4-20 x 1"
	31964	Clamp, Governor lever
	29193	Ring, Retaining
	31963	Lever, Governor adjusting
	650518	Lockwasher
37	650544	Screw, 10-24 x 7/8"


Ref #	Part Number Qt	y Description
	7975	Nut, 10-24
	31965	Plate, Governor spring
	30312	Screw, 10-32 x 1/2"
	31967	Spring, Governor
	30590A	Washer, Flat
	32425	Rod Assy., Governor
	31948	Spool, Governor
	29193	Ring, Retaining
	31947	Gear Assy., Governor
	31930	Shaft, Mechanical Governor
	32246A	* Gasket, Cylinder head
	33034	Head, Cylinder
	650694A	· ·
	650711	Screw, 5/16-18 x 2" (Use as required)
		Screw, 5/16-18 x 1-5/8" (Use as required)
	650628A	Screw, 5/16-18 x 2-3/8" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
	650714	Screw, 5/16-18 x 1-5/8" (Use as requi red)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650692	Screw, 5/16-18 x 1-3/4" (Use as requi red)
	650603	Screw, 5/16-18 x 5/8" (Use as require d)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug (RJ-17LM)
	33035	Cover, Cylinder head
	28537	Washer, Plain
	650691	Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
	8274	Washer, Lock (Use as required)
59	650128	Screw, 10-24 x 1/2"
60	31976	Extension, Blower housing
	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
63	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
67	650517	Screw, 1/4-20 x 27/32" (Use as requir ed)
	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30063	Screw, 1/4-20 x 1/2" (Use as required)
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
	29683	Strainer & Shut-off, Fuel
	26460	Clamp, Fuel line (Use as required)
	29774	Fuel Line (Braided) (8.25") (Use as r equired)
	30705	Fuel Line (Braided) (16") (Use as required)
	30962	Fuel Line (Braided) (32") (Use as req uired)
	30965	Fuel Line (Braided) (32) (Use as req uired)
	31975	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	33356	
		Terminal
	28545	Grommet, Plastic
	650760	Screw, 8-32 x 3/8"
	31932	Bearing, Tapered roller
	31928	Cup, Bearing
80	32031	Spacer, Steel (.010" thick) NOTE: Determine the gap
		between the cover and the machined surface on the cylinder
		which can be from .001"up to .007" in which case no shim
		gaskets will be required. Use of gasket must be limited to a
		combined total of .010" thick. Steel spacersmust be used
		as required

Dof #	Part Number Qty	Description
	31971 Qty	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972	"O" Ring * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32677	Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84A 85 86 87 91 92 93 94 95 96 98 99 100 101 102 103 104 105 106 107 108 109 112 113 114 115 120 121 122E 125A 126 128	650668 650679 650666 650594 33044A 8274 650595 32039 650890 26073 650624 31957 35350 650128 28558 31966 31984A 650597 650591 33099 32042 32043B 33038 29752 650587 27272 650399 30767 32378 32376 32009 650513 650713 650429	Screw, 10-32 x 1" Lockwasher, 5/16" (Use as required) Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Switch, Stop Washer, Shakeproof Washer, Flat Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Nipple, Exhaust pipe Muffler Plug, Button (Use as required) Nut & Lockwasher Assy. Stud, Carburetor * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Bracket, Air cleaner Bracket, Air cleaner Bracket, Air cleaner Nut, Wing Screw, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 3/4" (Use as require d)
	792028 8274	Screw, 5/16-18 x 7/8" (Use as require d) Lockwasher, Split (Use as required)


Ref #	Part Number	Qty	Description
141	26073	,	Washer, Flat (Use as required)
145	31960	,	* Gasket, Carburetor
147	31959		Baffle, Air
156	730201		Trigger Pin Kit (Use as required)
173	610118		Cover, Spark plug (Use as required)
177	8345	,	Washer, 1/4 plain (Use as required)
178	27070	,	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	,	Washer, Flat 1/4 (Use as required)
184	27793		Clip, Conduit
185	28942		Screw, 10-32 x 3/8"
187	650713		Screw, 5/16-18 x 5/8"
188	26073	,	Washer, Flat
249	32046		Rope Assy., Starter (Use as required)
266	610750		Grommet, Lead wire
278	610758		Flywheel
299A	31752		Decal, Air cleaner
299B	550223		Decal, Name
299B	32676		Decal, Solid State
299	34346		Decal, Instruction
300	32411A	,	Valve, Seat, Spring & Gasket Assy.
301	631498		Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94
		İ	for breakdown)
304	33237A	,	* Gasket Set (Incl. items marked *)







Ref #	Part Number	Qty	Description
165	32048		Hub, Starter
166	32049		Screen, Starter hub
167	650516		Screw, 1/4-20 x 1-1/8"
168	650598		Screw, 1/4-28 x 3/4"
169	8345		Washer, Flat
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
180	650701		Screw, 8-18 x 7/16" (Use as required)
	792028		Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
	650781		Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276		Plate, Cover (Use as required to cover regulator mounting
			hole in blower housing)
236	650736		Screw, 10-16 x 3/8" (Use as required)
252	730134		Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use
			as required)
253	33018		Harness Assy., Adapter (Use as requir ed)
	610824		Flat Connector (Female terminals) (As req.)
	610759		Solid State Magneto
	650489		Screw, 1/4-20 x 5/8"
	650669		Screw, 5/16-18 x 1-1/4"
	610760		Solid State Transformer Ass'y.(Incl.1 73,266)
	650561		Screw, 1/4-20 x 5/8"
266	610750		Grommet, Lead wire
275	730198		Starter Switch Kit(Incl. 287-298) (As req.)
277	30831		Ground Wire (Incl. 75)
302	590405		Rewind Starter (Refer to Division 5, Section C, page 24 for breakdown)
			or out the first of the first o



Ref #	Part Number (Qty De	escription
41	31967	Sp	oring, Governor
62A	31977	Fu	uel Tank (Incl. 63)
71	26460	Cla	amp, Fuel line (Use as required)
72	29774	Fu	uel Line (Braided) (8.25") (Use as r equired)
72	30705	Fu	uel Line (Braided) (16") (Use as req uired)
72	30962	Fu	uel Line (Braided) (32") (Use as req uired)
72	30965	Fu	uel Line (Braided) (48") (Use as req uired)
119	28534	Pip	pe Plug, 1/8-27 (Use as required)
119	9556	Pli	ug, Pipe, 1/8-27 (Use as required)
123A	32008	Ele	ement, Air cleaner
172	31990	Bra	acket, Choke control
184	27793	Cli	ip, Conduit
185	28942	Sc	crew, 10-32 x 3/8"
237	32958	Fit	tting, Fuel
238	32959	Fu	uel Pump, Impulse
239	33010	Re	epair Kit, Impulse fuel pump