
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




Ref #	Part Number Qty	Description
1	33042	Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore)
2	27652	Pin, Dowel
4	31950	Seal, Oil
5	31940	Intake Valve (Std.)
5	31941	Intake Valve (1/32" OS) (Incl. 9)
6	31942	Exhaust Valve (Std.)
	31943	Exhaust Valve (1/32" OS) (Incl. 9)
	650592	Key, Flywheel
	31944	Spring, Valve
	31945	Cap, Lower valve spring (Std.)
	31946	Cap, Lower valve spring (1/32" OS)
	31946	Cap, Lower valve spring (1/32" OS)
	31945	Cap, Lower valve spring (Std.)
	20810	Pin, Valve spring retainer
	33390B	Crankshaft (Incl. 12, 13, 78 & 79)
	29783	Pin, Crankshaft gear
	31931	Gear, Crankshaft
	34511	Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
	34512	Piston, Pin & Ring Set (.010" OS)
	34513	Piston, Pin & Ring Set (.020" OS)
	34524	Piston, Pin & Ring Set (.030" OS)
	34525	Piston, Pin & Ring Set (.040" OS)
	32238B	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
	32239B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32240B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32621B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	32622B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	32241	Ring Set (Std.) (3-1/2" Bore)
	32241	•
	32242	Ring Set (.010" OS) Ring Set (.020" OS)
	32625	•
	32626	Ring Set (.030" OS) Bing Set (.040" OS)
		Ring Set (.040" OS)
	32336	Re-Ringing Set, Piston
	31919	Ring, Piston pin retaining
	33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077	Bolt, Connecting rod
	26073	Washer, Connecting rod
	28264	Nut Assy., Lock
	32150	Camshaft (MCR)
	31939 31956A	Lifter, Valve
	31956A 32580A	* Gasket, Cylinder cover
	29673	Cover, Cylinder (Incl. 4, 28, 30, 34, & 43) * Gasket, Oil fill
	29073 33069	,
		Dipstick (Incl. 25A)
	32426	Spacer, Governor rod
	650588	Screw, 1/4-20 x 2" Oil Droip Blug
	31927	Oil Drain Plug
	31968	Link, Governor
	650451 21064	Screw, 1/4-20 x 1"
	31964	Clamp, Governor lever
	29193	Ring, Retaining
	31963	Lever, Governor adjusting
	650518 650544	Lockwasher
	650544 7075	Screw, 10-24 x 7/8"
	7975	Nut, 10-24
39	31965	Plate, Governor spring

	Part Number Qt	
40	30312	Screw, 10-32 x 1/2"
41	31967	Spring, Governor
42	30590A	Washer, Flat
	32425	Rod Assy., Governor
	31948	Spool, Governor
	29193	Ring, Retaining
	31947	Gear Assy., Governor
	31930	Shaft, Mechanical Governor
	32246A	* Gasket, Cylinder head
49	33034	Head, Cylinder
51	650694A	Screw, 5/16-18 x 2" (Use as required)
51	650711	Screw, 5/16-18 x 1-5/8" (Use as required)
	650628A	Screw, 5/16-18 x 2-3/8" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
	650714	Screw, 5/16-18 x 1-5/8" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	650692	Screw, 5/16-18 x 1-3/4" (Use as requi red)
	650603	Screw, 5/16-18 x 5/8" (Use as require d)
53	33636	Resistor Spark Plug (RJ-8C)
53	34251	Resistor Spark Plug (RJ-17LM)
	33035	Cover, Cylinder head
	28537	Washer, Plain
	650691	
		Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
	8274	Washer, Lock (Use as required)
	650128	Screw, 10-24 x 1/2"
60	31976	Extension, Blower housing
61	31978	Bracket, Fuel tank
63	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
	0.210	required)
	04070	• <i>·</i>
	31979	Strap, Fuel tank
65	650451	Screw, 1/4-20 x 1"
66	650456	Nut, Flange whiz-lock, 1/4-20
67	650517	Screw, 1/4-20 x 27/32" (Use as requir ed)
	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30063	Screw, 1/4-20 x 1/2" (Use as required)
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
	29683	Strainer & Shut-off, Fuel
	26460	Clamp, Fuel line (Use as required)
	30705	Fuel Line (Braided) (16") (Use as req uired)
	30962	Fuel Line (Braided) (32") (Use as req uired)
72	30965	Fuel Line (Braided) (48") (Use as req uired)
	29774	Fuel Line (Braided) (8.25") (Use as r equired)
	31975	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	33356	Terminal
	28545	Grommet, Plastic
77	650760	Screw, 8-32 x 3/8"
	31932	Bearing, Tapered roller
78		Cup, Bearing
	31928	
79	31928 32031	
79	31928 32031	Spacer, Steel (.010" thick) NOTE: Determine the gap
79		Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder
79		Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim
79		Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a
79		Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim

Ref #	Part Number	Qty D	Description
81	31971	b v g c	Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim paskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
82	31972	b v g c	Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim paskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 32677	C a .(re o	O" Ring Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from 001"up to .007" in which case no shim gaskets will be equired. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84 85 86 87 91 92 93 94 95 96 98 99 100 101 102 103 104 105 106 107 108 109 112 113 114	650679 650668 650594 33037 8274 650595 32039 650890 26073 650624 31957 35350 650128 28558 31966 31984A 650597 650591 33099 32042 32042 32043B 33038 29752 650587 27272 650399		Aliminat Lockwasher, 5/16" (Use as required) Screw, 10-32 x 1" Vasher, Lock Nut, Flywheel, 3/4-16 Slower Housing Vasher, Lock Screw, 5/16-24 x 3/8" Switch, Stop Vasher, Shakeproof Vasher, Flat Screw, 5/16-24 x 9/16" Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Vasher, Wave Bushing, Control lever ever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Nipple, Exhaust pipe Auffler Plug, Button (Use as required) Aut & Lockwasher Assy. Stud, Carburetor Gasket, Air cleaner Screw, 10-32 x 5/8"
121 122D 122E 125A 126 128 128 128 128	30767 32378 32376 32009 650513 650713 650429 792028 26073	S E E C N S S S	Spacer, Air cleaner Bracket, Air cleaner Bracket, Air cleaner Cover, Air cleaner Nut, Wing Screw, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 3/4" (Use as require d) Screw, 5/16-18 x 7/8" (Use as require d) Vasher, Flat (Use as required)

Ref #	Part Number Qty	Description
141A	8274	Lockwasher, Split (Use as required)
145	31960	* Gasket, Carburetor
147	31959	Baffle, Air
156	730201	Trigger Pin Kit (Use as required)
173	610118	Cover, Spark plug (Use as required)
177	8345	Washer, 1/4 plain (Use as required)
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"
187	650713	Screw, 5/16-18 x 5/8"
188	26073	Washer, Flat
249	32046	Rope Assy., Starter (Use as required)
266	610750	Grommet, Lead wire
278	610758	Flywheel
299A	31752	Decal, Air cleaner
299	34346	Decal, Instruction
299B	550223	Decal, Name
299B	32676	Decal, Solid State
300	32255A	Valve, Seat, Spring & Gasket Assy.
301	631533	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)



		/ Description
165	32048	Hub, Starter
	32049	Screen, Starter hub
167	650516	Screw, 1/4-20 x 1-1/8"
168	650598	Screw, 1/4-28 x 3/4"
169	8345	Washer, Flat
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
180	650701	Screw, 8-18 x 7/16" (Use as required)
	792028	Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
	650781	Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276	Plate, Cover (Use as required to cover regulator mounting
		hole in blower housing)
236	650736	Screw, 10-16 x 3/8" (Use as required)
	730134	Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use
		as required)
253	33018	Harness Assy., Adapter (Use as requir ed)
	610824	Flat Connector (Female terminals) (As req.)
	610759	Solid State Magneto
	650489	Screw, 1/4-20 x 5/8"
	650669	Screw, 5/16-18 x 1-1/4"
	610760	Solid State Transformer Ass'y.(Incl.1 73,266)
	650561	Screw, 1/4-20 x 5/8"
	610750	Grommet, Lead wire
	730198	Starter Switch Kit(Incl. 287-298) (As req.)
	30831	Ground Wire (Incl. 75)
	590405	Rewind Starter (Refer to Division 5, Section C, page 24 for
		breakdown)

1268


126A

Ć

Ĩ25

124

ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY DEM.



228

227-

234A

Ref #	Part Number Qty	Description
41	31967	Spring, Governor
62A	31977	Fuel Tank (Incl. 63)
70	29634	Fitting, Fuel line
71	26460	Clamp, Fuel line (Use as required)
72	30705	Fuel Line (Braided) (16") (Use as req uired)
72	30962	Fuel Line (Braided) (32") (Use as req uired)
72	30965	Fuel Line (Braided) (48") (Use as req uired)
72	29774	Fuel Line (Braided) (8.25") (Use as r equired)
119	28534	Pipe Plug, 1/8-27 (Use as required)
119	9556	Plug, Pipe, 1/8-27 (Use as required)
123A	32008	Element, Air cleaner
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"