
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




Ref # Part Number	Qty Description
1 33042	Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore)
2 27652	Pin, Dowel
4 31950	Seal, Oil
5 31940	Intake Valve (Std.)
5 31941	Intake Valve (1/32" OS) (Incl. 9)
6 31942	Exhaust Valve (Std.)
6 31943	Exhaust Valve (1/32" OS) (Incl. 9)
7 650592	Key, Flywheel
8 31944	Spring, Valve
9 31946	Cap, Lower valve spring (1/32" OS)
9 31945	Cap, Lower valve spring (Std.)
9A 31945	Cap, Lower valve spring (Std.)
9A 31946	Cap, Lower valve spring (1/32" OS)
10 20810	Pin, Valve spring retainer
11 33390B	
	Crankshaft (Incl. 12, 13, 78 & 79)
12 29783	Pin, Crankshaft gear
13 34692	Gear, Crankshaft
14A 32238B	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
14A 32239B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A 32240B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14A 32621B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
14A 32622B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
14 34511	Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
14 34512	Piston, Pin & Ring Set (.010" OS)
14 34513	Piston, Pin & Ring Set (.020" OS)
14 34524	Piston, Pin & Ring Set (.030" OS)
14 34525	Piston, Pin & Ring Set (.040" OS)
15 32241	Ring Set (Std.) (3-1/2" Bore)
15 32242	Ring Set (.010" OS)
15 32243	Ring Set (.020" OS)
15 32625	Ring Set (.030" OS)
15 32626	Ring Set (.040" OS)
15 32336	Re-Ringing Set, Piston
16 31919	Ring, Piston pin retaining
17 33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
17 34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
17 34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
18 32077	
19 26073	Bolt, Connecting rod
	Washer, Connecting rod
20 28264	Nut Assy., Lock
21 34693	Camshaft (MCR) (Helical)
22 31939	Lifter, Valve
23 32580A	Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
23A 31956A	* Gasket, Cylinder cover
24 33992A	Oil Fill Tube
25A 33590	"O" Ring
26 33993A	Dipstick (Incl. 25A)
28 32426	Spacer, Governor rod
29 650588	Screw, 1/4-20 x 2"
30 31927	Oil Drain Plug
31 31968	Link, Governor
32 650451	Screw, 1/4-20 x 1"
33 31964	Clamp, Governor lever
34 29193	Ring, Retaining
35 31963	Lever, Governor adjusting
36 650518	Lockwasher
37 650544	Screw, 10-24 x 7/8"
38 7975	Nut, 10-24
00 1010	

		Description
39	31965	Plate, Governor spring
40	30312	Screw, 10-32 x 1/2"
41	31967	Spring, Governor
	30590A	Washer, Flat
	32425	Rod Assy., Governor
	31948	Spool, Governor
	29193	Ring, Retaining
	34691	Governor Gear Ass'y. (Helical)
	31930	Shaft, Mechanical Governor
	32246A	* Gasket, Cylinder head
	33034	Head, Cylinder
51	650694A	Screw, 5/16-18 x 2" (Use as required)
51	650711	Screw, 5/16-18 x 1-5/8" (Use as requi red)
51	650628A	Screw, 5/16-18 x 2-3/8" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
	650714	Screw, 5/16-18 x 1-5/8" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	650692	Screw, 5/16-18 x 1-3/4" (Use as required)
	650603	Screw, 5/16-18 x 5/8" (Use as require d)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug (RJ-17LM)
54	33035	Cover, Cylinder head
55	28537	Washer, Plain
57	650691	Washer, Flat (Use as required)
58	650690	Washer, Belleville (Use as required)
	8274	Washer, Lock (Use as required)
	650128	Screw, 10-24 x 1/2"
	31976	Extension, Blower housing
	31978	Bracket, Fuel tank
	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
63	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
64	31979	Strap, Fuel tank
	650451	Screw, 1/4-20 x 1"
	650456	Nut, Flange whiz-lock, 1/4-20
	650517	Screw, 1/4-20 x 27/32" (Use as required)
	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30063	Screw, 1/4-20 x 1/2" (Use as required)
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
70B	29683	Strainer & Shut-off, Fuel
71	26460	Clamp, Fuel line (Use as required)
72	30705	Fuel Line (Braided) (16") (Use as req uired)
	30962	Fuel Line (Braided) (32") (Use as req uired)
	30965	Fuel Line (Braided) (48") (Use as req uired)
	29774	Fuel Line (Braided) (42) (Use as r equired)
	32579	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	31932	Bearing, Tapered roller
	31928	Cup, Bearing
80	32031	Spacer, Steel (.010" thick) NOTE: Determine the gap
		between the cover and the machined surface on the cylinder
		which can be from .001"up to .007" in which case no shim
		gaskets will be required. Use of gasket must be limited to a
		combined total of .010" thick. Steel spacersmust be used

	Part Number	Qty Description
81	31971	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972	"O" Ring * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32577	Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84A 85 86 87 91 92 95 96 98 99 100 101 102 103 104 105 106 107 112 115 120 121 125A 126 128 128 128 128 128	792028 650679 650594 33044A 8274 650595 8274 650595 8274 650595 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33038 27272 650399 30767 32810 650513 650713 650429 792028 8274 26073	Screw, 5/16-18 x 7/8" Lockwasher, 5/16" (Use as required) Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Washer, Lock Screw, 5/16-24 x 3/8" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Plug, Button (Use as required) * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Nut, Wing Screw, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 7/8" (Use as require d) Screw, 5/16-18 x 7/8" (Use as require d) Lockwasher, Split (Use as required) Washer, Flat (Use as required)
146 147 151 156 173	33263 650451 34061 610908 730201 610118 31992	* Gasket, Carburetor Screw, 1/4-20 x 1" Baffle, Air Terminal, Female Trigger Pin Kit (Use as required) Cover, Spark plug (Use as required) Spacer, Screen

Ref #	Part Number Qty	Description
177	8345	Washer, 1/4 plain (Use as required)
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"
187	650713	Screw, 5/16-18 x 5/8"
188	26073	Washer, Flat
246	33776	Screen, Starter pulley
247	31980	Pulley, Starter
248	650680	Screw, 1/4-20 x 1-1/2"
249	32046	Rope Assy., Starter (Use as required)
264	650661	Screw, 1/4-20 x 3/4"
265	610408	Nut, Hex
266	610750	Grommet, Lead wire
267	610906	Solid State Magneto (Incl.151,173,265,266)(20 Amp)
278	610901	Solid State Flywheel
299B	34768	Decal, Name
299	34346	Decal, Instruction
300A	631021	Inlet Needle, Seat & Clip Assy.
301	631975	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 150 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)



Ref #	Part Number	ty Description	n
178	27070	Washer, L	.ock 1/4 E.T. (Use as require d)
178	650675	Washer, F	Flat 1/4 (Use as required)
180	650701	Screw, 8-1	18 x 7/16" (Use as required)
222	792028	Screw, 5/1	16-18 x 7/8" (Use w/32817 st r.motor)
222	650781	Screw,5/16	6-18 x 11/16"(Use w/33835 st r.motor)
235	34276		rer (Use as required to cover regulator mounting wer housing)
236	650736	Screw. 10	-16 x 3/8" (Use as required)
	730134		tarter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use
253	33018	Harposs A	Assy., Adapter (Use as requir ed)
	610902		Coil (20 Amp)(Incl.256,257,258)
	650521		-32 x 1-1/8"
	610905	Terminal	-02 X I-1/0
	610904	Terminal	
	610824		ector (Female terminals) (As req.)
	610903	Connector	, , , , , , , , , , , , , , , , , , , ,
	610750	Grommet,	
	730198		vitch Kit(Incl. 287-298) (As req.)
	33835	Electric Sta starter mot Refer to se	arter Motor (12 Volt) NOTE: The 32817 and 33835 tors are used interchangeably on the se models. ervice numberstamped on end cap of motor, or on dentification. Refer to Division 5, Section D for

1268


126A

Ć

Ĩ25

124

ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY DEM.



228

227-

234A

Ref # Part Number	Qty Description
41 31967	Spring, Governor
62A 31977	Fuel Tank (Incl. 63)
71 26460	Clamp, Fuel line (Use as required)
72 30705	Fuel Line (Braided) (16") (Use as req uired)
72 30962	Fuel Line (Braided) (32") (Use as req uired)
72 30965	Fuel Line (Braided) (48") (Use as req uired)
72 29774	Fuel Line (Braided) (8.25") (Use as r equired)
119 28534	Pipe Plug, 1/8-27 (Use as required)
119 9556	Plug, Pipe, 1/8-27 (Use as required)
172 31990	Bracket, Choke control
184 27793	Clip, Conduit
185 28942	Screw, 10-32 x 3/8"
