

1 34		Description
3 27 4 32	7652 7642 2630 9536	Cylinder (Incl. 2, 3 & 4) (2-5/8" Bor e) Pin, Dowel Pipe plug, 1/4-18 Seal, Oil Blower Housing Baffle (Without electric starter knock out) (Use as required)
5 35	5256A	Blower Housing Baffle (With electric starter knockout) (As req.)(point ign.)
7 29	9783	Screw, 1/4-20 x 5/8" Base, Engine mounting Screw, 5/16-18 x 3/4" Crankshaft Pin, Crankshaft gear (Used on early p rod.) Gear, Crankshaft (Used on early production) This gear is serviceable ONLY when it is pinned to the crankshaft.
17 65 18 34 19 33 20 30 21 65 22 65 22 30 24 31 26 25 27 65 29 30 30 30 31 65 33 25 34 31 35 30 36 35 37 25 38 30 39 31 40 65 41 32 41 32 42 31	50625 1797B 1798B 1799B 4503 4504 4505 7888 4854 4855 4856 1295C 50662C 4034 3156 0622A 50128 50561 0063 0684 1451A 8460 50451 50599 0699C 0700 50494 9642 1845 00588A 5479 9193 00591 1843A 50836 2783 2784 1469 1470A	Bushing, Crankshaft Washer Thrust Piston & Pin Ass'y. (Std.)(2-5/8')(In cl.14) Piston & Pin Ass'y. (.010" OS) (Incl. 14) Piston & Pin Ass'y. (.020" OS) (Incl. 14) Piston, Pin & Ring Set (Std.) (2-5/8" Bore) Piston, Pin & Ring Set (.010" OS) Piston, Pin & Ring Set (.020" OS) Ring, Piston pin retaining Ring Set (Std.) (2-5/8" Bore) Ring Set (.010" OS) Ring Set (.020" OS) Rod Assy., Connecting (Incl. 17) Bolt, Connecting rod (Incl. 2 pieces) Lifter, Valve Camshaft Extension, Blower housing Screw, 10-24 x 1/2" Screw, 1/4-20 x 5/8" (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Gasket Cylinder Cover Cylinder Cover (Incl.26, 34, 127A, 12 9 & 130) Seal, Oil Screw, 1/4-20 x 1-1/2" Rod Assy., Governor (Incl. 30 & 31) Yoke, Governor Screw, 6-40 x 5/16" Ring, Retaining Shaft, Mechanical governor Spool, Governor Washer, Flat Ring, Retaining Gear Assy., Governor Bracket, Governor gear Screw, 10-24 x 1/2" Intake Valve (Std.) Intake Valve (Std.) Exhaust Valve (Std.)

		Qty	Description
	27881		Spring, valve
	32581		Cap, Lower valve spring
	33876		Gasket, Stator
	650489		Screw, 1/4-20 x 5/8"
	35182		Ground Wire
	32589		Key, Flywheel
51	28938C		Gasket, Cylinder head
52	30938A		Head, Cylinder
53	34251		Resistor Spark Plug (RJ-17LM)
54	610118		Cover, Spark plug (Use as required)
55	30939A		Cover Assy., Cylinder head
56	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
56	650694A		Screw, 5/16-18 x 2" (Use as required)
56	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
56A	650691		Washer, Flat (Use as required)
56B	650690		Washer, Belleville (Use as required)
	29916		Clamp, Governor lever (Use as require d)
57A	30322		Locknut, 8-32
	33454		Lever Assy., Governor
	29918		Washer, Lock, No. 8 E.T.
	650548		Screw, 8-32 x 5/16"
	29216		Locknut, 10-32
	29826		Screw, 10-32 x 3/4"
	34661		Link, Governor
	34677		Control Bracket (Incl. 68, 69, 72 & 1 38)
	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	610973		Terminal Assy. (Use as required)
	27896A		Gasket, Valve chamber cover
	28423		Breather Assy., Valve
	28424		Element, Breather
	28425		Cover, Valve spring box
	650128		Screw, 10-24 x 1/2"
	35350		Tube, Breather
	32446		Grommet, Breather tube
	27915A		* Gasket, Intake pipe to cylinder
	34712		Flange, Carburetor (Incl. 86A)
	30196		Screw, 5/16-18 x 3/4"
	31688A		* Gasket, Carburetor
	650517		Screw, 1/4-20 x 13/16"
	27272A		* Air Cleaner Gasket (Use as required)
	30767		Spacer, Cleaner (Use as required)
	34783		Filter, Pre-air
	34782		Filter, Air cleaner (Incl. 97)
	34782		Pop Rivet (1/8" dia.) (Purchase local ly)
	34699		Bracket, Air cleaner
	34698A		Gasket, Air cleaner
	30675		Fitting, Breather
	34780		Elbow, Air cleaner
	34819		Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
J-1/ (0.010		730561 assembly only)
95	650163		Screw, 10-32 x 7/8"
	650826		Stud, 1/4-20 x 6.20, threaded both en ds
	650825		Nut & Lockwasher, 1/4-20
	34781		Cover, Air cleaner
	650513		Nut, Wing, 1/4-20
	34158		Bracket, Fuel tank
.51	-		4

-		
	Part Number Qty	
	650665	Screw, 1/4-14 x 7/8"
	34159	Plate, Fuel tank mounting
104	34186A	Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
105	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
	33032	Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as
100	33032	
		required)
105	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
105	35355	Fuel Cap (Pad plactic) (Llas as requir ad)
		Fuel Cap (Red plastic) (Use as required)
	29774	Fuel Line (Braided, 8 1/4") (Use as r equired)
	30962	Fuel Line (Braided, 32") (Use as required)
	26460 224595	Clamp, Fuel line (Use as required)
	32158E	Blower Housing (For electric starter)
	29747B	Screw, 5/16-24 x 21/32"
	27930A	* Gasket, Exhaust flange
	391026	Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)
	32401	Muffler Deffection 5 Least (Octional)
	34390	Deflector, Exhaust (Optional)
	33714	Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A)
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer, Flat
	650694A	Screw, 5/16 - 18 x 2"
	32125	Cup, Starter
	35009	Screen, Starter cup
	650815	Washer, Belleville
	8116	Nut, Hex
	29716	Screw, 1/4-28 x 7/16"
	31793	Bearing, Ball
	31855	Retainer, Bearing
	31792	Washer, Thrust
	650778	Washer, Lock
	650580	Nut, Lock
	34663	Spring, Speed control
	650821	Screw, 10-32 x 1/2"
	33171	Screen, Muffler (Use as required)
	33185	Cover & tube, Muffler (Use as require d)
	650578	Screw, 8-18 x 3/8" (Use as required)
	33700	Cover & Tube, Muffler (Use as require d)
	33323	Screen, Muffler (Use as required)
	31297	Dipstick (Incl. 146A)
	29673	* Gasket, Oil fill
	33013	Cover, Starter bubble
	650760	Screw, 8-32 x 3/8"
201A	730130	Muffler Adapter Kit (Incl.110,112)(As req.)
201B	730561	Air Cleaner Kit
		(Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C)
		(Used only on engine with an externally vented fully
		adjustable carburetor)
201	730164	Air Cleaner Assly (Red Doly)(Incl 97 120 121 122 122 124 9
∠01	7 JU 104	Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 & 230)(As reg.)
		230)(As req.)
201	730164	Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124)
		(Use as required)

Ref #	Part Number	Otv	Description
	34768	۵.,	Decal, Name
	34346		Decal, Instruction
	34704		Decal, Instruction
	34144		Decal, Control
	30547A		Breaker Assy (Used on Std. Point igni tion)
	30548B		Condenser
	631021		Inlet, Needle Seat & Clip Assy.
	611077		Alternator (Optional)
	650868		Screw, 8-18 x 1-1/8" (3 required)(Opt .)
	611078		Connector, A.C. Lighting (Optional)
242	611079		Connector, D.C. Charging (Optional)
243	590610		Tube, Centering (Optional)
244	590613		Alternator Shaft (Optional)
250	632213		Carburetor (Incl. 85) (Refer to DiviSion 5, Section A, page
			176 for breakdown)
251	611043		Magneto (w/ring gear) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 39 for breakdown)
252	590420A		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
254	33328D		Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A		Gasket Set (Incl. items marked*)