

1	34915A	(Description Cylinder (Incl. 2, 3 & 4) (2-5/8" Bor e)
	27652		Pin, Dowel
	27642		Pipe plug, 1/4-18
	32630		Seal, Oil
5	29536		Blower Housing Baffle (Without electric starter knock out) 'Use as required)
5	35256A		Blower Housing Baffle (With electric starter knockout) (As req.)(point ign.)
6	650561	5	Screw, 1/4-20 x 5/8"
	29538		Base, Engine mounting
	650542		Screw, 5/16-18 x 3/4"
	34957		Crankshaft
	29783		Pin, Crankshaft gear (Used on early p rod.)
11	27884		Gear, Crankshaft (Used on early production) This gear is serviceable ONLY when it is pinned to the crankshaft.
12A	650625	٧	Washer Thrust
12	31461	Е	Bushing, Crankshaft
13	34503		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34504		Piston, Pin & Ring Set (.010" OS)
	34505		Piston, Pin & Ring Set (.020" OS)
	31797B		Piston & Pin Ass'y. (Std.)(2-5/8')(In cl.14)
	31798B		
			Piston & Pin Ass'y. (.010" OS) (Incl. 14)
	31799B		Piston & Pin Ass'y. (.020" OS) (Incl. 14)
	27888		Ring, Piston pin retaining
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855	F	Ring Set (.010" OS)
15	34856	F	Ring Set (.020" OS)
16	31295C	F	Rod Assy., Connecting (Incl. 17)
17	650662C		Bolt, Connecting rod (Incl. 2 pieces)
	34034		Lifter, Valve
	33156		Camshaft
	30622A		Extension, Blower housing
	650128		Screw, 10-24 x 1/2"
	650561		Screw, 1/4-20 x 5/8" (Use as required)
			• • • • • • • • • • • • • • • • • • • •
	30063		Screw, 1/4-20 x 1/2" (Use as required)
	30684		Gasket Cylinder Cover
	31451A		Cylinder Cover (Incl.26, 34, 127A, 12 9 & 130)
	28460		Seal, Oil
	650451	5	Screw, 1/4-20 x 1"
28	650599	S	Screw, 1/4-20 x 1-1/2"
29	30699C	F	Rod Assy., Governor (Incl. 30 & 31)
30	30700	Υ	Yoke, Governor
31	650494		Screw, 6-40 x 5/16"
	29642		Ring, Retaining
	31845		Shaft, Mechanical governor
	30588A		Spool, Governor
	35479		Washer, Flat
	29193		Ring, Retaining
	30591		Gear Assy., Governor
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	32783	lı	ntake Valve (Std.)
41	32784	lı	ntake Valve (1/32" OS)
	27878A		Exhaust Valve (Std.)
	27880A		Exhaust Valve (1/32" OS)
	27882		Cap, Upper valve spring
70		•	عمل عمل المعلق ا

Ref #	Part Number	Qty	Description
44	27881		Spring, valve
45	32581		Cap, Lower valve spring
46	33876		Gasket, Stator
47	650489		Screw, 1/4-20 x 5/8"
48	35182		Ground Wire
49	32589		Key, Flywheel
51	28938C		Gasket, Cylinder head
52	30938A		Head, Cylinder
	33636		Resistor Spark Plug (RJ-8C)
	610118		Cover, Spark plug (Use as required)
	27276		Cover, Spark plug
	30939A		Cover Assy., Cylinder head
	650690		Washer, Belleville (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	30322		Locknut, 8-32
	29916		Clamp, Governor lever (Use as require d)
	33454		Lever Assy., Governor
	29918		Washer, Lock, No. 8 E.T.
	650548		
	29216		Screw, 8-32 x 5/16"
			Locknut, 10-32
	29826		Screw, 10-32 x 3/4"
	34661		Link, Governor
	34677		Control Bracket (Incl. 68, 69, 72 & 1 38)
	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	610973		Terminal Assy. (Use as required)
	27896A		Gasket, Valve chamber cover
	28423		Breather Assy., Valve
	28424		Element, Breather
	28425		Cover, Valve spring box
	650128		Screw, 10-24 x 1/2"
79	35350		Tube, Breather
	32446		Grommet, Breather tube
	27915A		* Gasket, Intake pipe to cylinder
	34712		Flange, Carburetor (Incl. 86A)
	30196		Screw, 5/16-18 x 3/4"
	31688A		* Gasket, Carburetor
	650517		Screw, 1/4-20 x 13/16"
	27272A		* Air Cleaner Gasket (Use as required)
	30767		Spacer, Cleaner (Use as required)
88	34783		Filter, Pre-air
89	34782		Filter, Air cleaner (Incl. 97)
90	34782		Pop Rivet (1/8" dia.) (Purchase local ly)
91	34699		Bracket, Air cleaner
92	34698A		Gasket, Air cleaner
93	30675		Fitting, Breather
94A	34819		Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
			730561 assembly only)
94	34780		Elbow, Air cleaner
95	650163		Screw, 10-32 x 7/8"
96	650826		Stud, 1/4-20 x 6.20, threaded both en ds
97	650825		Nut & Lockwasher, 1/4-20
	34781		Cover, Air cleaner
	650513		Nut, Wing, 1/4-20
			•

Ref #	Part Number Qty	Description
	34158	Bracket, Fuel tank
	650665	Screw, 1/4-14 x 7/8"
	34159	Plate, Fuel tank mounting
	34186A	Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
105	33032	Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as
		required)
105	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
100	0 1 210	required)
		required)
105	35355	Fuel Cap (Red plastic) (Use as requir ed)
106	29774	Fuel Line (Braided, 8 1/4") (Use as r equired)
106	30962	Fuel Line (Braided, 32") (Use as required)
107	26460	Clamp, Fuel line (Use as required)
108	32158E	Blower Housing (For electric starter)
109	29747B	Screw, 5/16-24 x 21/32"
110	27930A	* Gasket, Exhaust flange
111	32401	Muffler
111E	34390	Deflector, Exhaust (Optional)
111D	33714	Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A)
111C	391026	Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)
112	30196	Screw, 5/16-18 x 3/4"
113	26073	Washer, Flat
114	650694A	Screw, 5/16 - 18 x 2"
115	32125	Cup, Starter
116	35009	Screen, Starter cup
117	650815	Washer, Belleville
118	8116	Nut, Hex
119	29716	Screw, 1/4-28 x 7/16"
127A	31855	Retainer, Bearing
127	31793	Bearing, Ball
128	31792	Washer, Thrust
129	650778	Washer, Lock
130	650580	Nut, Lock
138	34663	Spring, Speed control
139	650821	Screw, 10-32 x 1/2"
140	30747	Clip, Spark plug shorting
141	650890	Lockwasher, Shakeproof, 5/16
142	27625	Plug, Oil fill (Incl. 146A)
143A	33171	Screen, Muffler (Use as required)
143B	33185	Cover & tube, Muffler (Use as require d)
143	650578	Screw, 8-18 x 3/8" (Use as required)
144A	33323	Screen, Muffler (Use as required)
144	33700	Cover & Tube, Muffler (Use as require d)
145	34011A	Dipstick (Incl. 146)
	33590	"O" Ring`
	29673	* Gasket, Oil fill
	33893A	Oil Fill Tube
	730164	Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 &
		230)(As req.)
201	730164	Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124) (Use as required)
201A	730130	Muffler Adapter Kit (Incl.110,112)(As req.)

Ref #	Part Number	Qty Description
201B	730561	Air Cleaner Kit (Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C) (Used only on engine with an externally vented fully adjustable carburetor)
230A	34768	Decal, Name
	34346	Decal, Instruction
	34704	Decal, Instruction
	34144	Decal, Control
	30547A	Breaker Assy (Used on Std. Point igni tion)
231A	30548B	Condenser
232A	631021	Inlet, Needle Seat & Clip Assy.
240	611077	Alternator (Optional)
241	650868	Screw, 8-18 x 1-1/8" (3 required)(Opt .)
242	611078	Connector, A.C. Lighting (Optional)
242	611079	Connector, D.C. Charging (Optional)
243	590610	Tube, Centering (Optional)
244	590613	Alternator Shaft (Optional)
250	632213	Carburetor (Incl. 85) (Refer to DiviSion 5, Section A, page 176 for breakdown)
251	611038	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 39 for breakdown)
252	590420A	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
254	33328D	Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A	Gasket Set (Incl. items marked*)