
HH60-105083J Engine Parts List



	Part Number		Description
	34915A		Cylinder (Incl. 2, 3 & 4) (2-5/8" Bor e)
2	27652	F	Pin, Dowel
3	27642	F	Pipe plug, 1/4-18
	32630		Seal, Oil
	29536		Blower Housing Baffle (Without electric starter knock out)
0	2000		(Use as required)
			· · /
5	35256A		Blower Housing Baffle (With electric starter knockout) (As
		r	req.)(point ign.)
6	650561	5	Screw, 1/4-20 x 5/8"
7	29538		Base, Engine mounting
	650542		Screw, 5/16-18 x 3/4"
	35192		Crankshaft
	29783		Pin, Crankshaft gear (Used on early p rod.)
	27884		
11	27004		Gear, Crankshaft (Used on early production) This gear is
		5	serviceable ONLY when it is pinned to the crankshaft.
	650625		Washer Thrust
	31461		Bushing, Crankshaft
13	34503	F	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
13	34504		Piston, Pin & Ring Set (.010" OS)
13	34505		Piston, Pin & Ring Set (.020" OS)
	31797B		Piston & Pin Ass y. (Std.)(2-5/8')(In cl.14)
	31798B		Piston & Pin Ass'y. (.010" OS) (Incl. 14)
	31799B		Piston & Pin Ass'y. (.020" OS) (Incl. 14)
	27888		Ring, Piston pin retaining
	34854		
			Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	31380C		Rod Assy., Connecting (Incl. 17)
	650662C		Bolt, Connecting rod (Incl. 2 pieces)
	34034		Lifter, Valve
19	33156	(Camshaft
20	30622A	E	Extension, Blower housing
21	650128	5	Screw, 10-24 x 1/2"
22	650561		Screw, 1/4-20 x 5/8" (Use as required)
	30063		Screw, 1/4-20 x 1/2" (Use as required)
	30684		Gasket Cylinder Cover
	31451A		Cylinder Cover (Incl.26, 34, 127A, 12 9 & 130)
	28460		
	650451		Screw, 1/4-20 x 1"
	650599		Screw, 1/4-20 x 1-1/2"
	30699C		Rod Assy., Governor (Incl. 30 & 31)
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	29642		
			Ring, Retaining
	31845		Shaft, Mechanical governor
	30588A		Spool, Governor
	35479		Washer, Flat
	29193		Ring, Retaining
	30591		Gear Assy., Governor
	31843A		Bracket, Governor gear
40	650836		Screw, 10-24 x 1/2"
	32783		Intake Valve (Std.)
	32784		Intake Valve (1/32" OS)
	31469		Exhaust Valve (Std.)
	31470A		Exhaust Valve (1/32" OS)
	27882		Cap, Upper valve spring
-10			eer, erroi toito opinio

	Part Number Qt	
44	27881	Spring, valve
45	32581	Cap, Lower valve spring
	650814	Screw, 10-24 x 1"
	35187	Wire, Ground
	32589	Key, Flywheel
	28938C	Gasket, Cylinder head
	30938A	Head, Cylinder
	33636	Resistor Spark Plug (RJ-8C)
	610118	Cover, Spark plug (Use as required)
	650691	Washer, Flat (Use as required)
56	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
56	650694A	Screw, 5/16-18 x 2" (Use as required)
56	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
56B	650690	Washer, Belleville (Use as required)
	30322	Locknut, 8-32
	29916	Clamp, Governor lever (Use as require d)
	33454	
		Lever Assy., Governor
	29918	Washer, Lock, No. 8 E.T.
	650548	Screw, 8-32 x 5/16"
	29216	Locknut, 10-32
	29826	Screw, 10-32 x 3/4"
65A	34661	Link, Governor
67A	34664	Control Bracket (Incl. 68, 69, 72 & 1 38)
68	31342	Spring, Compression
69	650549	Screw, 5-40 x 7/16"
	27793	Clip, Conduit
	28942	Screw, 10-32 x 3/8"
	610973	Terminal Assy. (Use as required)
	27896A	Gasket, Valve chamber cover
	28423	Breather Assy., Valve
	28424	Element, Breather
	28425	Cover, Valve spring box
	650128	Screw, 10-24 x 1/2"
	35350	Tube Breather
80A	30593	Clip, Primer line
82	27915A	* Gasket, Intake pipe to cylinder
83	34712	Flange, Carburetor (Incl. 86A)
	30196	Screw, 5/16-18 x 3/4"
	31688A	* Gasket, Carburetor
	650517	Screw, 1/4-20 x 13/16"
	27272A	* Air Cleaner Gasket (Use as required)
	30767	Spacer, Cleaner (Use as required)
94A	34819	Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
		730561 assembly only)
101	34158	Bracket, Fuel tank
	650665	Screw, 1/4-14 x 7/8"
	34159	Plate, Fuel tank mounting
104	34186A	Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
105	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
105	33032	Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as
		required)
105	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
		· • • • • • • • • • • • • • • • • • • •

Ref #	Part Number	Qty	Description
105	35355		Fuel Cap (Red plastic) (Use as requir ed)
106	29774		Fuel Line (Braided, 8 1/4") (Use as r equired)
	30962		Fuel Line (Braided, 32") (Use as required)
	26460		Clamp, Fuel line (Use as required)
			• • • •
	32158E		Blower Housing (For electric starter)
	29747B		Screw, 5/16-24 x 21/32"
	27930A		* Gasket, Exhaust flange
111C	391026		Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)
111D	33714		Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A)
111	32401		Muffler
	34390		Deflector, Exhaust (Optional)
	30196		Screw, 5/16-18 x 3/4"
	26073		Washer, Flat
	650694A		Screw, 5/16 - 18 x 2"
	32125		Cup, Starter
	35009		Screen, Starter cup
	650815		Washer, Belleville
118	8116		Nut, Hex
119	29716		Screw, 1/4-28 x 7/16"
120	31691		Bracket, Air cleaner
	28820		Screw, 10-32 x 1/2"
	30727		Element, Air cleaner
	31715		
			Body, Air cleaner
	650152		Screw, 8-32 x 3/8"
	31855		Retainer, Bearing
	31793		Bearing, Ball
128	31792		Washer, Thrust
129	650778		Washer, Lock
	650580		Nut, Lock
	34246		Clip, Ground wire
	34663		Spring, Speed control
	650821		
			Screw, 10-32 x 1/2"
	30747		Clip, Spark plug shorting
	650890		Lockwasher, Shakeproof, 5/16
	33185		Cover & tube, Muffler (Use as require d)
143A	33171		Screen, Muffler (Use as required)
143	650578		Screw, 8-18 x 3/8" (Use as required)
	33700		Cover & Tube, Muffler (Use as require d)
	33323		Screen, Muffler (Use as required)
	31297		Dipstick (Incl. 146A)
	29673		* Gasket, Oil fill
	650760		Screw, 8-32 x 3/8"
	28545		Grommet, Plastic
161A	33356		Terminal, Ground
193	30985		Control, Throttle
201	730164		Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 &
			230)(As req.)
201	730164		Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124)
			(Use as required)
0040	700504		Ain Olaan an 16t
201B	730561		Air Cleaner Kit
			(Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C)
			(Used only on engine with an externally vented fully
			adjustable carburetor)
0044	700400		• •
	730130		Muffler Adapter Kit (Incl.110,112)(As req.)
	611084		Flywheel
210	650872		Stud, Solid State mounting

D ("		
	34443A	Solid State Assy. (Incl. 54)
	33177	Terminal
	34768	Decal, Name
	34346	Decal, Instruction
	30547A	Breaker Assy (Used on Std. Point igni tion)
	631021	Inlet, Needle Seat & Clip Assy.
	611077	Alternator (Optional)
	650868	Screw, 8-18 x 1-1/8" (3 required)(Opt .)
	611078	Connector, A.C. Lighting (Optional)
	611079	Connector, D.C. Charging (Optional)
	590610	Tube, Centering (Optional)
	590613	Alternator Shaft (Optional)
250	632230	Carburetor (Incl. 85) (Refer to Division 5, Section A, Page
		182 for breakdown)
252	590420A	Rewind Starter (Refer to Division 5, Section C, page 25 for
		breakdown)
DE 4	33328D	Stortor Mator Kit (110, 120, volt) This 110, 120, volt stortor
204	333200	Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be
		added only if cylinder hasdrilled and tapped starter mounting
		bosses and a ring gear flywheel (see#255). Refer to service
		number stamped on end cap of motor or on decal for
		identificat
255	30811A	Flywheel (Ring gear flywheel requiredon engines using
		110-120 volt starter motor kits listed above) (Used on Std.
		point ignition before 1982)
255	611042	Flywheel (Ring gear flywheel requiredon engines using
		110-120 volt starter motor kits listed above) (Used on Std.
		point ignition 1982 or later)
0 55	611085	Ehaubaal (Minimum ring goor fhaubaal raguirad on onginaa
200	611000	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on
		solid state external ignition)
		Solia State external lyrillion
256	33235A	Gasket Set (Incl. items marked*)