

	Part Number Qt	
	32769B	Cylinder (Incl. 2, 3, 4, 76 & 270) (2 -3/4")
2	27652	Pin, Dowel
3	27642	Plug, Oil drain
4	32630	Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
	32784	Intake Valve (1/32" OS) (Incl. 9)
	27878A	
		Exhaust Valve (Std.) (Incl. 9)
	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
	20810	Pin, Valve spring retainer (Use as re quired)
	27882	Cap, Upper valve spring
8A	27881	Spring, Valve
8	27881	Spring, Valve
9A	32581	Cap, Lower valve spring
9	32581	Cap, Lower valve spring
	34242	Dipper, Oil
	32590	Plate, Lock & Oil dipper (This plate may be replaced by
	02000	34242 oil dipper but 650662C screw must be used.)
11	32782	Crankshaft (Incl. 12 &13)
	29783	Crankshaft Gear Pin (Early production )
13	27884	Gear, Crankshaft (Used in early production) This gear is
		servicable onlywhen it is pinned to the crankshaft.
14	34528	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34529	Piston, Pin & Ring Set (.010" OS)
	34530	Piston, Pin & Ring Set (.020" OS)
	32770B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32771B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32772B	
		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595	Ring Set (Std.) (2-3/4" Bore)
	32596	Ring Set (.010" OS)
	32597	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
17	32591C	Rod Assy., Connecting (Incl. 10 & 18)
18	650662C	Screw, Connecting rod (2 each)
21	32115	Camshaft (MCR)
22	34034	Lifter, Valve
	31451A	Cylinder Cover (Incl.24, 106, 309, 31 0 & 311)
	31546	Bushing, Crankshaft (Use as required)
	28460	Seal, Oil
	33893A	Tube, Oil filler
	34011A	Dipstick, Oil (Incl. 30)
	30684	* Gasket, Cylinder cover
	650451	Screw, 1/4-20 x 1"
	33590	"O" Ring
	650489	Screw, 1/4-20 x 5/8"
	32631A	* Gasket, Cylinder head
33	30938A	Head, Cylinder
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A	Screw, $5/16-18 \times 2^{"}$ (Use as required)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug
	27896A	* Gasket, Breather cover
	28423	Body, Breather
	28424	Element, Breather
41	28425	Cover, Valve spring


		Qty Description
42A	650690	Washer, Belleville (Use as required)
42	26073	Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650128	Screw, 10-24 x 1/2"
	27915A	* Gasket, Intake
	30195A	Flange, Carburetor (Incl. 79 & 80)
47	30196	Screw, 5/16-18 x 3/4"
48	29716	Screw, 1/4-28 x 7/16"
	650548	Screw, 8-32 x 5/16"
52	32326A	Lever, Governor (New lever does not need 1 of
		51,66,132,164,165,207)
55	30205	Bracket, Adjusting
	31710	
		Link, Throttle
	29216	Nut, Lock, 10-32
60	650152	Screw, 8-32 x 3/8"
61	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)
631	30699C	Rod Assy., Governor (Incl. 64 & 65)
	30700	Yoke, Governor
65	650494	Screw, 6-40 x 5/16"
66	29918	Lockwasher, #8 E.T.
	35350	Tube, Breather
	29747B	Screw, 5/16-24 x 21/32"
70	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
71	650815	Washer, Belleville
	8116	Nut, Hex
		•
73	29536	Blower Housing Baffle (without electric starter knock-out)
		(Use as required)
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use
10		as required) (Point Ignition)
74	650561	Screw, 1/4-20 x 5/8"
75	31688A	* Gasket, Carburetor
	29752	Nut & Lockwasher Assy., 1/4-28
	650572	Screw, 1/4-28 x 1-1/8"
82A	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use as required)
00	27272A	* Gasket, Air cleaner
87	31691	Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
		early production only.
00	28820	Sorow 10.22 x 1/2"
	28820	Screw, 10-32 x 1/2"
89	30727	Element, Air cleaner
90	31715	Body, Air cleaner
	34235	Ground Wire
	28569	Spring, Compression
	29500	Screw, 8-32 x 3/4"
100	29538	Base, Engine mounting
	32401	Muffler
	31845	Shaft, Mechanical governor
	30591	Gear Assy., Governor (Incl. 109)
400	30588A	Spool, Governor
108		
	30590A	Washer, Elat
109	30590A 20103	Washer, Flat Bing, Retaining
109 110	30590A 29193 34158	Washer, Flat Ring, Retaining Bracket, Fuel tank

Ref #	Part Number Qt	y Description
113	650561	Screw, 1/4-20 x 5/8"
114	34186A	Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355 or 35650.
		1-1/2 1.D. Openling use rule cap 55555 or 55650.
	410144B	Fuel Cap (White Plastic)(Std)(As requ ired)
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
		(Use as required)
115	34210	Fuel Cap (Pad Diactia) (Spurt registrant, High profile) (Lice or
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
		Tequiled)
	35355	Fuel Cap (Use as required)
116D	34159	Plate, Fuel tank mounting
117A	32961	Valve, Shut-off
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	
		Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
	27930A	Gasket, Exhaust
126	30196	Screw, 5/16-18 x 3/4"
127	26073	Washer (Use as required)
128	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650599	Screw, 1/4-20 x 1-1/2"
	30747	
		Clip, Shorting
	650665	Screw, 1/4-15 x 7/8"
	610118	Cover, Spark plug (Use as required)
	650561	Screw, 1/4-20 x 5/8" (Use as required )
	30939A	Cover, Cylinder head
246	32125	Cup, Starter
247	590417	Screen, Starter cup
266	26460	Clamp, Fuel line
270	31461	Bushing, Crankshaft (Use as required)
	33876	Gasket, Stator
	31711B	Copntrol Bracket (Incl. 98, 99 & 274)
	610973	Terminal Ass'y. (As req. on late prod uction)
	34043	Spring, Control lever
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	650625	Washer, Thrust
	34346	Decal, Instruction
	550223	Decal, Name
332	30547A	Contact Assy., Breaker
333	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631453	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 10
550		for breakdown)
דככ	610689A	Magneto NOTE: The complete magneto is not available as
331		
		an assembly. The magneto number is shown for reference
		purposes only. Order component parts individually, as show
		in parts list. (Refer to Division 5, Section B, page 24 for
		breakdown)

Ref #	Part Number	Qty	Description
338	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
343	33239A		Gasket Set (Incl. items marked*)



	Part Number		Description
31	650489		Screw, 1/4-20 x 5/8"
	27793	(	Clip, Conduit (Use as required)
35	28942	:	Screw, 10-32 x 3/8" (Use as required)
43A	650128	:	Screw, 10-24 x 1/2"
48	29716	:	Screw, 1/4-28 x 7/16"
56	31710		Link, Throttle
71	650815	,	Washer, Belleville
72	8116		Nut, Hex
98	28569	:	Spring, Compression
99	29500	:	Screw, 8-32 x 3/4"
193	610118	(	Cover, Spark plug (Use as required)
263	650764		Nut, "U" Type (Use as required)
274	610973	•	Terminal Ass'y. (As req. on late prod uction)
292	31680		Guard, Starter
293	32576	:	Seal, Snow guard
308	31793		Bearing, Ball
309	31855		Retainer, Bearing
310	650778		Washer, Lock
311	650580		Nut, Lock
	31792		Washer, Thrust
	550223		Decal, Name
338	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for
		l	breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	i	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	I	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)



		Qty Description
27	27513	Lockwasher, 1/4" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A	Screw, 5/16-18 x 2" (Use as required)
38	27896A	* Gasket, Breather cover
42	26073	Washer (Use as required)
42	650691	Washer, Flat (Use as required)
	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used in early productio n)
	32326A	Lever, Governor (New lever does not need 1 of
		51,66,132,164,165,207)
55	30205	Bracket, Adjusting
	730130	Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196	
		Screw, 5/16-18 x 3/4" (Use as require d)
	29216	Nut, Lock, 10-32
	29826	Screw, 10-32 x 3/4"
	29918	Lockwasher, #8 E.T.
82B	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 9
		91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines wit
		an externally vented fully adjustable carburetor)
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331
		(Use as required)
83	27272A	* Gasket, Air cleaner
	31431	Elbow, Air cleaner
	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (U
		in 730561 assembly only)
85	650163	Screw, 10-32 x 7/8"
	28820	Screw, 10-32 x 1/2"
	31715	Body, Air cleaner
	391026	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	650561	Screw, 1/4-20 x 5/8"
	29774	
		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650548	Screw, $8-32 \times 5/16"$ (Early production )
	34067	Wire Assy., Alternator adapter (4-1/4 ")
	34069	Wire Assy., Alternator adapter (6-3/4 ")
	31288	Exh. Adaptor Kit (Incl.125,203,204) ( As req.)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
266	26460	Clamp, Fuel line