


	Part Number Q	
1	32769B	Cylinder (Incl. 2, 3, 4, 76 & 270) (2 -3/4")
2	27652	Pin, Dowel
	27642	Plug, Oil drain
	32630	Seal, Oil
5	32783	Intake Valve (Std.) (Incl. 9)
	32784	Intake Valve (1/32" OS) (Incl. 9)
	31469A	Exhaust Valve (Std.) (Incl. 9)
	31470A	Exhaust Valve (1/32" OS) (Incl. 9)
7A	20810	Pin, Valve spring retainer (Use as re quired)
	27882	Cap, Upper valve spring
	27881	Spring, Valve
8A	27881	Spring, Valve
9A	32581	Cap, Lower valve spring
	32581	Cap, Lower valve spring
10A	32590	Plate, Lock & Oil dipper (This plate may be replaced by
		34242 oil dipper but 650662C screw must be used.)
10	34242	Dipper Oil
		Dipper, Oil Croptophatt (Incl. 12. 8. 12)
	34898	Crankshaft (Incl. 12 & 13)
12	29783	Crankshaft Gear Pin (Early production)
13	27884	Gear, Crankshaft (Used in early production) This gear is
-		servicable onlywhen it is pinned to the crankshaft.
	007700	• •
	32770B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32771B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32772B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34528	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34529	Piston, Pin & Ring Set (.010" OS)
14	34530	Piston, Pin & Ring Set (.020" OS)
15	32595	Ring Set (Std.) (2-3/4" Bore)
	32596	Ring Set (.010" OS)
15	32597	Ring Set (.020" OS)
16	27888	Ring, Piston pin retaining
	32591C	Rod Assy., Connecting (Incl. 10 & 18)
	650662C	Screw, Connecting rod (2 each)
21	32115	Camshaft (MCR)
22	34034	Lifter, Valve
	31451A	Cylinder Cover (Incl.24, 106, 309, 31 0 & 311)
		• • • • • • • • •
	31546	Bushing, Crankshaft (Use as required)
24	28460	Seal, Oil
25	34011A	Dipstick, Oil (Incl. 30)
	30684	* Gasket, Cylinder cover
	650451	Screw, 1/4-20 x 1"
30	33590	"O" Ring
31	650489	Screw, 1/4-20 x 5/8"
	32631A	* Gasket, Cylinder head
	30938A	Head, Cylinder
34	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A	Screw, 5/16-18 x 2" (Use as required)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug
	27896A	* Gasket, Breather cover
39	28423	Body, Breather
		Element, Breather
	78474	
40	28424	
40 41	28424 28425 650690	Cover, Valve spring Washer, Belleville (Use as required)

		y Description
42	26073	Washer (Use as required)
42	650691	Washer, Flat (Use as required)
43	650128	Screw, 10-24 x 1/2"
	27915A	* Gasket, Intake
	34712	Flange Carburetor
	30196	Screw, 5/16-18 x 3/4"
	29716	
		Screw, 1/4-28 x 7/16"
	650548	Screw, 8-32 x 5/16"
52	32326A	Lever, Governor (New lever does not need 1 of
		51,66,132,164,165,207)
55	30205	Bracket, Adjusting
	32327	Link, Throttle
	29216	Nut, Lock, 10-32
	29826	Screw, 10-32 x 3/4"
	29642	
		Ring, Retaining
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)
63A	30699C	Rod Assy., Governor (Incl. 64 & 65)
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29918	Lockwasher, #8 E.T.
	29747B	Screw, 5/16-24 x 21/32"
		•
	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
	650815	Washer, Belleville
	8116	Nut, Hex
73	29536	Blower Housing Baffle (without electric starter knock-out)
		(Use as required)
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)
74	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	650517	Screw, 1/4-20 x 27/32"
	730164	
024	730104	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required)
	27272A	* Gasket, Air cleaner
	35349	Ground Wire
	29538	Base, Engine mounting
	32401	Muffler
106	31845	Shaft, Mechanical governor
107	30591	Gear Assy., Governor (Incl. 109)
	30588A	Spool, Governor
	30590A	Washer, Flat
	29193	Ring, Retaining
	34158	Bracket, Fuel tank
	650561	Screw, 1/4-20 x 5/8"
	410144B	Fuel Cap (White Plastic)(Std)(As required)
	33032	
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
115	35355	Fuel Cap (Use as required)
	34159	Plate, Fuel tank mounting
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
10		

Ref #	Part Number	Qty	Description
118	30962	•	Fuel Line (Braided 32") (81 cm) (Use as req.)
120	650128		Screw, 10-24 x 1/2" (Use as required)
121	30622A		Extension, Blower housing
124	650542		Screw, 5/16-18 x 3/4"
125	27930A		Gasket, Exhaust
126	30196		Screw, 5/16-18 x 3/4"
	26073		Washer (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	32589		Key, Flywheel
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	650599		Screw, 1/4-20 x 1-1/2"
	30747		Clip, Shorting
	650890		Lockwasher
	650665		Screw, 1/4-15 x 7/8"
	610118		Cover, Spark plug (Use as required)
	650561		Screw, 1/4-20 x 5/8" (Use as required)
	30939A		
	650760		Cover, Cylinder head
			Screw, 8-32 x 3/8"
	28545		Grommet
	32125		Cup, Starter
	35009		Screen, Starter cup
	26460		Clamp, Fuel line
	31461		Bushing, Crankshaft (Use as required)
	33876		Gasket, Stator
	610973		Terminal Ass'y. (As req. on late prod uction)
	27275		Clip, Hi-tension wire (Use as require d)
	34246		Clip, Ground wire (Use as required)
	650625		Washer, Thrust
	34346		Decal, Instruction
	34704		Decal, Air cleaner
331	34768		Decal, Name
332	30547A		Contact Assy., Breaker
333	30548B		Condenser
334	631021		Inlet Needle, Seat & Clip Assy.
336	632201		Carburetor (Incl. 75) (Refer to Division 5, Section A, page 176
			for breakdown)
007	044000		,
337	611038		Magneto NOTE: The complete magneto is not available as
			an assembly. The magneto number is shown for reference
			purposes only. Order component parts individually, as show
			in parts list. (Refer to Division 5, Section B, page 39 for
			breakdown)
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
500			
			,
343	33239A		Gasket Set (Incl. items marked*)
	590420 33239A		Rewind Starter (Refer to Division 5, Sec breakdown) Gasket Set (Incl. items marked*)



		Qty	Description
	650489		Screw, 1/4-20 x 5/8"
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650597		Screw, 10-24 x 5/8"
	29716		Screw, 1/4-28 x 7/16"
	32328		Bracket, Speed adjusting (Incl. 239)
	8269		Washer, Lock (Can be purchased locall y)
	32327		Link, Throttle
	32447		Tube, Breather
	32446		Grommet, Breather tube
	650815		Washer, Belleville
72	8116		Nut, Hex
193	610118		Cover, Spark plug (Use as required)
239	33450		Nut, Lock
240	30845A		Bolt, Governor adjusting
263	650764		Nut, "U" Type (Use as required)
274	610973		Terminal Ass'y. (As req. on late prod uction)
308	31793		Bearing, Ball
309	31855		Retainer, Bearing
310	650778		Washer, Lock
311	650580		Nut, Lock
312	31792		Washer, Thrust
331	34768		Decal, Name
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)



Ref #	Part Number	Qty	Description
27	27513		Lockwasher, 1/4" (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
42	26073		Washer (Use as required)
42	650691		Washer, Flat (Use as required)
	650548		Screw, 8-32 x 5/16"
	30319		Rivet, Split (Used in early productio n)
52	32326A		Lever, Governor (New lever does not need 1 of
			51,66,132,164,165,207)
55	30205		Bracket, Adjusting
	730130		Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
59	29216		Nut, Lock, 10-32
61	29826		Screw, 10-32 x 3/4"
	29918		Lockwasher, #8 E.T.
	32447		
			Tube, Breather
82	730127		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B)
			(Use as required)
900	720561		Air doopor kit (Incl. 29, 674, 92, 94P, 95, 90P, 90C, 004, 01
02D	730561		Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
			91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
			an externally vented fully adjustable carburetor)
00			* Cookot Air doopor
	27272A		* Gasket, Air cleaner
84B	34780		Elbow, Air cleaner
84D	34819		Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
			in 730561 assembly only)
	050/00		
	650163		Screw, 10-32 x 7/8"
86A	30675		Fitting, Breather NOTE: 130010 thru 10C & 11 used in early
			production only.
220	0.1700		
	34783		Filter, Pre-air
89B	34782		Air Cl. Filter & Bracket Assy. (Incl. 91D)
90A	34781		Cover, Air cleaner
	650825		Nut & Lockwasher, 1/4-20
	34699		Bracket, Air cleaner
	34033		
91	a (aaa)		Pop Rivet (1/8" dia.) (Can be bought locally)
	34698A		Gasket, Air cleaner
91C	650826		Stud, 1/4-20 x 6.20, threaded both en ds
103E	391026		Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	650561		Screw, 1/4-20 x 5/8"
	29774		
			Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
125	27930A		Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650548		Screw, 8-32 x 5/16" (Early production)
	33356		Terminal
148	34067		Wire Assy., Alternator adapter (4-1/4 ")
	34069		Wire Assy., Alternator adapter (6-3/4 ")
	31288		Exh. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	650760		Screw, 8-32 x 3/8"
227	28545		Grommet

Ref #	Part Number 0	Qty	Description
245	650513		Nut, Wing
266	26460		Clamp, Fuel line
331B	34704		Decal, Air cleaner