


Ref #	Part Number Qty	Description
	34809A	Cylinder (Incl.2,20 & 72)(3-1/8")(Cl liner)
	27652	Pin, Dowel
	30699C	Rod Assy., Governor (Incl. 15A & 15B)
	650494	Screw, 6-40 x 5/16"
	30700	Yoke, Governor
		·
	33454	Governor Lever Assy.
	29916	Clamp, Governor lever
	650548	Screw, 8-32 x 5/16"
	34663	Spring, Speed control
	32630	Seal, Oil
	35326	Baffle, Blower housing
26	650561	Screw, 1/4-20 x 5/8"
30	35216	Crankshaft (Incl. 108 & 109)
32	33628	Washer, Thrust
35	29826	Screw, 10-32 x 3/4"
36	29918	Lockwasher, # 8 E.T.
	30322	Locknut, Hex "Keps", 8-32
	29216	Nut & Lockwasher, 10-32 "Keps"
	29642	Ring, Retaining
	34552	Piston, Pin & Ring Set (Std.) (3-1/8")
	34553	Piston, Pin & Ring Set (3dd.) (3 1/3 )
	34554	Piston, Pin & Ring Set (.010 OS)
		,
	34329A	Piston & Pin Ass'y.(Std)(Incl.43)(3-1 /8")
	34330A	Piston & Pin Ass'y. (.010" OS)(Incl. 43)
	34331A	Piston & Pin Ass'y. (.020" OS)(Incl. 43)
	34332	Ring Set (Std.) (3-1/8" Bore)
	34333	Ring Set (.010" OS)
	34334	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
	32591C	Rod Assy., Connecting (Incl. 49)
47	650662C	Bolt, Connecting rod (2 pieces)
48	34034	Lifter, Valve
49	34242	Dipper, Oil
50	34143	Camshaft (MCR)
60	33273A	Extension, Blower housing
65	650128	Screw, 10-24 x 1/2"
	35262	* Gasket, Cylinder cover
	33626B	Cyl. Cover (Incl.71,74,75,80,175,176, 311,312)
	31927	Plug, Oil drain
	33625	Seal, Oil
	31845	Shaft, Mechanical governor
	30590A	Washer, Flat
	30591	Gear Assy., Governor (Incl. 81)
	30588A	Spool, Governor
	29193	Ring, Retaining
	650488	Screw, 1/4-20 x 1-1/4"
		·
	650493	Screw, 1/4-20 x 1-3/4"
	32589	Key, Flywheel
	611090	Flywheel
	650815	Washer, Belleville
	8116	Nut, Hex (1/2-20)
	35135	Lamination Assy., Solid State
	610118	Cover, Spark plug (Use as required)
102	650872	Stud, Lamination mounting
103	650814	Screw, Torx T-15, 10-24 x 1"
	31461	Bushing, Cylinder
	29783	Pin, Crankshaft gear
	33245	Gear, Crankshaft
.55	<del>-</del>	· <i>,</i> - · · · · · · · · · · · · · · · · · ·

Ref #	Part Number	Qtv	Description
	34041A		* Gasket, Head
	34030A		Head, Cylinder
	27878A		Exhaust Valve (Std.) (Incl. 151)
	27880A		Exhaust Valve (1/32" OS) (Incl. 151)
	34035		Intake Valve (Std.) (Incl. 151)
	34036		Intake Valve (1/32" OS) (Incl. 151)
	650691		Washer (Use as req., but not w/6021A screw)
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650690		Washer, Belleville
	650727		Screw, 5/16-18 x 1-3/4" (Use as requi red)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse with
130/	0021A		650691 washer)
			030031 Washer)
130	650694A		Screw, 5/16-18 x 2" (Use as required)
131A	650713		Screw, 5/16-18 x 5/8" (Use as require d)
131A	792028		Screw, 5/16-18 x 7/8" (Use as require d)
131	650802		Screw, 1/4-20 x 5/8" (Use as required )
131	650737		Screw, 1/4-20 x 1/2" (Use as required )
131	650738		Screw, 1/4-20 x 5/8" (Use as required )
	33636		Resistor Spark Plug (RJ17LM)
	33369		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	27882		Cap, Upper valve spring
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	32446		Grommet, Breather tube
	34696		Tube, Breather
	650128		Screw, 10-24 x 1/2"
	650597		Screw, 10-24 x 5/8"
	29752		Nut & Lockwasher, 1/4-28
	30593		Clip, Primer line (Use as required)
	30088A		Screw, 1/4-28 x 1"
	33263		* Gasket, Carburetor
	34707		Pipe, Intake
	610973		Terminal Assy. (Use as required)
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	650378		Screw, To-32 x 3/6 Screw, Torx T-30, 5/16-18 x 1-1/8 "
	27915A		
	35043		* Gasket, Intake pipe Tube, Carburetor
	34833B		·
	650788		Blower Housing (For electric starter) Screw, 5/16-18 x 3/4" (Use as require d)
	29747B 33272B		Screw, 5/16-24 x 21/32"
	35824		Cover, Cylinder head  Muffler (Optional quiet muffler)
			Muffler (Optional quiet muffler)
	31588		Plate, Muffler locking
	650696 650730		Screw, 5/16-18x2-3/4" (Used with 276A)
	650729		Screw, 5/16-18 x 3-3/16"
	33013		Cover, Starter bubble
	650760		Screw, 8-32 x 3/8"
	32125		Cup, Starter (Stationers)
286	35446		Screen, Starter (Stationary)


	Dort Number	Oh / Decembring
	Part Number 29752	Qty Description Nut & Lockwasher, 1/4-28
	29774	Fuel Line (Braided 8-1/4")(21 cm)(As req.)
	30705	Fuel Line (Braided 16")(41 cm)(Use as req.)
	30962	Fuel Line (Braided 32")(81 cm)(Use as req.)
	26460 650665	Clamp, Fuel line (Use as required)
	650665	Screw, 1/4-15 x 7/8"
300	34156A	Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
		builtwith different size fuel inlet openings. Tanks with the
		1-3/16" I.D. opening use fuel cap 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
301	410144B	Fuel Cap (White Plastic)(Std)(1-1/2" I.D.)
301	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16"
		I.D.)
204	04040	
301	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
		(1-3/16" I.D)
301	35355	Fuel Cap (Red plastic) (1-1/2" I.D.)
	29673	* Gasket, Oil fill
	31297	Dipstick (Incl. 306)
	29443	Clip, Fuel line (Use as required)
	34246	Clip, Ground wire (Use as required)
	35392	Plug, Starter
	34154	Plate, Fuel tank mounting
	650561	Screw, 1/4-20 x 5/8"
	34346	Decal, Instruction
	34870	Decal, Instruction Can be used on HM80 with diecast starter.
	35532	Decal, Name
	631021	Inlet Needle, Seat & Clip Assy.
	632325	Carburetor (Incl. 184) (Refer to Division 5, Section A, page
		188 for breakdown or Fiche18A-1, Grid F-5)
2004	F00000	
390A	590633	Rewind Starter (Refer to Division 5, Section C, page 30 for
		breakdown or Fiche 18A-1, Grid G-5)
400	33279G	Gasket Set (Incl. items marked*)
408	35570	Screen Seal (Can be used on HM80 with stamped steel
		recoil starter)
400	35569	Spacer (Can be used on HM80 with stamped steel recoil
403	33309	starter)
410	730573	Debris Screen Kit (Incl. 360, 370B, 387, 411 &413) (Can be
		used on HM80 with stamped steel recoil starter)
<i>A</i> 11	35568	Debris Screen (Can be used on HM80 with stamped steel
711	33300	recoil starter)
		<b>,</b>
413	650907	Screw, 5/16-18 x 1-5/8" (Can be used on HM80 with
		stamped steel recoil starter)
420	730225	SAE 30, 4-Cycle Engine Oil (Quart)
	730226	SAE 5W30, 4-Cycle Engine Oil (Quart)
	730572	Starter Muff Kit (Incl. 370J, 426 & 427) (Can be used on
723	100012	HM80 with die cast starter)
		,
429	650868	Screw, 8-18 x 1-1/8" (3 Required) (Use as required) (Refer to
		Mechanics Handbook for installation instructions).
430	611077	Alternator, Add on (Use as required) (Refer to Mechanics
100		Handbook for installation instructions).
		. Included in incl

Ref #	Part Number	Qty Description
431	590609	Centering tube (Use with engines equipped with die cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions)
431	590610	Centering tube (Use as required) (Refer to Mechanics Handbook for installation instructions).
432	611078	A.C. Lighting Connector (Use as required) (Refer to Mechanics Handbook for installation instructions).
432	611079	D.C. Charging Connector (Use as required) (Refer to Mechanics Handbook for installation instructions).
433	590611	Alternator Shaft (4.00") (Use with engines equipped with cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).
433	590636	Alternator Shaft (Use with engines equipped with stamped steel starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).



Ref #	Part Number Qty	Description
	33627	Bearing, Ball
	33628	Washer, Thrust
	31855	Retainer, Bearing
97	050000	Lockwasher, Heavy split, #10 (Buy loc ally)
	650802	Screw, 1/4-20 x 5/8" (Use as required )
	650737	Screw, 1/4-20 x 1/2" (Use as required )
	650738	Screw, 1/4-20 x 5/8" (Use as required )
	650890	Washer, Lock, 5/16"
134	30747	Clip, Spark plug shorting
173A	32446	Grommet, Breather tube
174	650128	Screw, 10-24 x 1/2"
174	650597	Screw, 10-24 x 5/8"
175	650778	Lockwasher
	650580	Nut, Lock, 10-24
222A		Pop Rivet (1/8" dia.) (Can be bought locally)
	730127	Air Cleaner Ass'y. (Incl.238,239,240,241,243,245 & 370)
	700121	(Use as required)
		` '
227	730164	Air Cleaner Ass'y. (Incl. 238, 239, 240, 241, 243 & 245) (Use
		as required)
0074	05044	• •
	35044	Air Cl.Elbow (Incl.222A,228A,235A,239 A,242A)
	650824	Stud, 1/4-20 x 7.33 (Use as required)
228A	650851	Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru
		elbow)
229Δ	650825	Nut & Lockwasher, 1/4-20
	30675	Fitting, Breather
	650163	Screw, 10-32 x 7/8"
	34698A	
		* Gasket, Air cleaner bracket
	34699	Bracket, Air cleaner
	34700	Element, Air cleaner
	34703	Filter, Pre-air
	35865	Gasket, Exhaust (Use as required)
275B	391026	Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler
		can be used on any model.)
275C.	35824	Muffler (Optional quiet muffler)
	650729	Screw, 5/16-18 x 3-3/16"
	650696	Screw, 5/16-18x2-3/4" (Used with 276A)
	26460	
		Clamp, Fuel line (Use as required)
	650665	Screw, 1/4-15 x 7/8"
370B	34387	Decal, Instruction Can be used on HM80 with stamped steel
		recoil starter.
370B	34704	Decal, Air cleaner
	34870	Decal, Instruction Can be used on HM80 with diecast starter.
	33329D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter
000	000202	motor kit may have been added to this engine. It can be
		added only if cylinder hasdrilled and tapped starter mounting
		bosses and a ring gear flywheel. Refer to service number
		stamped on end cap of motor, or on decal for identification.
		Ref
408	35570	Screen Seal (Can be used on HM80 with stamped steel
		recoil starter)
400	25502	,
409	35569	Spacer (Can be used on HM80 with stamped steel recoil
		starter)

Ref #	Part Number	Qty	Description
410	730573	•	Debris Screen Kit (Incl. 360, 370B, 387, 411 &413) (Can be used on HM80 with stamped steel recoil starter)
411	35568		Debris Screen (Can be used on HM80 with stamped steel recoil starter)
413	650907		Screw, 5/16-18 x 1-5/8" (Can be used on HM80 with stamped steel recoil starter)
415	730130		Exh.Adapter Kit (Incl.274,277)(Use as req.)
425	730572		Starter Muff Kit (Incl. 370J, 426 & 427) (Can be used on HM80 with die cast starter)
429	650868		Screw, 8-18 x 1-1/8" (3 Required) (Use as required) (Refer to Mechanics Handbook for installation instructions).
430	611077		Alternator, Add on (Use as required) (Refer to Mechanics Handbook for installation instructions).
431	590609		Centering tube (Use with engines equipped with die cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions)
431	590610		Centering tube (Use as required) (Refer to Mechanics Handbook for installation instructions).
432	611078		A.C. Lighting Connector (Use as required) (Refer to Mechanics Handbook for installation instructions).
432	611079		D.C. Charging Connector (Use as required) (Refer to Mechanics Handbook for installation instructions).
433	590611		Alternator Shaft (4.00") (Use with engines equipped with cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).
433	590636		Alternator Shaft (Use with engines equipped with stamped steel starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).



Def #	Dort Ni week on	<b>~</b> +.	Description
		Ųty	Description
	650814 34664		Screw, Torx T-15, 10-24 x 1" Control Bracket (Incl.19,203,204,206, 209)
	610973		Terminal Assy. (Use as required)
	33878		Link, Governor-to-throttle
	650821		Screw, 10-32 x 1/2"
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	34833B		Blower Housing (For electric starter)
	35824		Muffler (Optional quiet muffler)
277A	650696		Screw, 5/16-18x2-3/4" (Used with 276A)
290	29774		Fuel Line (Braided 8-1/4")(21 cm)(As req.)
290	30705		Fuel Line (Braided 16")(41 cm)(Use as req.)
	30962		Fuel Line (Braided 32")(81 cm)(Use as req.)
	410144B		Fuel Cap (White Plastic)(Std)(1-1/2" I.D.)
301	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16"
			I.D.)
301	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
	- · · · · ·		(1-3/16" I.D)
004	05055		
	35355		Fuel Cap (Red plastic) (1-1/2" I.D.)
	35038		Spacer, Tank
	650561		Screw, 1/4-20 x 5/8"
	34870 34387		Decal, Instruction Can be used on HM80 with diecast starter.
3/00	3430 <i>1</i>		Decal, Instruction Can be used on HM80 with stamped steel recoil starter.
			recoil starter.
	34704		Decal, Air cleaner
408	35570		Screen Seal (Can be used on HM80 with stamped steel
			recoil starter)
409	35569		Spacer (Can be used on HM80 with stamped steel recoil
			starter)
410	730573		Debris Screen Kit (Incl. 360, 370B, 387, 411 &413) (Can be
410	130313		used on HM80 with stamped steel recoil starter)
			·
411	35568		Debris Screen (Can be used on HM80 with stamped steel
			recoil starter)
413	650907		Screw, 5/16-18 x 1-5/8" (Can be used on HM80 with
			stamped steel recoil starter)
40E	720572		Storter Muff Vit (Incl. 270 L 426 & 4.27) (Con be used on
423	730572		Starter Muff Kit (Incl. 370J, 426 & 427) (Can be used on HM80 with die cast starter)
			,
429	650868		Screw, 8-18 x 1-1/8" (3 Required) (Use as required) (Refer to
			Mechanics Handbook for installation instructions).
430	611077		Alternator, Add on (Use as required) (Refer to Mechanics
.00			Handbook for installation instructions).
404	F00000		,
431	590609		Centering tube (Use with engines equipped with die cast
			aluminum starter)(Use as required) (Refer to Mechanics
			Handbook for installation instructions)
431	590610		Centering tube (Use as required) (Refer to Mechanics
			Handbook for installation instructions).
<b>∆</b> ??	611078		A.C. Lighting Connector (Use as required) (Refer to
<del>-1</del> 02	0.1070		Mechanics Handbook for installation instructions).
*# =	044070		·
432	611079		D.C. Charging Connector (Use as required) (Refer to
			Mechanics Handbook for installation instructions).

Ref # Part Number	Qty Description
433 590611	Alternator Shaft (4.00") (Use with engines equipped with cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).
433 590636	Alternator Shaft (Use with engines equipped with stamped steel starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).