


Ref #	Part Number	Qtv	Description
	34809A		Cylinder (Incl.2,20 & 72)(3-1/8")(CI liner)
	27652		Pin, Dowel
	30699C		Rod Assy., Governor (Incl. 15A & 15B)
	650494		Screw, 6-40 x 5/16"
	30700		Yoke, Governor
	33454		Governor Lever Assy.
	29916		Clamp, Governor lever
	650548		Screw, 8-32 x 5/16"
	34663		Spring, Speed control
	32630		Seal, Oil
25	35326		Baffle, Blower housing
26	650561		Screw, 1/4-20 x 5/8"
30	35216		Crankshaft (Incl. 108 & 109)
32	33628		Washer, Thrust
35	29826		Screw, 10-32 x 3/4"
36	29918		Lockwasher, #8 E.T.
	30322		Locknut, Hex "Keps", 8-32
	29216		Nut & Lockwasher, 10-32 "Keps"
	29642		Ring, Retaining
	34552		Piston, Pin & Ring Set (Std.) (3-1/8")
	34553		Piston, Pin & Ring Set (J.010" OS)
	34554		<u> </u>
			Piston, Pin & Ring Set (.020" OS) Piston & Pin Apply (Std) (Incl. 43) (3.1 /9")
	34329A		Piston & Pin Ass'y.(Std)(Incl.43)(3-1 /8")
	34330A		Piston & Pin Ass'y. (.010" OS)(Incl. 43)
	34331A		Piston & Pin Ass'y. (.020" OS)(Incl. 43)
	34332		Ring Set (Std.) (3-1/8" Bore)
	34333		Ring Set (.010" OS)
	34334		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 49)
	650662C		Bolt, Connecting rod (2 pieces)
48	34034		Lifter, Valve
49	34242		Dipper, Oil
50	34143		Camshaft (MCR)
60	33273A		Extension, Blower housing
65	650128		Screw, 10-24 x 1/2"
69	35262		* Gasket, Cylinder cover
70	33626B		Cyl. Cover (Incl.71,74,75,80,175,176, 311,312)
	31927		Plug, Oil drain
	33625		Seal, Oil
	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 81)
	30588A		Spool, Governor
	29193		Ring, Retaining
	650488		Screw, 1/4-20 x 1-1/4"
	650493		Screw, 1/4-20 x 1-3/4"
	32589		Key, Flywheel
	611090		Flywheel
	650815		Washer, Belleville
	8116		Nut, Hex (1/2-20)
	35135		Lamination Assy., Solid State
	610118		Cover, Spark plug (Use as required)
	650872		Stud, Lamination mounting
	650814		Screw, Torx T-15, 10-24 x 1"
104	31461		Bushing, Cylinder
108	29783		Pin, Crankshaft gear
109	33245		Gear, Crankshaft

Ref #	Part Number	Qtv	Description
	34041A		* Gasket, Head
	34030A		Head, Cylinder
	27878A		Exhaust Valve (Std.) (Incl. 151)
	27880A		Exhaust Valve (1/32" OS) (Incl. 151)
	34035		Intake Valve (Std.) (Incl. 151)
	34036		Intake Valve (1/32" OS) (Incl. 151)
	650691		Washer (Use as req., but not w/6021A screw)
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650690		Washer, Belleville
	650727		Screw, 5/16-18 x 1-3/4" (Use as requi red)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse with
130/	0021A		650691 washer)
			030031 Washer)
130	650694A		Screw, 5/16-18 x 2" (Use as required)
131A	650713		Screw, 5/16-18 x 5/8" (Use as require d)
131A	792028		Screw, 5/16-18 x 7/8" (Use as require d)
131	650802		Screw, 1/4-20 x 5/8" (Use as required)
131	650737		Screw, 1/4-20 x 1/2" (Use as required)
131	650738		Screw, 1/4-20 x 5/8" (Use as required)
	33636		Resistor Spark Plug (RJ17LM)
	33369		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	27882		Cap, Upper valve spring
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	32446		Grommet, Breather tube
	34696		Tube, Breather
	650128		Screw, 10-24 x 1/2"
	650597		Screw, 10-24 x 5/8"
	29752		Nut & Lockwasher, 1/4-28
	30593		Clip, Primer line (Use as required)
	30088A		Screw, 1/4-28 x 1"
	33263		* Gasket, Carburetor
	34707		Pipe, Intake
	610973		Terminal Assy. (Use as required)
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	650378		Screw, To-32 x 3/6 Screw, Torx T-30, 5/16-18 x 1-1/8 "
	27915A		
	35043		* Gasket, Intake pipe Tube, Carburetor
	34833B		·
	650788		Blower Housing (For electric starter) Screw, 5/16-18 x 3/4" (Use as require d)
	29747B 33272B		Screw, 5/16-24 x 21/32"
	35824		Cover, Cylinder head Muffler (Optional quiet muffler)
			Muffler (Optional quiet muffler)
	31588		Plate, Muffler locking
	650696 650730		Screw, 5/16-18x2-3/4" (Used with 276A)
	650729		Screw, 5/16-18 x 3-3/16"
	33013		Cover, Starter bubble
	650760		Screw, 8-32 x 3/8"
	32125		Cup, Starter (Stationers)
286	35446		Screen, Starter (Stationary)


287 290 290 290 292 298	Part Number 29752 29774 30705 30962 26460 650665 34156A	Qty	Nut & Lockwasher, 1/4-28 Fuel Line (Braided 8-1/4")(21 cm)(As req.) Fuel Line (Braided 16")(41 cm)(Use as req.) Fuel Line (Braided 32")(81 cm)(Use as req.) Clamp, Fuel line (Use as required) Screw, 1/4-15 x 7/8" Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355.
	410144B 33032		Fuel Cap (White Plastic)(Std)(1-1/2" I.D.) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16" I.D.)
301	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (1-3/16" I.D)
306 310 325 325 327 340 342 370 370J 370A 379	35355 29673 31297 29443 34246 35392 34154 650561 34346 34870 35532 631021 632325		Fuel Cap (Red plastic) (1-1/2" I.D.) * Gasket, Oil fill Dipstick (Incl. 306) Clip, Fuel line (Use as required) Clip, Ground wire (Use as required) Plug, Starter Plate, Fuel tank mounting Screw, 1/4-20 x 5/8" Decal, Instruction Decal, Instruction Can be used on HM80 with diecast starter. Decal, Name Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 188 for breakdown or Fiche18A-1, Grid F-5)
390A	590633		Rewind Starter (Refer to Division 5, Section C, page 30 for breakdown or Fiche 18A-1, Grid G-5)
	33279G 35570		Gasket Set (Incl. items marked*) Screen Seal (Can be used on HM80 with stamped steel recoil starter)
409	35569		Spacer (Can be used on HM80 with stamped steel recoil starter)
410	730573		Debris Screen Kit (Incl. 360, 370B, 387, 411 &413) (Can be used on HM80 with stamped steel recoil starter)
411	35568		Debris Screen (Can be used on HM80 with stamped steel recoil starter)
413	650907		Screw, 5/16-18 x 1-5/8" (Can be used on HM80 with stamped steel recoil starter)
421	730225 730226 730572		SAE 30, 4-Cycle Engine Oil (Quart) SAE 5W30, 4-Cycle Engine Oil (Quart) Starter Muff Kit (Incl. 370J, 426 & 427) (Can be used on HM80 with die cast starter)
429	650868		Screw, 8-18 x 1-1/8" (3 Required) (Use as required) (Refer to Mechanics Handbook for installation instructions).
430	611077		Alternator, Add on (Use as required) (Refer to Mechanics Handbook for installation instructions).

Ref #	Part Number	Qty Description
431	590609	Centering tube (Use with engines equipped with die cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions)
431	590610	Centering tube (Use as required) (Refer to Mechanics Handbook for installation instructions).
432	611078	A.C. Lighting Connector (Use as required) (Refer to Mechanics Handbook for installation instructions).
432	611079	D.C. Charging Connector (Use as required) (Refer to Mechanics Handbook for installation instructions).
433	590611	Alternator Shaft (4.00") (Use with engines equipped with cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).
433	590636	Alternator Shaft (Use with engines equipped with stamped steel starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).



Ref #	Part Number (Qty	Description
23	33627		Bearing, Ball
32	33628		Washer, Thrust
74	31855		Retainer, Bearing
97			Lockwasher, Heavy split, #10 (Buy loc ally)
	650802		Screw, 1/4-20 x 5/8" (Use as required)
	650737		Screw, 1/4-20 x 1/2" (Use as required)
	650738		Screw, 1/4-20 x 5/8" (Use as required)
	650890		Washer, Lock, 5/16"
	30747		Clip, Spark plug shorting
	32446		Grommet, Breather tube
	650128		Screw, 10-24 x 1/2"
174	650597		Screw, 10-24 x 5/8"
175	650778		Lockwasher
176	650580		Nut, Lock, 10-24
222A			Pop Rivet (1/8" dia.) (Can be bought locally)
	730127		Air Cleaner Ass'y. (Incl.238,239,240,241,243,245 & 370)
,	100121		(Use as required)
			(Ose as required)
227	730164		Air Cleaner Ass'y. (Incl. 238, 239, 240, 241, 243 & 245) (Use
			as required)
0074	05044		·
	35044		Air Cl.Elbow (Incl.222A,228A,235A,239 A,242A)
	650824		Stud, 1/4-20 x 7.33 (Use as required)
228A	650851		Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru
			elbow)
2201	CEOOOE		Nut 9 Ladaugahar 1/4 20
	650825		Nut & Lockwasher, 1/4-20
	30675		Fitting, Breather
	650163		Screw, 10-32 x 7/8"
239A	34698A		* Gasket, Air cleaner bracket
242A	34699		Bracket, Air cleaner
245A	34700		Element, Air cleaner
246A	34703		Filter, Pre-air
	35865		Gasket, Exhaust (Use as required)
	391026		Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler
2100	331020		can be used on any model.)
			can be used on any model.)
275C	35824		Muffler (Optional quiet muffler)
277	650729		Screw, 5/16-18 x 3-3/16"
	650696		Screw, 5/16-18x2-3/4" (Used with 276A)
	26460		Clamp, Fuel line (Use as required)
	650665		Screw, 1/4-15 x 7/8"
	34387		·
3700	34307		Decal, Instruction Can be used on HM80 with stamped steel
			recoil starter.
370B	34704		Decal, Air cleaner
	34870		Decal, Instruction Can be used on HM80 with diecast starter.
	33329D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter
333	30020D		motor kit may have been added to this engine. It can be
			added only if cylinder hasdrilled and tapped starter mounting
			bosses and a ring gear flywheel. Refer to service number
			stamped on end cap of motor, or on decal for identification.
			Ref
∆ ∩2	35570		Screen Seal (Can be used on HM80 with stamped steel
+00	00010		recoil starter)
			iewii siaitei)
409	35569		Spacer (Can be used on HM80 with stamped steel recoil
			starter)
			,

Ref #	Part Number	Qty	Description
410	730573	•	Debris Screen Kit (Incl. 360, 370B, 387, 411 &413) (Can be used on HM80 with stamped steel recoil starter)
411	35568		Debris Screen (Can be used on HM80 with stamped steel recoil starter)
413	650907		Screw, 5/16-18 x 1-5/8" (Can be used on HM80 with stamped steel recoil starter)
415	730130		Exh.Adapter Kit (Incl.274,277)(Use as req.)
425	730572		Starter Muff Kit (Incl. 370J, 426 & 427) (Can be used on HM80 with die cast starter)
429	650868		Screw, 8-18 x 1-1/8" (3 Required) (Use as required) (Refer to Mechanics Handbook for installation instructions).
430	611077		Alternator, Add on (Use as required) (Refer to Mechanics Handbook for installation instructions).
431	590609		Centering tube (Use with engines equipped with die cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions)
431	590610		Centering tube (Use as required) (Refer to Mechanics Handbook for installation instructions).
432	611078		A.C. Lighting Connector (Use as required) (Refer to Mechanics Handbook for installation instructions).
432	611079		D.C. Charging Connector (Use as required) (Refer to Mechanics Handbook for installation instructions).
433	590611		Alternator Shaft (4.00") (Use with engines equipped with cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).
433	590636		Alternator Shaft (Use with engines equipped with stamped steel starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).



Def #	Dort Ni week on	~ +.	Description
		Ųty	Description
	650814 34664		Screw, Torx T-15, 10-24 x 1" Control Bracket (Incl.19,203,204,206, 209)
	610973		Terminal Assy. (Use as required)
	33878		Link, Governor-to-throttle
	650821		Screw, 10-32 x 1/2"
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	34833B		Blower Housing (For electric starter)
	35824		Muffler (Optional quiet muffler)
277A	650696		Screw, 5/16-18x2-3/4" (Used with 276A)
290	29774		Fuel Line (Braided 8-1/4")(21 cm)(As req.)
290	30705		Fuel Line (Braided 16")(41 cm)(Use as req.)
	30962		Fuel Line (Braided 32")(81 cm)(Use as req.)
	410144B		Fuel Cap (White Plastic)(Std)(1-1/2" I.D.)
301	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16"
			I.D.)
301	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
	- · · · · ·		(1-3/16" I.D)
004	05055		
	35355		Fuel Cap (Red plastic) (1-1/2" I.D.)
	35038		Spacer, Tank
	650561		Screw, 1/4-20 x 5/8"
	34870 34387		Decal, Instruction Can be used on HM80 with diecast starter.
3/00	3430 <i>1</i>		Decal, Instruction Can be used on HM80 with stamped steel recoil starter.
			recoil starter.
	34704		Decal, Air cleaner
408	35570		Screen Seal (Can be used on HM80 with stamped steel
			recoil starter)
409	35569		Spacer (Can be used on HM80 with stamped steel recoil
			starter)
410	730573		Debris Screen Kit (Incl. 360, 370B, 387, 411 &413) (Can be
410	130313		used on HM80 with stamped steel recoil starter)
			·
411	35568		Debris Screen (Can be used on HM80 with stamped steel
			recoil starter)
413	650907		Screw, 5/16-18 x 1-5/8" (Can be used on HM80 with
			stamped steel recoil starter)
10E	720572		Storter Muff Vit (Incl. 270 L 426 & 4.27) (Con be used on
423	730572		Starter Muff Kit (Incl. 370J, 426 & 427) (Can be used on HM80 with die cast starter)
			,
429	650868		Screw, 8-18 x 1-1/8" (3 Required) (Use as required) (Refer to
			Mechanics Handbook for installation instructions).
430	611077		Alternator, Add on (Use as required) (Refer to Mechanics
.00			Handbook for installation instructions).
404	F00000		,
431	590609		Centering tube (Use with engines equipped with die cast
			aluminum starter)(Use as required) (Refer to Mechanics
			Handbook for installation instructions)
431	590610		Centering tube (Use as required) (Refer to Mechanics
			Handbook for installation instructions).
∆ ??	611078		A.C. Lighting Connector (Use as required) (Refer to
-1 02	0.1070		Mechanics Handbook for installation instructions).
*# =	044070		·
432	611079		D.C. Charging Connector (Use as required) (Refer to
			Mechanics Handbook for installation instructions).

Ref # Part Number	Qty Description
433 590611	Alternator Shaft (4.00") (Use with engines equipped with cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).
433 590636	Alternator Shaft (Use with engines equipped with stamped steel starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).