


Ref # Part Number Op Description 1 35371 Cylinder (Cl liner)(3-5/16*)(Ind.2.2 0.8 72) 2 77652 Ph, Dowel 158 650494 159 30990C 16 305990C 16 305990C 17 29316 18 650548 25 35256A 26 35319 26 35256A 27 29316 28 35256A 29 85256A 29 35319 25 35256 26 Blower Housing Baffie (With electric starter knockout) (Use as required) 26 650561 27 Cranktshaft Ind. 108 & 109) 32 3272A 33 S272A 33 S2826 33 S2827 33 S2828 33 S2828 33 S2828 33 S2828 34800A Pheton, Pin & Ring Set (100*) OS (incl.43)				
25 29536 Blower Housing Baffe (Without electric starter knockout) (USe as required) 26 650561 Screw, 1/4-20 x 5/8" 30 35372A Crankshaft (Incl. 108 & 109) 32 3288266 Screw, 10-32 x 3/4" 37 30322 Nut & Lockwasher, #8 E.T. 37 30322 Nut & Lockwasher, #3-22 38 28642 Ring, Retaining 40 34860A Piston, Pin & Ring Set (Std.)(3-5/16") 41 34862 Piston, Pin & Ring Set (Std.)(3-5/16") 43 34862A Piston, Pin A Sking Set (JC0" OS) 41 34863 Piston & Pin Assy. (Std.)(3-5/16") (Incl. 43) 41 34864 Piston & Pin Assy. (Std.)(3-5/16") (Incl. 43) 42 3486A Ring Set (JC0" OS) (Incl. 43) 43 3486A Ring Set (JC0" OS) 42 3486A Ring Set (JC2" OS) 43 24867A Ring Set (JC2" OS) 44 3486A Ring Set (JC2" OS) 42 3486A Ring Set (JC2" OS) 43 27888 Ring Set (J	1 2 15B 15A 15 16 17 18 20 25	35371 27652 650494 30700 30699C 33454 29916 650548 35319 35256A	Qty	Cylinder (Cl liner)(3-5/16")(Incl.2,2 0 & 72) Pin, Dowel Screw, 6-40 x 5/16" Yoke, Governor Rod Assy., Governor (Incl. 15A & 15B) Governor Lever Assy. Clamp, Governor lever Screw, 8-32 x 5/16" Seal, Oil Blower Housing Baffle (With electric starter knockout) (Use as required)
30 35372A Crankshaft (Ind. 108 & 109) 35 29826 Screw, 10-32 X 3/4* 37 20216 Lockwasher, #9 E.T. 37 20322 Nut & Lockwasher, 8-32 38 29842 Ring, Retaining 40 34860A Piston, Pin & Ring Set (Std.)(3-5'16") 40 34860A Piston, Pin & Ring Set (100" OS) 40 34862A Piston, Pin & Ring Set (100" OS) 41 34863 Piston & Pin Assy. (Std.)(3-5'16")(Incl.43) 41 34865 Piston & Pin Assy. (D10" OS) (Incl. 43) 41 34865 Piston & Pin Assy. (D20" OS) 42 34867A Ring Set (J00" OS) (Incl. 43) 42 34867A Ring Set (J00" OS) 42 34867A Ring Set (J00" OS) 43 27888 Ring, Piston Pin retaining 43 27888 Ring, Piston Ring Rod Bolt (2 pos. on early Specs.) 44 36374 Dipper, OI 53375 Carnshaft (MCR) 63 33273A Extension, Blower housing 63 35262 Corectinder (Indet (Ind. 17, 75 & 80) 71				Blower Housing Baffle (Without electric starter knockout)
89 32589 Key, Flywheel 90 611090 Flywheel 92 650880 Washer, Lock 93 650881 Nut, 5/8-18 100 35135 Solid State Assy.	30 35 36 37 37A 38 40 40 40 41 41 41 41 41 42 42 42 42 42 42 42 42 42 42 42 42 42	35372A 29826 29918 29216 30322 29642 34860A 34861A 34862A 34863 34864 34865 34866A 34866A 34867A 34868A 27888 35373A 650908 650882 34034 35375 33273A 65098 650882 34034 35375 33273A 650128 35375 33273A 650128 35262 35376 35377 27642 35376 35377 27642 35319 31845 30590A 35378 30588A 29193 650833		Screw, 1/4-20 x 5/8" Crankshaft (Incl. 108 & 109) Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Locknut, 10-32 Nut & Lockwasher, 8-32 Ring, Retaining Piston, Pin & Ring Set (Std.)(3-5/16") Piston, Pin & Ring Set (.020" OS) Piston & Pin Ass'y. (Std.)(3-5/16")(1 ncl.43) Piston & Pin Ass'y. (.010" OS) (Incl. 43) Piston & Pin Ass'y. (.020" OS) (Incl. 43) Ring Set (Std.) (3-5/16" Bore) Ring Set (.020" OS) Ring, Piston Pin retaining Rod Assy., Connecting (Incl. 46, 47 & 49) Bolt, Connecting rod Connecting Rod Bolt (2 pcs. on early Specs.) Lifter, Valve Dipper, Oil Camshaft (MCR) Extension, Blower housing Screw, 10-24 x 1/2" * Gasket, Flange Cover, Cylinder (Incl. 71, 75 & 80) Bushing, Crankshaft Plug, Oil drain Seal, Oil Shaft, Mechanical governor Washer, Flat Gear Assy., Governor (Incl. 81) Spool, Governor Ring, Retaining Screw, 1/4-20 x 1-3/16 (Use as requir ed)
	90 92 93 100	611090 650880 650881 35135		Key, Flywheel Flywheel Washer, Lock Nut, 5/8-18 Solid State Assy.


Ref #	Part Number Qty	Description
103	650814	Screw, Torx T-15, 10-24 x 1"
108	29783	Pin, Crankshaft gear (Only serviceable when gear is pinned
		to crank.)
109	33245	Gear, Crankshaft
	34923A	* Gasket, Cylinder head
	34030A	Head, Cylinder
	27878A	Exhaust Valve (Std.) (Incl. 151)
	27880A	Exhaust Valve (01/32" OS) (Incl. 151)
	34035	Intake Valve (Std.) (Incl. 151)
	34036	Intake Valve (1/32" OS) (Incl. 151)
	650691	Washer (Do not use with No. 6021A scr ew.)
	650690	Washer, Belleville (Use as required)
	650727	Screw, 5/16-18 x 1-3/4 (Use as requir ed)
130	6021A	Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse No.
		650691 washer.)
130	650711	Screw, 5/16-18 x 1-5/8 " (Use as required) (Can use 6021A
		but discard 650691 washer.)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650737	Screw, 1/4-20 x 1/2" (Use as required)
131	650738	Screw, 1/4-20 x 5/8 (Use as required)
131A	650713	Screw, 5/16-18 x 5/8"
133	650890	Washer, Internal Lock
	30747	Clip, Spark plug shorting
	33636	Resistor Spark Plug
	33369	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	35862	Seal Assy., Intake valve
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	27896A	* Gasket, Breather
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Breather
	35350	Tube, Breather
		,
	650128 20752	Screw, 10-24 x 1/2"
	29752	Nut & Lockwasher, 1/4-28
	30088A	Screw, 1/4-28 x 1"
	33263	* Gasket, Carburetor
	34707	Pipe, Intake
	34664	Control Bracket (Incl.19,203, 204, 20 6 & 209)
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	33878	Link, Governor lever-to-throttle
	650821	Screw, 10-32 x 1/2"
	27793	Clip, Conduit
211	28942	Screw, 10-32 x 3/8"
222A		Pop Rivet (Can be purchased locally)
223	650378	Screw, Torx T-30, 5/16-18 x 1-1/8"
	27915A	* Gasket, Intake pipe
	33269A	Cover, Air cleaner
	33375D	Blower Housing (For electric starter)
	650788	Screw, 5/16-18 x 3/4"
	29747B	Screw, 5/16-24 x 21/32"
	33272B	Cover, Cylinder head
	33280A	Muffler
270	31588	Plate, Muffler locking

HM100-159000E Engine Parts List #1


Ref #	Part Number		Description
	35741		Plate, Muffler locking
	650729		Screw, 5/16-18 x 3-3/16" (Use as requ ired)
	651002		Screw, 5/16-18 x 4-1/4" (Use as requi red)
281	33013	(Cover, Starter bubble
282	650760	ę	Screw, 8-32 x 7/16"
285	35287	(Cup, Starter
	35194	ę	Screen, Starter
287	29752	I	Nut, 1/4-28
290	29774		Fuel Line (Braided 8-1/4")(21cm)(As r equired)
290	30962	I	Fuel Line (Braided 32")(80cm)(As requ ired)
291	30705	I	Fuel Line (Braided 16")(40cm)(As requ ired)
292	26460	I	Fuel Line Clamp (Use as required)
298	650665	ę	Screw, 1/4-15 x 7/8"
300	34156A	l	Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355.
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use a required) (1.5" I.D.)
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.)
301A	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
	29673		* Gasket, Oil filler
	31297		Dipstick (Incl. 307)
	31291		Plug, Cover
	34154		Plate, Upper fuel tank mtg.
	34155		Bracket, Lower fuel tank mtg.
	650561		Screw, 1/4-20 x 5/8"
	34686		Decal, Name
	34346		Decal, Instruction
	35274		Decal, Instruction
	631021		Inlet Needle, Seat & Clip Assy.
	632242	(Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A, page A4-4 for breakdown or Fiche 18B, Grid D-3)
400	33279G	t	* Gasket Set (Incl. items marked *)
	730225		SAE 30 4-Cycle Engine Oil (Quart)
	730226		SAE 5W30 4-Cycle Engine Oil (Quart)
	35824		Muffler Optional



Ref #	Part Number Qty	Description
	30322	Nut & Lockwasher, 8-32
	650727	Screw, 5/16-18 x 1-3/4 (Use as requir ed)
	650713	Screw, 5/16-18 x 5/8"
	650737	Screw, 1/4-20 x 1/2" (Use as required)
	650738	Screw, 1/4-20 x 5/8 (Use as required)
222A		Pop Rivet (Can be purchased locally)
	33269A	Cover, Air cleaner
	35865	Gasket, Exhaust
	33280A	Muffler
	650729	Screw, 5/16-18 x 3-3/16" (Use as requ ired)
	651002	Screw, 5/16-18 x 4-1/4" (Use as requi red)
	29774	Fuel Line (Braided 8-1/4")(21cm)(As r equired)
	30962	Fuel Line (Braided 32")(80cm)(As requ ired)
	26460	Fuel Line Clamp (Use as required)
	650665	Screw, 1/4-15 x 7/8"
300	34156A	Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
		builtwith different size fuel inlet openings. Tanks with the
		1-3/16" I.D. opening use fuel cap 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
301A	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
00111		
		-
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
		required) (1.5" I.D.)
301A	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
••••		as required) (1.5" I.D.)
0014	05055	
	35355	Fuel Cap (Red Plastic)(1.75" I.D.)
	29673	* Gasket, Oil filler
	31291	Plug, Cover
	34155	Bracket, Lower fuel tank mtg.
	650561	Screw, 1/4-20 x 5/8"
	33323	Opt.Muffler Screen (Mini-Bike applica tion)
	730130	Kit, Exhaust adapter (Incl. 274 & 277)
	33700	Cover & Tube, Muffler (use as require d)
	650578 720226	Screw, 8-18 x 3/8" (use as required)
	730226	SAE 5W30 4-Cycle Engine Oil (Quart)
422	35824	Muffler Optional



Qty Description
Nut & Lockwasher, 8-32
Screw, 5/16-18 x 1-3/4 (Use as requir ed)
Screw, 1/4-20 x 1/2" (Use as required)
Screw, 1/4-20 x 5/8 (Use as required)
Screw, 5/16-18 x 5/8"
Control Bracket (Incl.1158-1171)(As r eq.)
Spring, Compression
Screw, 5-40 x 7/16"
Clip, Conduit
Screw, 10-32 x 3/8"
Pop Rivet (Can be purchased locally)
Air Cleaner Ass'y. (Incl. 238, 239, 242, 246, 250) (Use as required)
Screw, 10-32 x 1/2"
* Gasket, Air cleaner
Bracket, Air cleaner
Bracket, Air cleaner
Element, Air cleaner
Cover, Air cleaner
Nut, Wing 1/4-20
Fuel Line (Braided 8-1/4")(21cm)(As r equired)
Fuel Line (Braided 32")(80cm)(As required)
Fuel Line (Braided 16")(40cm)(As required)
Impulse Fuel Pump NOTE: 34385 and 33715 (WIP)pumps
are replaced by 35813 and 35800 (WIP) pumps. The 33010
(3000 series) repair kit is still available. The 35791 repair kit
is used with the 35813 and 35800 fuel pumps.
Fuel Pump Repair Kit NOTE: 34385 and 33715 (WIP)pumps
are replaced by 35813 and 35800 (WIP) pumps. The 33010
(3000 series) repair kit is still available. The 35791 repair kit
is used with the 35813 and 35800 fuel pumps.
Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
I.D.)
Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
required) (1.5" I.D.)
Fuel Cap (Red Plantia) (Spurt Projectant, High Profile) (Lea
Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
as required) (1.5" I.D.)
Fuel Cap (Red Plastic)(1.75" I.D.)
Fitting, Fuel
* Gasket, Oil filler
Plug, Cover
•
Decal, Instruction
Decal, Instruction
SAE 5W30 4-Cycle Engine Oil (Quart)
Muffler Optional
Screw, 10-32 x 1/2"
Screw, 10-32 x 1/2"
Lockwasher



Ref #	Part Number	Qty	Description
1	35371		Cylinder (CI liner)(3-5/16")(Incl.2,2 0 & 72)
2	27652		Pin, Dowel
	30322		Nut & Lockwasher, 8-32
	27642		Plug, Oil drain
	611090		Flywheel
			•
	35135		Solid State Assy.
	650872		Stud, Solid state mounting
	650814		Screw, Torx T-15, 10-24 x 1"
	650727		Screw, 5/16-18 x 1-3/4 (Use as requir ed)
131	650737		Screw, 1/4-20 x 1/2" (Use as required)
131	650738		Screw, 1/4-20 x 5/8 (Use as required)
131A	650713		Screw, 5/16-18 x 5/8"
	27896A		* Gasket, Breather
	28423		Body, Breather
	28424		Element, Breather
	28425		
			Cover, Breather
	35350		Tube, Breather
	650128		Screw, 10-24 x 1/2"
	29752		Nut & Lockwasher, 1/4-28
	33878		Link, Governor lever-to-throttle
222A			Pop Rivet (Can be purchased locally)
238	28820		Screw, 10-32 x 1/2"
239	27272A		* Gasket, Air cleaner
241	33266		Bracket, Air cleaner
	33267		Bracket, Air cleaner
	33268		Element, Air cleaner
	33269A		Cover, Air cleaner
	650513		Nut, Wing 1/4-20
2/58	391026		Muffler (Incl. 284, 284A & 416) (This spark arrester
			mufflercan be used on any model.)
275	33280A		Muffler
	31588		Plate, Muffler locking
	35741		Plate, Muffler locking
	650729		Screw, 5/16-18 x 3-3/16" (Use as required)
	651002		Screw, 5/16-18 x 4-1/4" (Use as required)
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
			I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use a
			required) (1.5" I.D.)
			,,,,,
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
			as required) (1.5" I.D.)
201 4	25255		Fuel Cap (Bad Diastia)(1.75" D.)
	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
	29673		* Gasket, Oil filler
	33876		Gasket, Stator (Used only on Std. poi nt ign.)
	31291		Plug, Cover
377	30547A		Breaker Points (Use with Std. point i gn.)
380	632242		Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
			page A4-4 for breakdown or Fiche 18B, Grid D-3)
	700000		
	730226 35824		SAE 5W30 4-Cycle Engine Oil (Quart) Muffler Optional